

GenCore version 5.1.6
Copyright (c) 1993 - 2005 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: June 30, 2005, 22:02:03 ; Search time 160 Seconds
(without alignments)
16.921 Million cell updates/sec

Title: US-09-874-350C-210

Perfect score: 40

Sequence: 1 YHDAVP 7

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 2105692 seqs, 386760381 residues

Total number of hits satisfying chosen parameters: 2105692

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 150 summaries

Database : A_Geneseq_16Dec04:*

1: Geneseqp1980s:*

2: Geneseqp1990s:*

3: Geneseqp2000s:*

4: Geneseqp2001s:*

5: Geneseqp2002s:*

6: Geneseqp2003as:*

7: Geneseqp2003bs:*

8: Geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	100.0	7	4	AAG73298
2	40	100.0	7	5	ABU60447
3	40	100.0	7	5	ABU60385
4	40	100.0	7	8	ADN88521
5	40	100.0	7	8	ADN88514
6	40	100.0	7	8	ADN88520
7	40	100.0	8	2	AAR34855
8	40	100.0	10	1	AAP80605
9	40	100.0	10	2	AAR34851
10	40	100.0	10	2	AAW93092
11	40	100.0	10	4	AAB32087
12	40	100.0	10	4	AAG34006
13	40	100.0	10	8	ADN88520
14	40	100.0	14	2	AAW29953
15	40	100.0	14	4	AAG73121
16	40	100.0	14	4	AAG73120
17	40	100.0	14	4	AAG73119
18	40	100.0	14	5	AAW50413
19	40	100.0	14	8	ADN88359
20	40	100.0	14	8	ADN88361
21	40	100.0	14	8	ADN88360
22	40	100.0	14	8	ADN88522
23	40	100.0	15	8	ADN88517
24	40	100.0	16	4	AAG73124
25	40	100.0	16	4	AAG73123

26	40	100.0	16	4	AAG73122
27	40	100.0	16	8	ADN88518
28	40	100.0	16	8	ADN88362
29	40	100.0	16	8	ADN88523
30	40	100.0	16	8	ADN88363
31	40	100.0	16	8	ADN88364
32	40	100.0	17	2	AAR21431
33	40	100.0	17	4	AAG73125
34	40	100.0	17	7	ABU64171
35	40	100.0	17	8	ADN88365
36	40	100.0	17	8	ADN88366
37	40	100.0	17	8	ADN88368
38	40	100.0	17	8	ADN88367
39	40	100.0	17	8	ADN88369
40	40	100.0	18	4	AAG73237
41	40	100.0	18	4	AAG73129
42	40	100.0	18	4	AAG73235
43	40	100.0	18	4	AAG73126
44	40	100.0	18	4	AAG73236
45	40	100.0	18	4	AAG73128
46	40	100.0	18	4	AAG73127
47	40	100.0	18	4	AAG73130
48	40	100.0	18	8	ADN88370
49	40	100.0	18	8	ADN88474
50	40	100.0	18	8	ADN88524
51	40	100.0	18	8	ADN88475
52	40	100.0	18	8	ADN88516
53	40	100.0	18	8	ADN88525
54	40	100.0	19	1	AAP61520
55	40	100.0	199	1	AAP61521
56	40	100.0	202	1	AAR52020
57	40	100.0	238	1	AAP60307
58	40	100.0	238	2	AAP70306
59	40	100.0	238	2	AAR42447
60	40	100.0	269	1	AAP50043
61	40	100.0	269	1	AAP81197
62	40	100.0	269	2	AAR15747
63	40	100.0	269	2	AAR42213
64	40	100.0	269	2	AAW31668
65	40	100.0	269	2	AAW71382
66	40	100.0	269	2	AAW08322
67	40	100.0	269	3	AAW69531
68	40	100.0	269	3	AAW37790
69	40	100.0	269	3	AAW96877
70	40	100.0	269	4	AAW35251
71	40	100.0	269	4	AAW97079
72	40	100.0	269	5	AAU80166
73	40	100.0	269	5	AAU11115
74	40	100.0	269	6	AAE333564
75	40	100.0	269	6	ABU08119
76	40	100.0	269	6	ABU08112
77	40	100.0	269	7	ADC78855
78	40	100.0	269	7	ADD18660
79	40	100.0	269	8	ADH17054
80	40	100.0	269	8	ADN07707
81	40	100.0	269	8	ADN80337
82	40	100.0	269	8	ADP54072
83	40	100.0	295	1	AAP60326
84	40	100.0	295	1	AAP60680
85	40	100.0	295	2	AAW14855
86	40	100.0	538	2	AAW33271
87	36	90.0	10	2	AAR34852
88	36	90.0	14	4	AAG73329
89	36	90.0	14	4	AAU10757
90	36	90.0	14	4	AAU10760
91	36	90.0	268	2	AAR06358
92	33	82.5	16	8	ADN88476
93	33	82.5	83	5	ADN88306
94	33	82.5	272	7	ADN70030
95	33	82.5	419	5	AAU72965
96	33	82.5	419	5	AAU72938
97	33	82.5	451	4	ABG24306
98	33	82.5	1172	4	ABB72034

99 32 80.0 10 2 AAR34854 Aar34854 IL1-beta
100 32 80.0 179 3 AAB43346 Aab43346 Human ORP
101 32 80.0 213 6 ABU43165 Abu43165 Protein e
102 32 80.0 223 5 ABP39353 Abp39353 Staphyloc
103 32 80.0 223 8 ADS04519 Ads04519 Staphyloc
104 32 80.0 295 4 AAB96522 Aab96522 Putative
105 32 80.0 306 5 ABM72635 Abm72635 Staphyloc
106 32 80.0 361 7 ADM25885 Adm25885 Hyperther
107 32 80.0 422 7 ADH87758 Adh87758 Interococ
108 32 80.0 914 5 AAG66094 Aag66094 Soybean a
109 31 77.5 60 6 ABP97620 Abp97620 Amino aci
110 31 77.5 60 6 ABP97622 Abp97622 Amino aci
111 31 77.5 241 4 ABG25707 Abg25707 Novel hum
112 31 77.5 259 6 ABU25558 Abu25558 Protein e
113 31 77.5 313 4 ABG14394 Abg14394 Novel hum
114 31 77.5 359 5 ABP66050 Abp66050 Bifidobac
115 31 77.5 481 7 ADF08036 Adf08036 Bacterial
116 31 77.5 691 4 AAG81212 Aag81212 Mycobacte
117 31 77.5 691 6 ABU36904 Abu36904 Protein e
118 31 77.5 691 6 ABU34715 Abu34715 Protein e
119 31 77.5 694 6 ABU35998 Abu35998 Protein e
120 31 77.5 849 4 ABBS59837 Abbs59837 Drosophil
121 31 77.5 1090 7 ABO74403 Abo74403 Pseudomon
122 30 75.0 7 5 AAM50414 Aam50414 Tumour as
123 30 75.0 7 6 ABP57519 Abp57519 Different
124 30 75.0 7 8 ADP74560 Adp74560 Caspase-1
125 30 75.0 8 6 ABP57513 Abp57513 Different
126 30 75.0 8 6 ABR40075 Abr40075 Dendrimer
127 30 75.0 9 1 AAP80612 Aap80612 Sequence
128 30 75.0 19 1 AAP80607 Aap80607 Sequence
129 30 75.0 52 5 ABP07136 Abp07136 Human ORP
130 30 75.0 60 6 ABP97609 Abp97609 Amino aci
131 30 75.0 101 6 ABUS0204 Abu50204 Protein e
132 30 75.0 105 6 ABU23090 Abu23090 Protein e
133 30 75.0 183 4 AAU19866 Aau19866 Human nov
134 30 75.0 183 5 ABP48086 Abp48086 Human pol
135 30 75.0 183 7 ADC11048 Adc11048 Human pro
136 30 75.0 183 7 AAW28345 Aaw28345 Staphyloc
137 30 75.0 197 2 ABU45680 Abu45680 Protein e
138 30 75.0 220 6 ABB67690 Abb67690 Drosophil
139 30 75.0 221 4 AAG33217 Aag33217 Zea may
140 30 75.0 237 3 AAG33217 Aag33217 Zea may
141 30 75.0 243 7 ADM26993 Adm26993 Hyperther
142 30 75.0 249 6 ABM67423 Abm67423 Phototrab
143 30 75.0 251 3 AAG33216 Aag33216 Zea may
144 30 75.0 251 5 ABU05705 Abu05705 M. tuberc
145 30 75.0 275 2 AAW36134 Aaw36134 Streptom
146 30 75.0 275 6 ABU18308 Abu18308 Protein e
147 30 75.0 310 6 ABB58955 Abbs58955 Drosophil
148 30 75.0 335 4 ABB58955 Abbs58955 Drosophil
149 30 75.0 336 6 ABU16120 Abu16120 Protein e
150 30 75.0 336 6 ABM72635 Abm72635 Staphyloc

ALIGNMENTS

RESULT 1
AAG73298
ID AAG73298 standard; peptide; 7 AA.
AC
XX
AC AAG73298;
XX

14-AUG-2001 (first entry)

Protease indicator compound peptide #27.

Protease detection; peptide cleavage; enzyme activity; fluorogenic;
viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
haemophilia.

Synthetic.

PN WO200118238-A1.
XX
PD 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
PF
XX
XX Aab96522 Putative
PR 10-SEP-1999; 99US-00394019.
XX
XX (ONCO-) ONCOIMMUNIN INC.
PA
XX Komoriya A, Packard BS;
PI
XX WPI; 2001-389573/41.
DR
XX
XX New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX
XX Claim 1; Page 70; 86pp; English.
PS
XX The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
XX exemplification of the invention
SQ Sequence 7 AA;
Query Match 100.0%; Score 40; DB 4; Length 7;
Best Local Similarity 100.0%; Pred. No. 1.8e+06;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 1 YVHDAPV 7
|||||
RESULT 2
ABU60447
ID ABU60447 standard; peptide; 7 AA.
AC ABU60447;
XX
XX 29-APR-2003 (first entry)
DT
XX
XX Protease binding peptide motif SEQ ID 171.
DE
XX
XX Protease; indicator; chromophore; H-dimer; fluorescence; absorbance;
KW nuclease; screening; fluorophore; substrate cleavage.
XX
XX Synthetic.
OS
XX
XX WO200261038-A2.
PN
XX
XX 08-AUG-2002.
PD
XX
XX 21-DEC-2001; 2001WO-US049781.
PF
XX
XX 22-DEC-2000; 2000US-00747287.
PR
XX
XX (ONCO-) ONCOIMMUNIN INC.
PA
XX
XX Packard BS, Komoriya A;
PI
XX
XX WPI; 2002-698548/75.
DR
XX
XX Indicator composition comprising polypeptide or nucleic acid backbone
PT joining two same chromophores resulting in quenching of fluorescence
PT of/change in absorbance of chromophores, useful for detecting protease

PT activity.

PS Disclosure; Page 35; 97pp; English.

XX This invention describes a novel indicator composition (referred as homo-

XX doubly labeled compositions) comprising a polypeptide backbone or a

XX nucleic acid backbone joining two chromophores of the same species

XX whereby the chromophores form an H-dimer resulting in quenching of the

XX fluorescence of or a change in the absorbance of the chromophore, a

XX decrease in fluorescence or a change in absorbance indicates that the

XX first molecule and the second molecule are interacting. The indicator is

XX useful for detecting the activity of a protease, where an increase in

XX fluorescence or a change in absorbance indicates that the protease

XX cleaves the polypeptide backbone. The indicator is attached to a solid

XX support inside a mammalian, yeast or insect cell. The composition bears a

XX hydrophobic group such as Fmoc, 9-fluoreneacetyl group, 1-

XX fluoreneacetyl group, benzoyloxycarbonyl, Xanthyl (Xan), Trityl (Trt), 4-

XX methyltrityl (Mtt), 4-methoxytrityl (Mmt), 4-methoxy-2,3, 6-trimethyl-

XX benzenesulphonyl (Mtr), Mesitylene-2-sulphonyl (Mts), 4,4'-

XX dimethoxybenzhydryl (Mbh), etc. The method described in the invention is

XX useful for detecting protease or nuclease activity (or the presence of

XX nucleic acid) in histological section, cells in culture (e.g., seeded or

XX cultured adherent cells), a biological sample such as tissue, biopsy,

XX lymph, embryo, or whole animal, or cell suspension derived from a

XX biological sample such as tissue, blood, urine, saliva, lymph, or biopsy.

XX The indicator composition is also useful for screening a test agent for

XX the ability to modulate a protease (or a nuclease, lipase, etc.). The

XX indicator reagents allow rapid determination of protease activity in a

XX matter of minutes in a single-step procedure. The fluorescent indicators

XX both absorb and emit in the visible range (400-800 nm). These signals are

XX therefore not readily quenched by, nor is activation of the fluorophores,

XX that is, absorption of light, interfered with by background molecules;

XX therefore they are easily detected in biological samples. The fluorogenic

XX protease indicators utilise high efficiency fluorophores and are able to

XX achieve a high degree of quenching while providing a strong signal when

XX the quench is released by cleavage of the peptide substrate. The high

XX signal allows detection of very low levels of protease activity. Thus the

XX fluorogenic protease indicators are particularly well suited for in situ

XX detection of protease activity. ABU60357-ABU60477 represent peptides use

XX to illustrate the method described in the disclosure of the invention

SQ Sequence 7 AA;

Query Match 100.0%; Score 40; DB 5; Length 7;

Best Local Similarity 100.0%; Pred. No. 1.8e+06; Indels 0; Gaps 0;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

Db 1 YVHDAPV 7

RESULT 3

ID ABU60385

AC ABU60385 standard; peptide; 7 AA.

XX ABU60385;

XX 29-APR-2003 (first entry)

XX Protease binding peptide motif SEQ ID 55.

XX Protease; indicator; chromophore; H-dimer; fluorescence; absorbance;

XX nuclease; screening; fluorophore; substrate cleavage.

XX Synthetic.

XX WO200261038-A2.

XX 08-AUG-2002.

XX 21-DEC-2001; 2001WO-US049781.

XX 22-DEC-2000; 2000US-00747287.

XX (ONCO-) ONCOIMMUNIN INC.

XX Packard BS, Komoriya A;

XX WPI; 2002-698548/75.

XX Indicator composition comprising polypeptide or nucleic acid backbone

XX joining two same chromophores resulting in quenching of fluorescence

XX of/change in absorbance of chromophores, useful for detecting protease

XX activity.

XX Disclosure; Page 31; 97pp; English.

XX This invention describes a novel indicator composition (referred as homo-

XX doubly labeled compositions) comprising a polypeptide backbone or a

XX nucleic acid backbone joining two chromophores of the same species

XX whereby the chromophores form an H-dimer resulting in quenching of the

XX fluorescence of or a change in the absorbance of the chromophore, a

XX decrease in fluorescence or a change in absorbance indicates that the

XX first molecule and the second molecule are interacting. The indicator is

XX useful for detecting the activity of a protease, where an increase in

XX fluorescence or a change in absorbance indicates that the protease

XX cleaves the polypeptide backbone. The indicator is attached to a solid

XX support inside a mammalian, yeast or insect cell. The composition bears a

XX hydrophobic group such as Fmoc, 9-fluoreneacetyl group, 1-

XX fluoreneacetyl group, benzoyloxycarbonyl, Xanthyl (Xan), Trityl (Trt), 4-

XX methyltrityl (Mtt), 4-methoxytrityl (Mmt), 4-methoxy-2,3, 6-trimethyl-

XX benzenesulphonyl (Mtr), Mesitylene-2-sulphonyl (Mts), 4,4'-

XX dimethoxybenzhydryl (Mbh), etc. The method described in the invention is

XX useful for detecting protease or nuclease activity (or the presence of

XX nucleic acid) in histological section, cells in culture (e.g., seeded or

XX cultured adherent cells), a biological sample such as tissue, biopsy,

XX lymph, embryo, or whole animal, or cell suspension derived from a

XX biological sample such as tissue, blood, urine, saliva, lymph, or biopsy.

XX The indicator composition is also useful for screening a test agent for

XX the ability to modulate a protease (or a nuclease, lipase, etc.). The

XX indicator reagents allow rapid determination of protease activity in a

XX matter of minutes in a single-step procedure. The fluorescent indicators

XX both absorb and emit in the visible range (400-800 nm). These signals are

XX therefore not readily quenched by, nor is activation of the fluorophores,

XX that is, absorption of light, interfered with by background molecules;

XX therefore they are easily detected in biological samples. The fluorogenic

XX protease indicators utilise high efficiency fluorophores and are able to

XX achieve a high degree of quenching while providing a strong signal when

XX the quench is released by cleavage of the peptide substrate. The high

XX signal allows detection of very low levels of protease activity. Thus the

XX fluorogenic protease indicators are particularly well suited for in situ

XX detection of protease activity. ABU60357-ABU60477 represent peptides use

XX to illustrate the method described in the disclosure of the invention

SQ Sequence 7 AA;

Query Match 100.0%; Score 40; DB 5; Length 7;

Best Local Similarity 100.0%; Pred. No. 1.8e+06; Indels 0; Gaps 0;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

Db 1 YVHDAPV 7

RESULT 4

ID ADN88521

XX ADN88521 standard; peptide; 7 AA.

XX ADN88521;

XX 12-AUG-2004 (first entry)

DE Fluorogenic protease indicator peptide #217.
XX fluorogenic; protease detection; protease inhibitor.
XX Synthetic.

OS
PN US2004096926-A1.
XX
PD
XX

XX 20-MAY-2004.

XX 04-JUN-2001; 2001US-00874350.

XX 20-FEB-1997; 97US-00802981.

XX 20-FEB-1998; 98WO-US003000.

PR 10-SEP-1999; 99US-00394019.

PR 11-SEP-2000; 2000WO-US024882.

XX (ONCO-) ONCOIMMUNIN INC.

XX Packard BS, Komoriya A;

XX WPI; 2004-399235/37.

XX Fluorogenic composition useful for detecting protease activity and test
XX substance modulating protease activity.
XX
XX Claim 24; SEQ ID NO 217; 114pp; English.

XX The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.

XX Sequence 7 AA;

Query Match 100.0%; Score 40; DB 8; Length 7;
Best Local Similarity 100.0%; Pred. No. 1.8e+06;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVPV 7

Db 1 YVHDAVPV 7

RESULT 5

ADN88514

ID ADN88514 standard; peptide; 7 AA.

XX

XX ADN88514;

XX 12-AUG-2004 (first entry)

XX Fluorogenic protease indicator peptide #210.

XX fluorogenic; protease detection; protease inhibitor.

XX Synthetic.

XX US2004096926-A1.
PN
XX

PD 20-MAY-2004.

XX 04-JUN-2001; 2001US-00874350.

XX 20-FEB-1997; 97US-00802981.

XX 20-FEB-1998; 98WO-US003000.

PR 10-SEP-1999; 99US-00394019.

PR 11-SEP-2000; 2000WO-US024882.

XX (ONCO-) ONCOIMMUNIN INC.

XX Packard BS, Komoriya A;

XX WPI; 2004-399235/37.

XX Fluorogenic composition useful for detecting protease activity and test
XX substance modulating protease activity.
XX
XX Claim 1; SEQ ID NO 210; 114pp; English.

XX The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.

XX Sequence 7 AA;

Query Match 100.0%; Score 40; DB 8; Length 7;
Best Local Similarity 100.0%; Pred. No. 1.8e+06;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVPV 7

Db 1 YVHDAVPV 7

RESULT 6

ADN88520

ID ADN88520 standard; peptide; 7 AA.

XX

XX ADN88520;

XX 12-AUG-2004 (first entry)

XX Fluorogenic protease indicator peptide #216.

XX fluorogenic; protease detection; protease inhibitor.

XX Synthetic.

XX US2004096926-A1.

XX 20-MAY-2004.

XX 04-JUN-2001; 2001US-00874350.

XX 20-FEB-1997; 97US-00802981.

XX 20-FEB-1998; 98WO-US003000.

PR 10-SEP-1999; 99US-00394019.

PR 11-SEP-2000; 2000WO-US024882.

XX (ONCO-) ONCOMUNIN INC.
 XX Packard BS, Komoriya A;
 XX WPI; 2004-399235/37.
 XX
 XX Fluorogenic composition useful for detecting protease activity and test
 XX substance modulating protease activity.
 XX
 XX Claim 24; SEQ ID NO 216; 114pp; English.
 XX
 XX The invention relates to a fluorogenic composition (I) for detecting the
 XX activity of a protease. (I) is useful for detecting the activity of a
 XX protease, which involves contacting the protease with (I), where the
 XX activity of protease is detected in a histological section, cell culture
 XX or tissue section. The cell suspension is derived from the biological
 XX sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
 XX protease activity is detected by fluorescence microscopy, fluorescence
 XX microplate reader, absorption spectroscopy or confocal fluorescent microplate
 XX reader. (I) is useful for delivering a molecule into a cell, and for
 XX screening a test agent for the ability to modulate the activity of the
 XX protease. (I) is useful for detection and localisation of protease
 XX activity in biological samples. (I) also acts as a protease inhibitor,
 XX thus useful as protease inhibitors. (I) enables detection of the protease
 XX activity, and provides a high intensity fluorescent signal at a visible
 XX wavelength when they are digested by a protease. The present sequence
 XX represents a fluorogenic protease indicator peptide of the invention.
 XX
 XX Sequence 7 AA;
 XX
 XX Query Match 100.0%; Score 40; DB 8; Length 7;
 XX Best Local Similarity 100.0%; Pred. No. 1.8e+06;
 XX Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 XX
 XX QY 1 YVHDAPV 7
 XX Db 1 YVHDAPV 7
 XX
 XX RESULT 7
 XX AAR34855
 XX ID AAR34855 standard; protein; 8 AA.
 XX AC AAR34855;
 XX
 XX 25-MAR-2003 (revised)
 XX DT 14-JUL-1993 (first entry)
 XX
 XX IL-beta protease cleavage site peptide substrate.
 XX
 XX Interleukin; therapeutic; wound healing; treatment; arthritis;
 XX autoimmune disease; radiation; side effects.
 XX
 XX Synthetic.
 XX
 XX Key Location/Qualifiers
 XX FH Cleavage-site 3..6
 XX FT /note= "IL-beta protease cleavage site"
 XX FT
 XX WO9305071-A1.
 XX PN
 XX 18-MAR-1993.
 XX PD
 XX 12-SEP-1991; 91WO-US006595.
 XX PF
 XX 30-AUG-1991; 91US-00750644.
 XX PR
 XX (IMV) IMMUNEX CORP.
 XX PA
 XX Black RA, Sleath PR, Kronheim SR;
 XX PI
 XX

DR WPI; 1993-100924/12.
 XX
 XX New polypeptide having protease biological activity for interleukin 1-
 XX beta - can form inhibitor compsn. and cpds. for treatment of arthritis,
 XX auto-immune diseases, inflammation and radiation damage; also for wound
 XX healing.
 XX
 XX Example; Page 39; 69pp; English.
 XX
 XX The sequence is that of a peptide corresponding to Tyr113 to Arg120 of
 XX human precursor interleukin (IL)-1beta sequence which contains the
 XX cleavage site (His115-Pro118) for IL-1beta protease. It shows a
 XX reactivity of 2.40 relative to the peptide comprising amino acids Ala112-
 XX Ser121 (AAR34851). (Updated on 25-MAR-2003 to correct PN field.)
 XX
 XX Sequence 8 AA;
 XX
 XX Query Match 100.0%; Score 40; DB 2; Length 8;
 XX Best Local Similarity 100.0%; Pred. No. 1.8e+06;
 XX Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 XX
 XX QY 1 YVHDAPV 7
 XX Db 1 YVHDAPV 7
 XX
 XX RESULT 8
 XX AAP80605
 XX ID AAP80605 standard; protein; 10 AA.
 XX AC AAP80605;
 XX
 XX 25-MAR-2003 (revised)
 XX DT 16-NOV-1990 (first entry)
 XX
 XX Sequence of AA positions 112 to 269 of pro human interleukin I beta (hIL-
 XX 1-beta).
 XX
 XX Plasmid pDP506; pUC8; plasmid pDP516; haematopoiesis;
 XX pUC9-hIL-1-beta-delta-AccI; Human IL-1-beta derivative.
 XX
 XX Homo sapiens.
 XX
 XX EP276778-A.
 XX PN
 XX 03-AUG-1988.
 XX PD
 XX 22-JAN-1988; 88EP-00100924.
 XX PF
 XX 27-JAN-1987; 87US-00006870.
 XX PR 18-DEC-1987; 87US-00132185.
 XX
 XX (DUPO) DU PONT DE NEMOURS & CO E.I.
 XX (DUPO) DU PONT MERCK PHARMACEUTICAL CO.
 XX
 XX Huang JJH;
 XX PI
 XX WPI; 1988-214198/31.
 XX DR N-PSDB; AAN81008.
 XX
 XX Plasmid for expression of mature human interleukin 1 beta - comprising
 XX DNA coding for aminoacid sequence 5 to 153 with alterations at N-
 XX terminus.
 XX
 XX Disclosure; Fig 3; 12pp; English.
 XX
 XX The SQ in AAN81008 has an HgiAI site and there is a PstI site approx.150
 XX nucleotides downstream from the pro hIL-1-beta coding sequence. To
 XX construct pDP506, a 0.6 Kb restriction fragment was produced by digestion
 XX of pUC9-pro hIL-1-beta-delta-AccI with HgiAI and PstI, and the 0.6 Kb
 XX fragment contg. mature hIL-1-beta coding sequence was inserted into the
 XX PstI site of pUC8. Plasmids of pDP516 series were produced by digesting
 XX pDP506 with EcoRI and SalI to produce linear DNA, digesting this with

CC Bal31 exonuclease, filling in recessed 3' ends by Klenow reaction and
 CC ligating the blunt ends with T4 DNA ligase to recircularise the DNA. The
 CC pDP516 series are claimed. (Updated on 25-MAR-2003 to correct PR field.)
 CC (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 40; DB 1; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.17; Indels 0; Gaps 0;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 2 YVHDAPV 8
 |||||

RESULT 9

ID AAR34851
 AC AAR34851; standard; protein; 10 AA.

XX
 AC AAR34851;

DT 25-MAR-2003 (revised)
 DT 14-JUL-1993 (first entry)

DE IL-beta protease cleavage site peptide substrate.

XX Interleukin; therapeutic; wound healing; treatment; arthritis;
 KW autoimmune disease; radiation; side effects.

XX Synthetic.

XX Key Location/Qualifiers
 FT Cleavage-site 4..7
 FT /note= "IL-beta protease cleavage site"

XX WO9305071-A1.

XX 18-MAR-1993.

XX 12-SEP-1991; 91WO-US006595.

XX 30-AUG-1991; 91US-00750644.

XX (IMMV) IMMUNEX CORP.

XX Black RA, Sleath PR, Kronheim SR;

XX WPI; 1993-100924/12.

XX New polypeptide having protease biological activity for interleukin 1-
 PT beta - can form inhibitor compsn. and cpds. for treatment of arthritis,
 PT auto:immune diseases, inflammation and radiation damage; also for wound
 PT healing.

XX Example; Page 37; 69pp; English.

XX The sequence is that of a peptide corresponding to Ala12 to Ser121 of
 CC human precursor interleukin (IL)-beta sequence. This contains the IL-
 CC beta protease cleavage site (His115-Pro118) for IL-beta protease.
 CC (Updated on 25-MAR-2003 to correct PN field.)

XX Sequence 10 AA;

Query Match 100.0%; Score 40; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.17; Indels 0; Gaps 0;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 2 YVHDAPV 8
 |||||

RESULT 10

AAW93092

ID AAW93092 standard; peptide; 10 AA.

XX
 AC AAW93092;

DT 20-MAY-1999 (first entry)

XX Phosphoryloxymethyl ketone peptide substrate.

XX Phosphoryloxymethyl ketone; interleukine-lbeta converting enzyme;
 KW inhibitor; protease; treatment; infectious disease; meningitis; colitis;
 KW salpingitis; septic shock; respiratory disease; inflammatory condition;
 KW arthritis; cholangitis; encephalitis; endocervicitis; hepatitis;
 KW pancreatitis; reperfusion injury; immune-based disease; tumour;
 KW multiple sclerosis; hypersensitivity; autoimmune disease.

XX Synthetic.

XX Key Location/Qualifiers

XX Modified-site 1
 FT /note= "labelled with TRITC (tetramethylrhodamine
 FT isothiocyanate"

XX Modified-site 11
 FT /note= "C-terminal amidated"

XX US5843305-A.

XX 01-DEC-1998.

XX 06-FEB-1996; 96US-00597346.

XX 04-JUN-1993; 93US-00073219.

XX 25-MAY-1994; 94US-00248791.

XX (VERT-) VERTEX PHARM INC.

XX Speier G, Singh J, Dolle RE;

XX WPI; 1999-044629/04.

XX Peptidic phosphoryloxymethyl ketones - are interleukin-lbeta protease
 PT inhibitors useful for treating, e.g. infectious diseases, septic shock
 PT and respiratory diseases.

XX Example 19; Col 15-16; 11pp; English.

XX This invention describes novel peptidic phosphoryloxymethyl ketones of
 CC formula: R1-(AA)n-NH-Y (I) where n = 0-4; Y = -C(R2)(CH2COR3)
 CC (COCHR4OP(=O)R5R6); R2 = H or deuterium; R3 = OH, OR7, NR7OR8 or NR7R8;
 CC R7,R8 = H, alkyl, cycloalkyl, etc.; R4 = H or lower alkyl; R5,R6 = H, OH,
 CC alkyl, alkoxy or phenyloxy; AA = a group of formula (II), (1) or (6); R9
 CC = (CR6R7)0-6-R10; R10 = R11; W, X = CH2 or O; R1 = R10-CO-; R11 = H,
 CC alkyl, alkenyl, OH, benzyl, alkoxy, 2-(alkyloxy)ethoxy, 2-(alkyloxy)
 CC aminoethyl, 2-(alkyloxy)-N-alkylaminoethyl, alkylacyloxy, alkylacyl,
 CC halo, haloalkyl, guanidino, mono- or di-alkylguanidino,
 CC alkylacylguanidino, amidino, mono- or di-alkylamidino, NH2, mono- or di
 CC -alkylamino, etc. Such ketones are inhibitors of interleukin-1 beta
 CC protease and are useful for treating infectious diseases (e.g. meningitis
 CC and salpingitis), septic shock, respiratory diseases, inflammatory
 CC conditions (e.g. arthritis, cholangitis, colitis, encephalitis,
 CC endocervicitis, hepatitis, pancreatitis and reperfusion injury), immune-
 CC based diseases (e.g., hypersensitivity), autoimmune diseases (e.g.
 CC multiple sclerosis), bond diseases and certain tumours

XX Sequence 10 AA;

Query Match 100.0%; Score 40; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.17; Indels 0; Gaps 0;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||

Db 2 YVHDAPV 8

RESULT 11
AAB92087
ID AAB92087 standard; peptide; 10 AA.
XX
AC AAB92087;
XX
DT 22-JUN-2001 (first entry)
XX
DE Interleukin (IL) and interleukin receptor protein peptide SEQ ID NO:1263.
XX
KW Protection; endogenous therapeutic peptide; peptidase; conjugation;
KW blood component; modification; succinimidyl; maleimido group; amino;
KW hydroxyl; thiol; hormone; growth factor; neurotransmitter.
XX
OS Homo sapiens.
OS Synthetic.
XX
PN WO200069900-A2.
XX
PD 23-NOV-2000.
XX
PF 17-MAY-2000; 2000WO-US013576.
XX
PR 17-MAY-1999; 99US-0134406P.
PR 10-SEP-1999; 99US-0153406P.
PR 15-OCT-1999; 99US-0159783P.
XX
PA (CONJ-) CONJUCHEM INC.
XX
PI Bridon DP, Ezrin AM, Milner PG, Holmes DL, Thibaudeau K;
XX
DR WPI; 2001-112059/12.
XX
PT Modifying and attaching therapeutic peptides to albumin prevents
PT peptidase degradation, useful for increasing length of in vivo activity.
XX
PS Disclosure; Page 608; 733pp; English.
XX
CC The present invention describes a modified therapeutic peptide (I)
CC comprising a therapeutically active amino acid region (Iii) and a
CC reactive group (II) (e.g. succinimidyl and maleimido groups) attached to
CC a less therapeutically active amino acid region (IV), which covalently
CC bonds with amino/hydroxyl/thiol groups on blood components to form a
CC peptidase stabilised therapeutic peptide composed of 3-50 amino acids.
CC (I) are useful for modifying therapeutic peptides e.g. hormones, growth
CC factors and neurotransmitters, to protect them from peptidase activity in
CC vivo for the treatment of various disorders. Endogenous therapeutic
CC peptides are not suitable as drug candidates as they require frequent
CC administration due to rapid degradation by peptidases in the body.
CC Modifying and attaching therapeutic peptides to albumin prevents or
CC reduces the action of peptidases to increase length of activity (half
CC life) and specificity as bonding to large molecules decreases
CC intracellular uptake and interference with physiological processes.
CC AAB90829 to AAB92441 represent peptides which can be used in the
CC exemplification of the present invention
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 40; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.17;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 2 YVHDAPV 8
|||||

RESULT 12
AAG94006
ID AAG94006 standard; peptide; 10 AA.

XX AAG94006;
AC
XX
DT 18-SEP-2001 (first entry)
XX
DE Human complementary peptide, SEQ ID NO: 200.
XX
KW Human; complementary peptide; ligand; drug discovery; drug design.
XX
OS Homo sapiens.
XX
PN WO200142277-A2.
XX
PD 14-JUN-2001.
XX
PF 13-DEC-2000; 2000WO-GB004776.
XX
PR 13-DEC-1999; 99GB-00029464.
XX
PA (PROT-) PROTEOM LTD.
XX
PI Roberts GW, Heal JR;
XX
DR WPI; 2001-408419/43.
XX
PT A set of peptide ligands consisting of specific complementary peptides to
PT proteins encoded by genes of the human genome, useful in an assay for
PT screening and identifying of one or more novel peptides which are drug
PT candidates or pro-drugs.
XX
PS Example 4; Page 69; 646pp; English.
XX
CC The invention relates to a set of complementary peptide ligands generated
CC from the human genome. The complementary peptides interact with their
CC relevant target proteins encoded in the human genome. They can be used as
CC reagents in drug discovery and as lead ligands to facilitate drug design
CC and development. The present sequence is a complementary peptide provided
CC in the specification
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 40; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.17;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 2 YVHDAPV 8
|||||

RESULT 13
ADE86218
ID ADE86218 standard; peptide; 10 AA.
XX
AC ADE86218;
XX
DT 29-JAN-2004 (first entry)
XX
DE Interleukin-lbeta (IL-lbeta) protease assay substrate.
XX
KW antiarthritic; antirheumatic; cytostatic; antibacterial;
KW immunosuppressive; antiinflammatory; osteopathic; respiratory;
KW neuroprotective; hepatotropic; virucide; vasotropic; gastrointestinal;
KW interleukin-lbeta protease inhibitor;
KW alpha-substituted methyl ketone compound; arthritis;
KW rheumatoid arthritis; acute myelogenous leukaemia blast proliferation;
KW infection; meningitis; salpingitis; septic shock; respiratory disease;
KW inflammatory condition; encephalitis; cholangitis; colitis;
KW endocervicitis; hepatitis; pancreatitis; reperfusion injury;
KW immune-based disease; hypersensitivity; auto-immune disease;
KW multiple sclerosis; bone disease; tumour; IL-lbeta protease.
XX
OS Synthetic.

OS Unidentified.
 XX US6576614-BL.
 PN XX
 PD 10-JUN-2003.
 XX
 PF 20-OCT-1999; 99US-00421954.
 XX
 PR 29-APR-1993; 93US-00055051.
 XX
 PR 12-JAN-1995; 95US-00371723.
 PR
 PR 10-JUL-1996; 96US-00679350.
 XX
 XX (VERT-) VERTEX PHARM INC.
 PA
 XX Dolle RE, Osifo IK, Schmidt SJ, Hoyer DW, Ross TM;
 PI Chaturvediula PV, Prouty CP, Awad MMA, Salvino JM, Rinker JM;
 PI Lodge EP, Singh J, Ator MA;
 XX
 XX WPI; 2004-030323/03.
 DR
 XX Inhibition of interleukin-lbета protease activity useful for treating
 PT e.g. arthritis involves the use of alpha substituted methyl ketone
 PT compounds.
 PT
 PS Example 71; SEQ ID NO 1; 20pp; English.
 XX
 XX The invention describes a method of inhibiting interleukin-lbета protease
 CC activity involving administration of alpha-substituted methyl ketone
 CC compounds or their salts. The inhibition method is useful for treating
 CC arthritis and rheumatoid arthritis; for suppressing acute myelogenous
 CC leukaemia blast proliferation. Also for treating diseases or disorders
 CC e.g. infections (such as meningitis and salpingitis); septic shock,
 CC respiratory diseases, inflammatory conditions (e.g. encephalitis,
 CC cholangitis, colitis, endocervicitis, hepatitis, pancreatitis and
 CC reperfusion injury), immune-based diseases (e.g. hypersensitivity), auto-
 CC immune diseases (e.g. multiple sclerosis), bone diseases and tumour. The
 CC compound binds at the active site of IL-lbета protease and inhibits IL-
 CC lbета protease activity. This is the amino acid sequence of an
 CC interleukin-lbета (IL-lbета) protease assay peptide substrate.
 XX
 SQ Sequence 10 AA;
 Query Match 100.0%; Score 40; DB 8; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.17; Indels 0; Gaps 0;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAVP 7
 Db |||||
 2 YVHDAVP 8
 RESULT 14
 AAW29953
 ID AAW29953 standard; peptide; 14 AA.
 XX
 XX AAW29953;
 AC
 XX
 XX 25-MAR-2003 (revised)
 DT 16-MAR-1998 (first entry)
 XX
 XX Cysteine protease Ich-1 candidate substrate #2.
 DE
 XX Cysteine protease Ich-1; neurodegenerative disease; stroke;
 KW neuronal inflammation; inhibitor; substrate; polyhistidine tag;
 KW interleukin-1-beta converting enzyme; ICE; N-His Ich-1.
 XX
 XX Homo sapiens.
 OS
 XX Key Location/Qualifiers
 FH Modified-site 1
 FT /note= "N-terminal acetyl"
 FT 14
 FT Modified-site 14
 FT /note= "C-terminal amide"

XX WO9727220-A2.
 PN
 XX 31-JUL-1997.
 PD
 XX
 PF 28-JAN-1997; 97WO-US001485.
 XX
 PR 29-JAN-1996; 96US-00592943.
 PR
 PR 18-JUN-1996; 96US-00665643.
 XX
 XX (BADI) BASF AG.
 PA (PARK) PARKE-DAVIS.
 PA
 XX Talanian RV, Ghayur T, Hodges JC;
 PI
 XX WPI; 1997-393619/36.
 DR
 XX
 XX New substrates and inhibitors for cysteine protease Ich-1 - used for
 PT inhibiting, detecting or isolating Ich-1, e.g. for treating
 PT neurodegenerative diseases, neuronal inflammation or stroke.
 PT
 XX Example 1; Page 26; 59pp; English.
 PS
 XX To identify peptide substrates for Ich-1, candidate peptides were used in
 CC in vitro proteolysis assays with recombinant Ich-1 protein. The human Ich
 CC -1 enzyme was expressed recombinantly with an N-terminal polyhistidine
 CC tag. The resulting enzyme, N-His Ich-1, contains Ich-1 amino acid
 CC residues 167-435, with an initiator and polyhistidine tag fused to the
 CC amino terminus. Peptides (AAW29952-58) corresponding to known or
 CC suspected cleavage sites for interleukin-1-beta converting enzyme (ICE)
 CC were tested as Ich-1 substrates. The sequence (AAW29952) corresponding to
 CC amino acids 310-20 of human Ich-1 with a tryptophan residue at the
 CC carboxy-terminus was cleaved at a rate significantly higher than the
 CC other tested peptides. To determine the length dependence of peptide
 CC cleavage by N-His Ich-1, a series of peptides (AAW29959-65) based on this
 CC sequence but varying in length at the amino or carboxy termini were
 CC tested in proteolysis assays. The results provide an optimal amino acid
 CC sequence of VVQAD. This sequence represents a generic formula for
 CC compounds which act as inhibitors or substrates for the cysteine protease
 CC Ich-1. The inhibitor compounds can be used to inhibit the proteolytic
 CC activity of Ich-1 or to isolate Ich-1. They can be used in the treatment
 CC of neurodegenerative diseases, such as Alzheimer's disease, neuronal
 CC inflammation and stroke. The substrate compounds can be used to detect
 CC the presence of Ich-1 in samples. (Updated on 25-MAR-2003 to correct PA
 CC field.)
 XX
 SQ Sequence 14 AA;
 Query Match 100.0%; Score 40; DB 2; Length 14;
 Best Local Similarity 100.0%; Pred. No. 0.25; Indels 0; Gaps 0;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAVP 7
 Db |||||
 4 YVHDAVP 10
 RESULT 15
 AAG73121
 ID AAG73121 standard; peptide; 14 AA.
 XX
 XX AAG73121;
 AC
 XX 14-AUG-2001 (first entry)
 DT
 XX Protease binding site #55.
 DE
 XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
 KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
 KW haemophilia.
 XX
 XX Synthetic.
 OS
 XX

PH Key Location/Qualifiers
FT Modified-site 3 /label= Aib
FT /note= "2-aminoisobutyric acid"
XX WO200118238-A1.
XX PN
XX PD 15-MAR-2001.
XX PF 11-SEP-2000; 2000WO-US024882.
XX PR 10-SEP-1999; 99US-00394019.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Komoriya A, Packard BS;
XX DR WPI; 2001-389573/41.
XX PT New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX PS Disclosure; Page 24; 86pp; English.
XX CC The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX SQ Sequence 14 AA;
Query Match 100.0%; Score 40; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 4 YVHDAVP 10
|||||
RESULT 16
AAG73120
ID AAG73120 standard; peptide; 14 AA.
XX AC AAG73120;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #54.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
KW haemophilia.
XX OS Synthetic.
XX FH Key Location/Qualifiers
FT Modified-site 3 /label= Aib
FT /note= "2-aminoisobutyric acid"
XX WO200118238-A1.
XX PN
XX PD 15-MAR-2001.
XX PF 11-SEP-2000; 2000WO-US024882.
XX PR
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Komoriya A, Packard BS;
XX DR WPI; 2001-389573/41.
XX PT New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.

PR 10-SEP-1999; 99US-00394019.
XX (ONCO-) ONCOIMMUNIN INC.
XX PI Komoriya A, Packard BS;
XX DR WPI; 2001-389573/41.
XX PT New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX PS Disclosure; Page 24; 86pp; English.
XX CC The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX SQ Sequence 14 AA;
Query Match 100.0%; Score 40; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 4 YVHDAVP 10
|||||
RESULT 17
AAG73119
ID AAG73119 standard; peptide; 14 AA.
XX AC AAG73119;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #53.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
KW haemophilia.
XX OS Synthetic.
XX FH Key Location/Qualifiers
FT Modified-site 3 /label= Aib
FT /note= "2-aminoisobutyric acid"
XX WO200118238-A1.
XX PN
XX PD 15-MAR-2001.
XX PF 11-SEP-2000; 2000WO-US024882.
XX PR 10-SEP-1999; 99US-00394019.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Komoriya A, Packard BS;
XX DR WPI; 2001-389573/41.
XX PT New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.

PT samples.
XX PS Disclosure; Page 24; 86pp; English.
XX
CC The present invention describes fluorogenic compositions which can be used for the detection of protease activity. This can be useful as an indicator of viral infection, cancer metastasis, haemophilia, emphysema, thrombosis and arthritis. The fluorogenic compositions comprise a peptide, a peptide spacer and a donor and an acceptor fluorophore. The peptide is cleaved by a protease and the fluorophores can then be detected. The present sequence is one of the peptides described in the exemplification of the invention
XX
XX Sequence 14 AA;
SQ

Query Match 100.0%; Score 40; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 4 YVHDAVP 10
|||||

RESULT 18
AAM50413
ID AAM50413 standard; peptide; 14 AA.
XX AC AAM50413;
XX
DT 12-MAR-2002 (first entry)
XX
DE Tumour associated activatable guarding moiety.
XX
KW Magnetic resonance imaging; MRI; cancer; detection; contrasting agent;
KW tumour associated activatable guarding moiety; TAAGM.
XX
OS Synthetic.
XX
PN WO200182976-A2.
XX
PD 08-NOV-2001.
XX
PF 04-MAY-2001; 2001WO-US014470.
XX
XX 04-MAY-2000; 2000US-0201816P.
PR 17-NOV-2000; 2000US-00715859.
XX
XX (RESE) RESEARCH CORP TECHNOLOGIES INC.
PA
XX Meade TJ;
PI
XX WPI; 2002-075134/10.
XX
XX New magnetic resonance imaging contrast agents for detection of cancerous cells and tissues.
PT
XX Disclosure; Page 27; 61pp; English.
XX
CC The present peptide is an example of a tumour associated activatable guarding moiety (TAAGM) that is used in a preferred embodiment of the invention. A claimed magnetic resonance imaging (MRI) contrast agent composition comprises a gadolinium (III) ion bound to a first chelator such that the ion has coordination atoms in at least 7 of its coordination sites; and a TAAGM covalently attached to the first chelator which hinders the rapid exchange of water in the remaining coordination sites of the Gd(III) ion. The novel MRI contrast agents can target substances that are associated with cancer. By using a targeting moiety, the MRI agents become more effective, discriminatory and selective with regard to signal detection of disease pathology
XX
XX Sequence 14 AA;
SQ

Query Match 100.0%; Score 40; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 4 YVHDAVP 10
|||||

RESULT 19
ADN88359
ID ADN88359 standard; peptide; 14 AA.
XX AC ADN88359;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #55.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
XX 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.
XX
XX (ONCO-) ONCOIMMUNIN INC.
PA
XX Packard BS, Komoriya A;
PI
XX WPI; 2004-399235/37.
XX
XX Fluorogenic composition useful for detecting protease activity and test substance modulating protease activity.
PT
XX Disclosure; SEQ ID NO 55; 114pp; English.
XX
CC The invention relates to a fluorogenic composition (I) for detecting the activity of a protease. (I) is useful for detecting the activity of a protease, which involves contacting the protease with (I), where the activity of protease is detected in a histological section, cell culture or tissue section. The cell suspension is derived from the biological sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The protease activity is detected by fluorescence microscopy, fluorescence microplate reader, absorption spectroscopy or confocal fluorescent microplate reader. (I) is useful for delivering a molecule into a cell, and for screening a test agent for the ability to modulate the activity of the protease. (I) is useful for detection and localisation of protease activity in biological samples. (I) also acts as a protease inhibitor, thus useful as protease inhibitors. (I) enables detection of the protease activity, and provides a high intensity fluorescent signal at a visible wavelength when they are digested by a protease. The present sequence represents a fluorogenic protease indicator peptide of the invention.
XX
XX Sequence 14 AA;
SQ

Query Match 100.0%; Score 40; DB 8; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 4 YVHDAVP 10
|||||

RESULT 20
ADN88361
ID ADN88361 standard; peptide; 14 AA.
XX
AC ADN88361;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #57.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
PR 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Packard BS, Komoriya A;
XX
WPI; 2004-399235/37.
XX
PT Fluorogenic composition useful for detecting protease activity and test
substance modulating protease activity.
XX
PS Disclosure; SEQ ID NO 57; 114pp; English.
XX
CC The invention relates to a fluorogenic composition (I) for detecting the
activity of a protease. (I) is useful for detecting the activity of a
protease, which involves contacting the protease with (I), where the
activity of protease is detected in a histological section, cell culture
or tissue section. The cell suspension is derived from the biological
sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
protease activity is detected by fluorescence microscopy, fluorescence
microplate reader, absorption spectroscopy or confocal fluorescent microplate
reader. (I) is useful for delivering a molecule into a cell, and for
screening a test agent for the ability to modulate the activity of the
protease. (I) is useful for detection and localisation of protease
activity in biological samples. (I) also acts as a protease inhibitor,
thus useful as protease inhibitors. (I) enables detection of the protease
activity, and provides a high intensity fluorescent signal at a visible
wavelength when they are digested by a protease. The present sequence
represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 14 AA;
Query Match 100.0%; Score 40; DB 8; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 4 YVHDAVP 10
RESULT 21
ADN88360
ID ADN88360 standard; peptide; 14 AA.
XX
AC ADN88360;
XX
DT 12-AUG-2004 (first entry)

XX
DE Fluorogenic protease indicator peptide #56.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
PR 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Packard BS, Komoriya A;
XX
WPI; 2004-399235/37.
XX
PT Fluorogenic composition useful for detecting protease activity and test
substance modulating protease activity.
XX
PS Disclosure; SEQ ID NO 56; 114pp; English.
XX
CC The invention relates to a fluorogenic composition (I) for detecting the
activity of a protease. (I) is useful for detecting the activity of a
protease, which involves contacting the protease with (I), where the
activity of protease is detected in a histological section, cell culture
or tissue section. The cell suspension is derived from the biological
sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
protease activity is detected by fluorescence microscopy, fluorescence
microplate reader, absorption spectroscopy or confocal fluorescent microplate
reader. (I) is useful for delivering a molecule into a cell, and for
screening a test agent for the ability to modulate the activity of the
protease. (I) is useful for detection and localisation of protease
activity in biological samples. (I) also acts as a protease inhibitor,
thus useful as protease inhibitors. (I) enables detection of the protease
activity, and provides a high intensity fluorescent signal at a visible
wavelength when they are digested by a protease. The present sequence
represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 14 AA;
Query Match 100.0%; Score 40; DB 8; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 4 YVHDAVP 10
RESULT 22
ADN88522
ID ADN88522 standard; peptide; 14 AA.
XX
AC ADN88522;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #218.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.

PI Komoriya A, Packard BS;
XX WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX
XX Disclosure; Page 24; 86pp; English.
XX
XX The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX
XX
SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 4; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;
QY 1 YVHDAVP 7
Db 5 YVHDAVP 11
|||||
RESULT 25
AAG73123
ID AAG73123 standard; peptide; 16 AA.
XX
AC AAG73123;
XX
XX 14-AUG-2001 (first entry)
XX
XX Protease binding site #57.
XX
XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
KW haemophilia.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
FT Modified-site 3 /label= Aib
FT FT /note= "2-aminoisobutyric acid"
XX
XX WO200118238-A1.
XX
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
XX Komoriya A, Packard BS;
XX
XX WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX
XX Disclosure; Page 24; 86pp; English.
XX
XX

CC The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX
XX
SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 4; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;
QY 1 YVHDAVP 7
Db 5 YVHDAVP 11
|||||
RESULT 26
AAG73122
ID AAG73122 standard; peptide; 16 AA.
XX
AC AAG73122;
XX
XX 14-AUG-2001 (first entry)
XX
XX Protease binding site #56.
XX
XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
KW haemophilia.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
FT Modified-site 3 /label= Aib
FT FT /note= "2-aminoisobutyric acid"
XX
XX WO200118238-A1.
XX
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
XX Komoriya A, Packard BS;
XX
XX WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX
XX Disclosure; Page 24; 86pp; English.
XX
XX The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX
XX
SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 4; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;
QY 1 YVHDAVP 7
Db 5 YVHDAVP 11
|||||

Query Match 100.0%; Score 40; DB 4; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 5 YVHDAVP 11

RESULT 27
ADN88518
ID ADN88518 standard; peptide; 16 AA.

XX AC ADN88518;
XX DT 12-AUG-2004 (first entry)
XX DE Fluorogenic protease indicator peptide #214.

XX KW Fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.

XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.

XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.

XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;

XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PS substance modulating protease activity.

XX Claim 21; SEQ ID NO 214; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC activity in biological samples. (I) also acts as a protease inhibitor,
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.

XX SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 4 YVHDAVP 10

RESULT 28
ADN88362

ID ADN88362 standard; peptide; 16 AA.
XX AC ADN88362;
XX DT 12-AUG-2004 (first entry)

XX DE Fluorogenic protease indicator peptide #58.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.

XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.

XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.

XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;

XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.

XX PS Disclosure; SEQ ID NO 58; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC activity in biological samples. (I) also acts as a protease inhibitor,
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.

XX SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 5 YVHDAVP 11

RESULT 29
ADN88523

ID ADN88523 standard; peptide; 16 AA.
XX AC ADN88523;
XX DT 12-AUG-2004 (first entry)

XX DT 12-AUG-2004 (first entry)

XX DE Fluorogenic protease indicator peptide #219.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.
XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;
XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.
XX PS Disclosure; SEQ ID NO 219; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption microplate reader, flow cytometry,
XX CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC activity in biological samples. (I) also acts as a protease inhibitor,
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.
XX SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. NO. 0.28;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 5 YVHDAVP 11
RESULT 30
ADN88363
ID ADN88363 standard; peptide; 16 AA.
XX AC
XX AC ADN88363;
XX DT 12-AUG-2004 (first entry)
XX DE Fluorogenic protease indicator peptide #59.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.

XX DE Fluorogenic protease indicator peptide #219.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.
XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;
XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.
XX PS Disclosure; SEQ ID NO 219; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption microplate reader, flow cytometry,
XX CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC activity in biological samples. (I) also acts as a protease inhibitor,
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.
XX SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. NO. 0.28;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 5 YVHDAVP 11
RESULT 31
ADN88364
ID ADN88364 standard; peptide; 16 AA.
XX AC
XX AC ADN88364;
XX DT 12-AUG-2004 (first entry)
XX DE Fluorogenic protease indicator peptide #60.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.

XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.
XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;
XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.
XX PS Disclosure; SEQ ID NO 59; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption microplate reader, flow cytometry,
XX CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC activity in biological samples. (I) also acts as a protease inhibitor,
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.
XX SQ Sequence 16 AA;
Query Match 100.0%; Score 40; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. NO. 0.28;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
DB 5 YVHDAVP 11
RESULT 31
ADN88364
ID ADN88364 standard; peptide; 16 AA.
XX AC
XX AC ADN88364;
XX DT 12-AUG-2004 (first entry)
XX DE Fluorogenic protease indicator peptide #60.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.

```
PR 11-SEP-2000; 2000WO-US024882.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
XX Packard BS, Komoriya A;
XX
XX WPI; 2004-399235/37.
XX
XX Fluorogenic composition useful for detecting protease activity and test
XX substance modulating protease activity.
XX
XX Disclosure; SEQ ID NO 60; 114pp; English.
XX
XX The invention relates to a fluorogenic composition (I) for detecting the
XX activity of a protease. (I) is useful for detecting the activity of a
XX protease, which involves contacting the protease with (I), where the
XX activity of protease is detected in a histological section, cell culture
XX or tissue section. The cell suspension is derived from the biological
XX sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX protease activity is detected by fluorescence microscopy, fluorescence
XX microplate reader, absorption microplate reader, flow cytometry,
XX fluorometry, absorption spectroscopy or confocal fluorescent microplate
XX reader. (I) is useful for delivering a molecule into a cell, and for
XX screening a test agent for the ability to modulate the activity of the
XX protease. (I) is useful for detection and localisation of protease
XX activity in biological samples. (I) also acts as a protease inhibitor,
XX thus useful as protease inhibitors. (I) enables detection of the protease
XX activity, and provides a high intensity fluorescent signal at a visible
XX wavelength when they are digested by a protease. The present sequence
XX represents a fluorogenic protease indicator peptide of the invention.
XX
XX Sequence 16 AA;
SQ
Query Match 100.0%; Score 40; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.28;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 5 YVHDAPV 11
RESULT 32
AAR21431
ID AAR21431 standard; protein; 17 AA.
XX
XX AAR21431;
XX
XX 08-JUN-1992 (first entry)
XX
XX Biotinylated peptide - prevents cleavage of IL-1.
XX
XX Interleukin 1; cytokine convertase inhibitor; prohormone; cleavage;
XX sepsis; AIDS; autoimmune diseases; arthritis.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
FH Modified-site 11 /label= OTHER
FT /note= "OTHER= beta Ala"
FT Modified-site 12 /label= OTHER
FT /note= "OTHER= beta Ala"
FT Modified-site 13 /label= OTHER
FT /note= "OTHER= beta Ala"
FT Modified-site 14 /label= OTHER
FT /note= "OTHER= beta Ala"
FT Modified-site 15 /label= OTHER
FT /note= "OTHER= beta Ala"
FT
FT
XX
XX WO200118238-A1.
XX
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
XX WO20202822-A.
XX
XX 20-FEB-1992.
XX
XX 06-AUG-1990; 90US-00562720.
XX
XX 06-AUG-1990; 90US-00562720.
XX (CETU ) CETUS CORP.
XX
XX Kriegler M, Nitecki DE;
XX
XX WPI; 1992-080216/10.
XX
XX Method for identification of cytokine convertase inhibitor - used to
XX treat and prevent diseases of elevated levels of cytokine(s) e.g. sepsis,
XX AIDS and autoimmune diseases e.g. arthritis.
XX
XX Claim 17; Page 17; 34pp; English.
XX
XX Peptide IV corresponds to the sequence cleaved by convertase in
XX converting the 31 kD mature IL-1 to its active form, together with a
XX spacer gp. for attachment to a solid support. The peptide was prepd. by
XX solid phase synthesis. The peptide can be used to identify compounds
XX which interfere with the activity of the convertase in producing mature
XX TNF. Such cpds. can be used for preventing or treating diseases in
XX patient associated with elevated circulating levels of the mature hormone,
XX such as sepsis, AIDS, and autoimmune diseases, partic. arthritis. See
XX also AAR21428-30
XX
XX Sequence 17 AA;
SQ
Query Match 100.0%; Score 40; DB 2; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 2 YVHDAPV 8
RESULT 33
AAG73125
ID AAG73125 standard; peptide; 17 AA.
XX
XX AAG73125;
XX
XX 14-AUG-2001 (first entry)
XX
XX Protease binding site #59.
XX
XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX haemophilia.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
FH Modified-site 3 /label= Aib
FT /note= "2-aminoisobutyric acid"
FT
FT
XX
XX WO200118238-A1.
XX
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
```

PI Komoriya A, Packard BS;
DR WPI; 2001-389573/41.
XX
PT New fluorogenic compositions whose fluorescence level increases in the
PT presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX
PS Disclosure; Page 24; 86pp; English.
XX
XX The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX
SQ Sequence 17 AA;
Query Match 100.0%; Score 40; DB 4; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 6 YVHDAPV 12
|||||
RESULT 34
ABU64171
ID ABU64171 standard; peptide; 17 AA.
XX
AC ABU64171;
XX
DT 11-MAR-2004 (first entry)
XX
DE Caspase preferred ligand #4.
XX
XX Caspase; cellular cytotoxicity; protease substrate; disease pathogenesis;
KW vaccine; immunotherapy.
XX
XX Unidentified.
XX
XX WO2003084333-A1.
XX
PD 16-OCT-2003.
XX
XX 29-JAN-2003; 2003WO-US002583.
XX
XX 29-JAN-2002; 2002US-0353112P.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
XX Packard BS, Brown MJ, Feinberg M, Liu L, Silvestri G;
PI Charrondi A, Komoriya A;
PI WPI; 2003-788536/74.
XX
XX Detecting cell-mediated cytotoxicity, useful e.g. for optimizing
PT vaccinating antigens, by determining activity of an apoptotic pathway,
PT specifically activated caspase.
XX
XX Disclosure; Page 4; Opp; English.
XX
XX The present invention relates to a method for detecting cell-mediated
CC cytotoxic activity, which comprises co-incubating target cells and
CC cytotoxic effector cells then detecting activity of an apoptotic pathway
CC in the target cells as an indication that the effector cells are active
CC against the target cells. The method is used to study cytotoxic T
CC lymphocyte (CTL)-mediated killing of target cells, e.g. for studying

CC pathogenesis of infectious diseases, screening for agents that induce a
CC CTL response against specific antigens, optimisation of antigens for use
CC in vaccines (or for quality control in vaccines), to detect retention of
CC immunity, to test for exposure to an antigen and to determine if a tissue
CC or organ intended for transplantation will elicit a cellular immune
CC response in a host. The present sequence is a peptide used to demonstrate
CC the method of the invention
XX
SQ Sequence 17 AA;
Query Match 100.0%; Score 40; DB 7; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 5 YVHDAPV 11
|||||
RESULT 35
ADN88365
ID ADN88365 standard; peptide; 17 AA.
XX
AC ADN88365;
XX
DT 12-AUG-2004 (first entry)
XX
XX Fluorogenic protease indicator peptide #61.
XX
XX fluorogenic; protease detection; protease inhibitor.
XX
XX Synthetic.
XX
XX US2004096926-A1.
XX
XX 20-MAY-2004.
XX
XX 04-JUN-2001; 2001US-00874350.
XX
XX 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.
XX
XX (ONCO-) ONCOIMMUNIN INC.
XX
XX Packard BS, Komoriya A;
PI WPI; 2004-399235/37.
XX
XX Fluorogenic composition useful for detecting protease activity and test
PT substance modulating protease activity.
XX
XX Disclosure; SEQ ID NO 61; 114pp; English.
XX
XX The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microscopy or confocal fluorescence
CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
XX represents a fluorogenic protease indicator peptide of the invention.

```
SQ Sequence 17 AA;
Query Match      100.0%; Score 40; DB 8; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
    |||||
Db 6 YVHDAPV 12

RESULT 36
ADN88366
ID ADN88366 standard; peptide; 17 AA.
XX
AC ADN88366;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #62.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
PR 20-FEB-1997; 97US-00802981.
XX
PR 20-FEB-1998; 98WO-US003000.
XX
PR 10-SEP-1999; 99US-00394019.
XX
PR 11-SEP-2000; 2000WO-US024882.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Packard BS, Komoriya A;
XX
DR WPI; 2004-399235/37.
XX
PT Fluorogenic composition useful for detecting protease activity and test
PT substance modulating protease activity.
XX
PS Disclosure; SEQ ID NO 62; 114pp; English.
XX
CC The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microplate reader, flow cytometry,
CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 17 AA;
Query Match      100.0%; Score 40; DB 8; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
    |||||
Db 6 YVHDAPV 12

RESULT 37
ADN88368
ID ADN88368 standard; peptide; 17 AA.
XX
AC ADN88368;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #64.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
PR 20-FEB-1997; 97US-00802981.
XX
PR 20-FEB-1998; 98WO-US003000.
XX
PR 10-SEP-1999; 99US-00394019.
XX
PR 11-SEP-2000; 2000WO-US024882.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Packard BS, Komoriya A;
XX
DR WPI; 2004-399235/37.
XX
PT Fluorogenic composition useful for detecting protease activity and test
PT substance modulating protease activity.
XX
PS Disclosure; SEQ ID NO 64; 114pp; English.
XX
CC The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microplate reader, flow cytometry,
CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 17 AA;
Query Match      100.0%; Score 40; DB 8; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
    |||||
Db 6 YVHDAPV 12

RESULT 38
ADN88367
ID ADN88367 standard; peptide; 17 AA.
XX
AC ADN88367;
```

XX DT 12-AUG-2004 (first entry)
XX DE Fluorogenic protease indicator peptide #63.
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS Synthetic.
XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.
XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;
XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.
XX PS Disclosure; SEQ ID NO 63; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.
XX SQ Sequence 17 AA;
Query Match 100.0%; Score 40; DB 8; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 6 YVHDAPV 12
RESULT 39
ADN88369
ID ADN88369 standard; peptide; 17 AA.
XX AC ADN88369;
XX DT 12-AUG-2004 (first entry)
XX DE Fluorogenic protease indicator peptide #63.
XX DE fluorogenic; protease detection; protease inhibitor.
XX KW Synthetic.
XX OS

XX PN US2004096926-A1.
XX PD 20-MAY-2004.
XX PF 04-JUN-2001; 2001US-00874350.
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.
XX PR 11-SEP-2000; 2000WO-US024882.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Packard BS, Komoriya A;
XX DR WPI; 2004-399235/37.
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.
XX PS Disclosure; SEQ ID NO 65; 114pp; English.
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.
XX SQ Sequence 17 AA;
Query Match 100.0%; Score 40; DB 8; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 6 YVHDAPV 12
RESULT 40
AAG73237
ID AAG73237 standard; peptide; 18 AA.
XX AC AAG73237;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #171.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX KW haemophilia.
XX OS Synthetic.
XX PI Key Location/Qualifiers
XX FT Modified-site 1
XX FT /label= OTHER
XX FT /note= "modified by fluorophore"
XX XX

CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention

XX SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 4; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 6 YVHDAPV 12
|||||

RESULT 43
AAG73126
ID AAG73126 standard; peptide; 18 AA.
AC AAG73126;
XX
XX 14-AUG-2001 (first entry)
XX Protease binding site #60.
XX
XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX haemophilia.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
XX Modified-site 3 /label= Aib
XX FT /note= "2-aminoisobutyric acid"
XX FT
XX WO200118238-A1.
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX (ONCO-) ONCOIMMUNIN INC.
XX Komoriya A, Packard BS;
XX WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
XX presence of active proteases, useful for detecting and localizing
XX protease activity in biological samples, particularly in frozen tissue
XX samples.
XX
XX Disclosure; Page 24; 86pp; English.
XX
XX The present invention describes fluorogenic compositions which can be
XX used for the detection of protease activity. This can be useful as an
XX indicator of viral infection, cancer metastasis, haemophilia, emphysema,
XX thrombosis and arthritis. The fluorogenic compositions comprise a
XX peptide, a peptide spacer and a donor and an acceptor fluorophore. The
XX peptide is cleaved by a protease and the fluorophores can then be
XX detected. The present sequence is one of the peptides described in the
XX exemplification of the invention

XX SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 4; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 6 YVHDAPV 12
|||||

RESULT 44
AAG73236
ID AAG73236 standard; peptide; 18 AA.
AC AAG73236;
XX
XX 14-AUG-2001 (first entry)
XX Protease binding site #170.
XX
XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX haemophilia.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
XX Modified-site 1 /label= OTHER
XX FT /note= "modified by fluorophore"
XX FT
XX WO200118238-A1.
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX (ONCO-) ONCOIMMUNIN INC.
XX Komoriya A, Packard BS;
XX WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
XX presence of active proteases, useful for detecting and localizing
XX protease activity in biological samples, particularly in frozen tissue
XX samples.
XX
XX Disclosure; Page 29; 86pp; English.
XX
XX The present invention describes fluorogenic compositions which can be
XX used for the detection of protease activity. This can be useful as an
XX indicator of viral infection, cancer metastasis, haemophilia, emphysema,
XX thrombosis and arthritis. The fluorogenic compositions comprise a
XX peptide, a peptide spacer and a donor and an acceptor fluorophore. The
XX peptide is cleaved by a protease and the fluorophores can then be
XX detected. The present sequence is one of the peptides described in the
XX exemplification of the invention

XX SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 4; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 6 YVHDAPV 12
|||||

RESULT 45
AAG73128
ID AAG73128 standard; peptide; 18 AA.

```
XX AC AAG73128;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #62.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX KW haemophilia.
XX OS Synthetic.
XX FH Key Location/Qualifiers
XX FT Modified-site 3
XX FT /label= Aib
XX FT /note= "2-aminoisobutyric acid"
XX PN WO200118238-A1.
XX PD 15-MAR-2001.
XX PF 11-SEP-2000; 2000WO-US024882.
XX PR 10-SEP-1999; 99US-00394019.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Komoriya A, Packard BS;
XX DR WPI; 2001-389573/41.
XX XX New fluorogenic compositions whose fluorescence level increases in the
XX PT presence of active proteases, useful for detecting and localizing
XX PT protease activity in biological samples, particularly in frozen tissue
XX PT samples.
XX PS Disclosure; Page 24; 86pp; English.
XX CC The present invention describes fluorogenic compositions which can be
XX CC used for the detection of protease activity. This can be useful as an
XX CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
XX CC thrombosis and arthritis. The fluorogenic compositions comprise a
XX CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
XX CC peptide is cleaved by a protease and the fluorophores can then be
XX CC detected. The present sequence is one of the peptides described in the
XX CC exemplification of the invention
XX SQ Sequence 18 AA;
XX QY 1 YVHDAVP 7
XX DB 6 YVHDAVP 12
XX RESULT 47
XX AAG73130
XX ID AAG73130 standard; peptide; 18 AA.
XX AC AAG73130;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #64.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX KW haemophilia.
XX OS Synthetic.
XX FH Key Location/Qualifiers
XX FT Modified-site 3
XX FT /label= Aib
XX FT /note= "2-aminoisobutyric acid"
XX FT Misc-difference 6
XX FT /note= "D-form residue"
XX PN WO200118238-A1.
XX XX
```

```
XX AC AAG73128;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #62.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX KW haemophilia.
XX OS Synthetic.
XX FH Key Location/Qualifiers
XX FT Modified-site 3
XX FT /label= Aib
XX FT /note= "2-aminoisobutyric acid"
XX PN WO200118238-A1.
XX PD 15-MAR-2001.
XX PF 11-SEP-2000; 2000WO-US024882.
XX PR 10-SEP-1999; 99US-00394019.
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI Komoriya A, Packard BS;
XX DR WPI; 2001-389573/41.
XX XX New fluorogenic compositions whose fluorescence level increases in the
XX PT presence of active proteases, useful for detecting and localizing
XX PT protease activity in biological samples, particularly in frozen tissue
XX PT samples.
XX PS Disclosure; Page 24; 86pp; English.
XX CC The present invention describes fluorogenic compositions which can be
XX CC used for the detection of protease activity. This can be useful as an
XX CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
XX CC thrombosis and arthritis. The fluorogenic compositions comprise a
XX CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
XX CC peptide is cleaved by a protease and the fluorophores can then be
XX CC detected. The present sequence is one of the peptides described in the
XX CC exemplification of the invention
XX SQ Sequence 18 AA;
XX QY 1 YVHDAVP 7
XX DB 6 YVHDAVP 12
XX RESULT 46
XX AAG73127
XX ID AAG73127 standard; peptide; 18 AA.
XX AC AAG73127;
XX DT 14-AUG-2001 (first entry)
XX DE Protease binding site #61.
XX KW Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX KW viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX KW haemophilia.
XX XX
```

PD 15-MAR-2001.
XX
PF 11-SEP-2000; 2000WO-US024882.
XX
PR 10-SEP-1999; 99US-00394019.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Komoriya A, Packard BS;
XX
DR WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
XX presence of active proteases, useful for detecting and localizing
PT protease activity in biological samples, particularly in frozen tissue
PT samples.
XX
XX Disclosure; Page 24; 86pp; English.
XX
XX The present invention describes fluorogenic compositions which can be
CC used for the detection of protease activity. This can be useful as an
CC indicator of viral infection, cancer metastasis, haemophilia, emphysema,
CC thrombosis and arthritis. The fluorogenic compositions comprise a
CC peptide, a peptide spacer and a donor and an acceptor fluorophore. The
CC peptide is cleaved by a protease and the fluorophores can then be
CC detected. The present sequence is one of the peptides described in the
CC exemplification of the invention
XX
XX
SQ Sequence 18 AA;
Query Match 100.0%; Score 40; DB 4; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
Db 6 YVHDAVP 12
|||||
ADN88370
ID ADN88370 standard; peptide; 18 AA.
XX
AC ADN88370;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #66.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
PR 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Packard BS, Komoriya A;
XX
DR WPI; 2004-399235/37.
XX
XX Fluorogenic composition useful for detecting protease activity and test
PT substance modulating protease activity.
XX

PS Disclosure; SEQ ID NO 66; 114pp; English.
XX
XX The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microplate reader, flow cytometry,
CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 18 AA;
Query Match 100.0%; Score 40; DB 8; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAVP 7
Db 7 YVHDAVP 13
|||||
ADN88474
ID ADN88474 standard; peptide; 18 AA.
XX
AC ADN88474;
XX
DT 12-AUG-2004 (first entry)
XX
DE Fluorogenic protease indicator peptide #170.
XX
KW fluorogenic; protease detection; protease inhibitor.
XX
OS Synthetic.
XX
PN US2004096926-A1.
XX
PD 20-MAY-2004.
XX
PF 04-JUN-2001; 2001US-00874350.
XX
PR 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.
XX
PA (ONCO-) ONCOIMMUNIN INC.
XX
PI Packard BS, Komoriya A;
XX
DR WPI; 2004-399235/37.
XX
XX Fluorogenic composition useful for detecting protease activity and test
PT substance modulating protease activity.
XX
PS Disclosure; SEQ ID NO 170; 114pp; English.
XX
XX The invention relates to a fluorogenic composition (I) for detecting the
CC activity of a protease. (I) is useful for detecting the activity of a
CC protease, which involves contacting the protease with (I), where the
CC activity of protease is detected in a histological section, cell culture
CC or tissue section. The cell suspension is derived from the biological
CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The

CC protease activity is detected by fluorescence microscopy, fluorescence
CC microplate reader, absorption microscopy or confocal fluorescent microplate
CC fluorimetry, absorption spectroscopy or confocal fluorescent microplate
CC reader. (I) is useful for delivering a molecule into a cell, and for
CC screening a test agent for the ability to modulate the activity of the
CC protease. (I) is useful for detection and localisation of protease
CC activity in biological samples. (I) also acts as a protease inhibitor,
CC thus useful as protease inhibitors. (I) enables detection of the protease
CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 8; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 6 YVHDAVP 12

RESULT 50
ADN88524
ID ADN88524 standard; peptide; 18 AA.

XX AC ADN88524;
XX 12-AUG-2004 (first entry)
XX Fluorogenic protease indicator peptide #220.
DE
XX fluorogenic; protease detection; protease inhibitor.

OS Synthetic.
PN US2004096926-A1.
XX 20-MAY-2004.

XX 04-JUN-2001; 2001US-00874350.
XX 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.

XX (ONCO-) ONCOIMMUNIN INC.
XX Packard BS, Komoriya A;
XX WPI; 2004-399235/37.

XX Fluorogenic composition useful for detecting protease activity and test
XX substance modulating protease activity.

XX Disclosure; SEQ ID NO 220; 114pp; English.

XX The invention relates to a fluorogenic composition (I) for detecting the
XX activity of a protease. (I) is useful for detecting the activity of a
XX protease, which involves contacting the protease with (I), where the
XX activity of protease is detected in a histological section, cell culture
XX or tissue section. The cell suspension is derived from the biological
XX sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX protease activity is detected by fluorescence microscopy, fluorescence
XX microplate reader, absorption microscopy or confocal fluorescent microplate
XX reader. (I) is useful for delivering a molecule into a cell, and for
XX screening a test agent for the ability to modulate the activity of the
XX protease. (I) is useful for detection and localisation of protease
XX activity in biological samples. (I) also acts as a protease inhibitor,
XX thus useful as protease inhibitors. (I) enables detection of the protease

CC activity, and provides a high intensity fluorescent signal at a visible
CC wavelength when they are digested by a protease. The present sequence
CC represents a fluorogenic protease indicator peptide of the invention.
XX
SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 8; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 6 YVHDAVP 12

RESULT 51
ADN88475
ID ADN88475 standard; peptide; 18 AA.

XX AC ADN88475;
XX 12-AUG-2004 (first entry)
XX Fluorogenic protease indicator peptide #171.
XX fluorogenic; protease detection; protease inhibitor.

OS Synthetic.

PN US2004096926-A1.
XX 20-MAY-2004.

XX 04-JUN-2001; 2001US-00874350.
XX 20-FEB-1997; 97US-00802981.
PR 20-FEB-1998; 98WO-US003000.
PR 10-SEP-1999; 99US-00394019.
PR 11-SEP-2000; 2000WO-US024882.

XX (ONCO-) ONCOIMMUNIN INC.
XX Packard BS, Komoriya A;
XX WPI; 2004-399235/37.

XX Fluorogenic composition useful for detecting protease activity and test
XX substance modulating protease activity.

XX Disclosure; SEQ ID NO 171; 114pp; English.

XX The invention relates to a fluorogenic composition (I) for detecting the
XX activity of a protease. (I) is useful for detecting the activity of a
XX protease, which involves contacting the protease with (I), where the
XX activity of protease is detected in a histological section, cell culture
XX or tissue section. The cell suspension is derived from the biological
XX sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX protease activity is detected by fluorescence microscopy, fluorescence
XX microplate reader, absorption microscopy or confocal fluorescent microplate
XX reader. (I) is useful for delivering a molecule into a cell, and for
XX screening a test agent for the ability to modulate the activity of the
XX protease. (I) is useful for detection and localisation of protease
XX activity in biological samples. (I) also acts as a protease inhibitor,
XX thus useful as protease inhibitors. (I) enables detection of the protease
XX activity, and provides a high intensity fluorescent signal at a visible
XX wavelength when they are digested by a protease. The present sequence
XX represents a fluorogenic protease indicator peptide of the invention.

XX Sequence 18 AA;

Query Match 100.0%; Score 40; DB 8; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.32;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 6 YVHDAPV 12

RESULT 52

ID ADN88516
ADN88516 standard; peptide; 18 AA.

XX AC ADN88516;

XX DT 12-AUG-2004 (first entry)

XX DE Fluorogenic protease indicator peptide #212.

XX KW fluorogenic; protease detection; protease inhibitor.

XX OS Synthetic.

XX PN US2004096926-A1.

XX PD 20-MAY-2004.

XX PF 04-JUN-2001; 2001US-00874350.

XX PR 20-FEB-1997; 97US-00802981.

XX PR 20-FEB-1998; 98WO-US003000.

XX PR 10-SEP-1999; 99US-00394019.

XX PR 11-SEP-2000; 2000WO-US024882.

XX PA (ONCO-) ONCOIMMUNIN INC.

XX PI Packard BS, Komoriya A;

XX DR WPI; 2004-399235/37.

XX PT Fluorogenic composition useful for detecting protease activity and test substance modulating protease activity.

XX PS Claim 21; SEQ ID NO 212; 114pp; English.

XX CC The invention relates to a fluorogenic composition (I) for detecting the activity of a protease. (I) is useful for detecting the activity of a protease, which involves contacting the protease with (I), where the activity of protease is detected in a histological section, cell culture or tissue section. The cell suspension is derived from the biological sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The protease activity is detected by fluorescence microscopy, fluorescence microplate reader, absorption microscopy or confocal fluorescent microplate reader. (I) is useful for delivering a molecule into a cell, and for screening a test agent for the ability to modulate the activity of the protease. (I) is useful for detection and localisation of protease activity in biological samples. (I) also acts as a protease inhibitor, thus useful as protease inhibitors. (I) enables detection of the protease activity, and provides a high intensity fluorescent signal at a visible wavelength when they are digested by a protease. The present sequence represents a fluorogenic protease indicator peptide of the invention.

XX SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 8; Length 18;

Best Local Similarity 100.0%; Pred. No. 0.32; Indels 0; Gaps 0;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 6 YVHDAPV 12

RESULT 53

ADN88525

ID ADN88525 standard; peptide; 18 AA.

XX AC ADN88525;

XX DT 12-AUG-2004 (first entry)

XX DE Fluorogenic protease indicator peptide #221.

XX KW fluorogenic; protease detection; protease inhibitor.

XX OS Synthetic.

XX PN US2004096926-A1.

XX PD 20-MAY-2004.

XX PF 04-JUN-2001; 2001US-00874350.

XX PR 20-FEB-1997; 97US-00802981.

XX PR 20-FEB-1998; 98WO-US003000.

XX PR 10-SEP-1999; 99US-00394019.

XX PR 11-SEP-2000; 2000WO-US024882.

XX PA (ONCO-) ONCOIMMUNIN INC.

XX PI Packard BS, Komoriya A;

XX DR WPI; 2004-399235/37.

XX PT Fluorogenic composition useful for detecting protease activity and test substance modulating protease activity.

XX PS Disclosure; SEQ ID NO 221; 114pp; English.

XX CC The invention relates to a fluorogenic composition (I) for detecting the activity of a protease. (I) is useful for detecting the activity of a protease, which involves contacting the protease with (I), where the activity of protease is detected in a histological section, cell culture or tissue section. The cell suspension is derived from the biological sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The protease activity is detected by fluorescence microscopy, fluorescence microplate reader, absorption microscopy or confocal fluorescent microplate reader. (I) is useful for delivering a molecule into a cell, and for screening a test agent for the ability to modulate the activity of the protease. (I) is useful for detection and localisation of protease activity in biological samples. (I) also acts as a protease inhibitor, thus useful as protease inhibitors. (I) enables detection of the protease activity, and provides a high intensity fluorescent signal at a visible wavelength when they are digested by a protease. The present sequence represents a fluorogenic protease indicator peptide of the invention.

XX SQ Sequence 18 AA;

Query Match 100.0%; Score 40; DB 8; Length 18;

Best Local Similarity 100.0%; Pred. No. 0.32; Indels 0; Gaps 0;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 6 YVHDAPV 12

RESULT 54

AAP61520

ID AAP61520 standard; protein; 193 AA.

XX AC AAP61520;

XX DT 25-MAR-2003 (revised)

XX DT 03-OCT-2002 (revised)

XX DT 08-AUG-1991 (first entry)

```
XX Sequence of new antitumour substance designated GIP II.
DE Anticancer agent; antitumour.
KW Homo sapiens.
XX EP187991-A.
XX 23-JUL-1986.
XX 20-DEC-1985; 85EP-00116344.
XX 21-DEC-1984; 84JP-00271207.
PR 24-JUN-1985; 85JP-00138280.
PR 24-JUN-1985; 85JP-00138281.
PR 03-OCT-1985; 85JP-00220882.
PR 16-DEC-1985; 85JP-00283238.
XX (SAKA ) OTSUKA PHARM CO LTD.
XX Nakai S, Kaneta M, Kikumoto Y, Hong YM, Kawai K, Takegata S;
PI Ishii K, Yanagihara Y;
XX WPI; 1986-190872/30.
DR N-PSDB; AAN60285.
XX New antitumour substance comprising poly;peptide - useful for specific
PT inhibition of growth of tumour cells in humans and animals with low
PT toxicity.
XX Claim 1; Page 5-6; 112pp; English.
XX GIP substances specifically inhibit the growth of tumour cells in humans
CC and animals, and so are useful for remission intensifying therapy and
CC maintaining therapy. They have very low toxicity. Dose is 0.1-100 mg/kg
CC daily. (Updated on 03-OCT-2002 to add missing OS field.) (Updated on 25-
CC MAR-2003 to correct PR field.) (Updated on 25-MAR-2003 to correct PA
CC field.)
XX
XX Query Match 100.0%; Score 40; DB 1; Length 193;
XX Best Local Similarity 100.0%; Pred. No. 4;
XX Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 37 YVHDAPV 43
RESULT 55
AAP61521
ID AAP61521 standard; protein; 199 AA.
XX
AC AAP61521;
XX 25-MAR-2003 (revised)
DT 03-OCT-2002 (revised)
DT 08-AUG-1991 (first entry)
XX
DE Sequence of new antitumour substance designated GIP III.
XX Anticancer agent; antitumour.
XX Homo sapiens.
XX EP187991-A.
XX 23-JUL-1986.
XX 20-DEC-1985; 85EP-00116344.
XX
```

```
PR 21-DEC-1984; 84JP-00271207.
PR 24-JUN-1985; 85JP-00138280.
PR 24-JUN-1985; 85JP-00138281.
PR 03-OCT-1985; 85JP-00220882.
PR 16-DEC-1985; 85JP-00283238.
XX (SAKA ) OTSUKA PHARM CO LTD.
XX Nakai S, Kaneta M, Kikumoto Y, Hong YM, Kawai K, Takegata S;
PI Ishii K, Yanagihara Y;
XX WPI; 1986-190872/30.
DR N-PSDB; AAN60286.
XX New antitumour substance comprising poly;peptide - useful for specific
PT inhibition of growth of tumour cells in humans and animals with low
PT toxicity.
XX Disclosure; Page 5-6; 112pp; English.
XX GIP substances specifically inhibit the growth of tumour cells in humans
CC and animals, and so are useful for remission intensifying therapy and
CC maintaining therapy. They have very low toxicity. Dose is 0.1-100 mg/kg
CC daily. (Updated on 03-OCT-2002 to add missing OS field.) (Updated on 25-
CC MAR-2003 to correct PR field.) (Updated on 25-MAR-2003 to correct PA
CC field.)
XX
XX Query Match 100.0%; Score 40; DB 1; Length 199;
XX Best Local Similarity 100.0%; Pred. No. 4.1;
XX Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 43 YVHDAPV 49
RESULT 56
AAR52020
ID AAR52020 standard; protein; 202 AA.
XX
AC AAR52020;
XX 25-MAR-2003 (revised)
DT 19-MAY-1994 (first entry)
XX
DE Truncated human Interleukin-1 (amino acids 9-210).
XX hIL-1; interleukin; cytokine; truncated; N-terminal deletion;
KW C-terminal deletion.
XX
OS Homo sapiens.
XX
PN EP569687-A1.
XX
PD 18-NOV-1993.
XX
PF 07-MAY-1985; 93EP-00104177.
XX
PR 18-MAY-1984; 84US-00611669.
PR 11-FEB-1985; 85US-00700374.
PR 07-MAY-1985; 85EP-00303234.
XX
XX (NEWB-) NEW ENGLAND MED CENT HOSPITALS.
PA (TUFT ) TUFTS COLLEGE.
PA (WELL-) WELLESLEY COLLEGE.
PA (MASI ) MASSACHUSETTS INST TECHNOLOGY.
XX
PI Auron PE, Webb AC, Gehrke L, Dinarello CA, Rosenwasser LJ;
PI Rich A, Wolff SM;
XX WPI; 1993-360975/46.
DR
```

CC GIP substances specifically inhibit the growth of tumour cells in human
CC and animals, and so are useful for remission intensifying therapy and
CC maintaining therapy. They have very low toxicity. Dose is 0.1-100 mg/kg
CC daily. (Updated on 03-OCT-2002 to add missing OS field.) (Updated on 25-
CC MAR-2003 to correct PR field.) (Updated on 25-MAR-2003 to correct PA
CC field.)
XX
SQ Sequence 238 AA;

Query Match 100.0%; Score 40; DB 1; Length 238;
Best Local Similarity 100.0%; Pred. No. 5;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
DB 82 YVHDAVP 88

RESULT 58
AAP60307
ID AAP60307 standard; protein; 238 AA.
XX
AC AAP60307;
XX
DT 25-MAR-2003 (revised)
DT 05-JUN-1991 (first entry)
XX
DE Sequence of interleukin 1-beta precursor protein in pGIF-alpha.
XX
KW Cytokine; tumour; therapy; immuno stimulator.
XX
OS Homo sapiens.
XX
PN EP237967-A.
XX
PD 23-SEP-1987.
XX
PF 12-MAR-1987; 87EP-00103609.
XX
PR 14-MAR-1986; 86JP-00057885.
PR 20-JUN-1986; 86JP-00145830.
PR 09-JUL-1986; 86JP-00161184.
PR 27-AUG-1986; 86JP-00200324.
XX
PA (SAKA) OTSUKA PHARM CO LTD.
PA (HIGU/) HIGUCHI Y.
XX
XX Nakai S, Kaneta M, Kikumoto Y, Hong YM, Kawai KHS, Azamitsuho M;
PI Takegata S, Ishii K;
PI
XX WPI; 1987-265364/38.
XX N-PSDB; AAN70505.
XX
XX New interleukin 1-beta analogues - produced by recombinant DNA
XX techniques.
XX
XX Example; Page 20-23; 49pp; English.

CC The patent application claims new analogues of IL-1-beta (AAP70304) with
CC the following modifications: (a) at least one of Ala1, Val3, Arg4, Ser5,
CC Cys8, Arg11, His30, Cys71, Lys93, Lys97, Arg98, Phe99, Lys103, Trp120,
CC Tyr121 and Ser153 is absent or replaced by another AA; and/or (b) at
CC least one AA in the 1-9 sequence is absent; and/or (c) at least one AA in
CC the 103-153 sequence is absent; and/or (d) Met, or the 1'-116' sequence
CC of (AAP70305) or a C-terminal portion of this sequence is attached to the
CC N-terminus of AAP70304. The new analogues are useful for stimulating
CC immunity, treating malignant tumours, promoting cytokine prodn., treating
CC inflammations, or preventing or curing radiation injuries or
CC opportunistic infections. The gene coding for IL-1-beta (see EP85116344),
CC eg in the form of plasmid pTrpGIF-alpha is modified by standard methods
CC and used to transform host cells for expression of new IL-1-beta
CC analogues. Homogenous IL-1-beta is produced by expressing the unmodified
CC gene in a suitable host. (Updated on 25-MAR-2003 to correct PA field.)
CC

DR N-PSDB; AAQ45464.
XX
XX New DNA encoding protein with IL-1 activity - useful in monitoring
XX disease states e.g. cancer and studying inflammation e.g. in arthritis
XX etc.
XX
XX Claim 1; Page 11-16; 24pp; English.

CC DNA comprising part of the nucleotide sequence AAQ50981 which encodes a
CC polypeptide having IL-1 activity and a mol.wt. of 20000 is claimed.
CC Specifically, the region between nucleotides 111-717 (AAQ45464) has been
CC found to retain hIL-1 activity. (Updated on 25-MAR-2003 to correct PN
CC field.) (Updated on 25-MAR-2003 to correct PF field.) (Updated on 25-MAR-
CC 2003 to correct PR field.) (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ Sequence 202 AA;

Query Match 100.0%; Score 40; DB 2; Length 202;
Best Local Similarity 100.0%; Pred. No. 4.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
DB 105 YVHDAVP 111

RESULT 57
AAP60307
ID AAP60307 standard; protein; 238 AA.
XX
AC AAP60307;
XX
DT 25-MAR-2003 (revised)
DT 03-OCT-2002 (revised)
DT 08-AUG-1991 (first entry)
XX
DE Sequence of new antitumour substance designated GIF IV.
XX
KW Anticancer agent; antitumour.
XX
OS Homo sapiens.
XX
XX
FH Key Location/Qualifiers
FT Region 1..85
FT /note= "opt. having one or more AA(s) removed from the N-
FT terminal"
XX
XX
XX EP187991-A.
XX
XX 23-JUL-1986.
XX
XX 20-DEC-1985; 85EP-00116344.
XX
XX 21-DEC-1984; 84JP-00271207.
XX 24-JUN-1985; 85JP-00138280.
XX 24-JUN-1985; 85JP-00138281.
XX 03-OCT-1985; 85JP-00220882.
XX 16-DEC-1985; 85JP-00283238.
XX
XX (SAKA) OTSUKA PHARM CO LTD.
XX
XX Nakai S, Kaneta M, Kikumoto Y, Hong YM, Kawai K, Takegata S;
XX Ishii K, Yanagihara Y;
XX
XX WPI; 1986-190872/30.
XX N-PSDB; AAN60283.
XX
XX New antitumour substance comprising poly:peptide - useful for specific
XX inhibition of growth of tumour cells in humans and animals with low
XX toxicity.
XX
XX Claim 1; Page 64-66; 112pp; English.

```

CC (Updated on 25-MAR-2003 to correct PI field.)
XX
SQ Sequence 238 AA;

Query Match      100.0%; Score 40; DB 1; Length 238;
Best Local Similarity 100.0%; Pred. No. 5;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 82 YVHDAVP 88

RESULT 59
AAR42447
ID AAR42447 standard; protein; 238 AA.
XX
AC AAR42447;
XX
DT 25-MAR-2003 (revised)
DT 12-MAY-1994 (first entry)
XX
DE Human interleukin-1 beta precursor.
XX
KW IL-1beta; colony stimulating factor; CSF; tumour cell growth; inhibition;
KW lymphocyte activating factor; LAF; immunostimulant; anti-inflammatory;
KW immune system; vaccine; cytokine; probe.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Protein 86..238
FT /label= IL-1beta
FT /note= "mature protein"
XX
EP569042-A1.
XX
PN 10-NOV-1993.
XX
PD
XX
PF 12-MAR-1987; 93EP-00107660.
XX
PR 14-MAR-1986; 86JP-00057885.
PR 20-JUN-1986; 86JP-00145830.
PR 09-JUL-1986; 86JP-00161184.
PR 27-AUG-1986; 86JP-00200324.
PR 12-MAR-1987; 87EP-00103609.
XX
PA (SAKA ) OTSUKA PHARM CO LTD.
XX
PI Nakai S, Kaneta M, Kikumoto Y, Hong Y, Kawai K, Takegata S;
PI Ishii K, Yanegihara Y, Hirai Y;
XX
DR WPI; 1993-353161/45.
DR N-PSDB; AAQ51110.
XX
PT Medical use of interleukin-1 beta - for stimulating immunity, promoting
PT colony stimulating factor prodn. and curing inflammation.
XX
PS Example 1); Page 11-14; 31pp; English.
XX
CC Novel uses of interleukin-1 beta are claimed. These include promoting
CC antibody production, promoting production of cytokines such as CSF, IFN,
CC IL-2 and IL-3, as an antitumour agent, as an anti-inflammatory agent and
CC for preventing radiation sickness. A probe was designed having a sequence
CC complementary to the sequence coding for the first 20 N-terminal amino
CC acids of IL-1beta. The probe was used to screen a human lymphocyte cDNA
CC library to select a transformant contg. the IL-1-beta precursor coding
CC sequence. (Updated on 25-MAR-2003 to correct PI field.) (Updated on 25-
CC MAR-2003 to correct PF field.) (Updated on 25-MAR-2003 to correct PR
CC field.)
XX
SQ Sequence 238 AA;

Query Match      100.0%; Score 40; DB 1; Length 269;
Best Local Similarity 100.0%; Pred. No. 5;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 82 YVHDAVP 88

RESULT 60
AAP50043
ID AAP50043 standard; protein; 269 AA.
XX
AC AAP50043;
XX
DT 25-MAR-2003 (revised)
DT 09-SEP-1991 (first entry)
XX
DE Sequence of interleukin-1 (IL-1).
XX
KW Immunological reagent; T cell stimulant; B cell; immunoglobulin.
XX
OS Homo sapiens.
XX
PN EP161901-A.
XX
PD 21-NOV-1985.
XX
PF 07-MAY-1985; 85EP-00303234.
XX
PR 18-MAY-1984; 84US-00611669.
PR 18-MAY-1984; 84US-00611699.
PR 11-FEB-1985; 85US-00700374.
XX
PA (NEWE-) NEW ENGLAND MEDICAL CENT INC.
PA (TUFT ) TUFTS COLLEGE.
PA (MASI ) MASSACHUSETTS INST TECHNOLOGY.
PA (WELL-) WELLESLEY COLLEGE.
XX
PI Webb AC, Gehrke L, Dinarello CA, Rosenwasse LJ, Rich A, Wolff SM;
XX
DR WPI; 1985-291135/47.
DR N-PSDB; AAN50060.
XX
PT Recombinant cloning vehicle contg. human interleukin-7 gene - or its
PT fragments, producing new biologically active polypeptide(s).
XX
PS Claim 20; Page 31; 39pp; English.
XX
CC A pure cDNA of 1507 bp (AAN50060) (and its 1-606, 1-677, 1355-1507; 482-
CC 1501; 482-677; and 1355-1507 fragments) are claimed. Also claimed is a
CC recombinant DNA cloning vehicle contg. the human IL-1 gene sequence.
CC Specifically the vehicle contains the sequence coding for the new 287 AA
CC sequence (AAP50043) or the following new fragments (1) 9-224; (2) 1-210-X
CC ; (3) 144-287; and (4) 144-210-(X); (X= Asn-Ser-Ile-Trp-Gly-Val-Leu-
CC Ser-Leu-Asn-Gln-Val-Leu). (Updated on 25-MAR-2003 to correct PD field.)
CC (Updated on 25-MAR-2003 to correct PR field.) (Updated on 25-MAR-2003 to
CC correct PA field.)
XX
SQ Sequence 269 AA;

Query Match      100.0%; Score 40; DB 1; Length 269;
Best Local Similarity 100.0%; Pred. No. 5;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 113 YVHDAVP 119

RESULT 61
AAP81197
ID AAP81197 standard; protein; 269 AA.

```


XX AAP81197;
 XX
 DT 25-MAR-2003 (revised)
 DT 22-NOV-1990 (first entry)
 XX
 DE Interleukin-1 of human peripheral blood macrophage.
 XX non-pyrogenic interleukin-1-like polypeptide; anticancer agent;
 KW antinfection agent; ss.
 XX
 OS Homo sapiens.
 XX EP267629-A.
 XX
 PD 18-MAY-1988.
 XX
 PD 13-NOV-1987; 87EP-00116824.
 XX
 PD 14-NOV-1986; 86JP-00271605.
 XX
 PA (KYOW) KYOWA HAKKO KOGYO KK.
 PI Matsumoto T, Harada N, Yamaguchi K, Komatsu Y, Itoh S;
 XX WPI; 1988-134493/20.
 DR N-PSDB; AAN82421.
 XX
 PT New polypeptide(s) having interleukin-1 activity, free of pyrogenicity -
 PT obtd. by treating interleukin-1 with Achromobacter protease I or S aureus
 PT V8 protease.
 XX
 PS Disclosure; Page ?; 18pp; English.
 XX
 CC This protein is encoded by a sequence obtained after cloning a human
 CC peripheral blood macrophage-derived cDNA in E.coli The amino acid
 CC sequence is in agreement with that reported by Auron et al (1984) for IL-
 CC 1 from equivalent source tissue. An IL-1 expression plasmid based upon
 CC the cDNA was constructed and used to transform E.coli . The IL-1 produced
 CC by the transformants was highly purified and enzymatically degraded. The
 CC polypeptides produced as a result of this treatment were found to have IL
 CC -1 activity. See also AAP81198-P81202. (Updated on 25-MAR-2003 to correct
 CC PA field.)
 XX
 SQ Sequence 269 AA;
 Query Match 100.0%; Score 40; DB 1; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 DB 113 YVHDAPV 119
 |||||
 RESULT 62
 ID AAR15747 standard; protein; 269 AA.
 XX
 AC AAR15747;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-MAR-2003 (revised)
 DT 27-FEB-1992 (first entry)
 XX
 DE Interleukin-1 beta with 116 amino acids added to N-terminus.
 XX
 KW IL-1-beta; interleukin 6 inducer.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Region 1. .116

FT Region 117. .269
 FT /label= IL-1_beta
 XX
 PN JP03197433-A.
 XX
 PD 28-AUG-1991.
 XX
 PF 26-DEC-1989; 89JP-00338998.
 XX
 PR 26-DEC-1989; 89JP-00338998.
 XX
 XX (SAKA) OTSUKA PHARM CO LTD.
 XX
 DR WPI; 1991-356562/49.
 XX
 XX IL-6 production inducer - is deriv. of modified amino acid sequence obtd.
 PT by modification of interleukin I alpha.
 XX
 PS Claim 1; Page 2; 17pp; Japanese.
 XX
 CC This peptide is a preferred example of an IL-1 beta derivative with IL-6
 CC inducing activity. The 116 N-terminal amino acids may also be bonded to
 CC the C-terminal of IL-1 beta. See also AAR15748. (Updated on 10-MAR-2003
 CC to add missing OS field.) (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 269 AA;
 Query Match 100.0%; Score 40; DB 2; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 DB 113 YVHDAPV 119
 |||||
 RESULT 63
 ID AAR42213 standard; protein; 269 AA.
 XX
 AC AAR42213;
 XX
 DT 25-MAR-2003 (revised)
 DT 19-MAY-1994 (first entry)
 XX
 DE Human Interleukin-1.
 XX
 KW hIL-1; interleukin; cytokine; truncated; N-terminal deletion;
 KW C-terminal deletion.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Modified-site 123. .125
 FT /label= N-glycosylation_site
 XX
 PN EP569687-A1.
 XX
 PD 18-NOV-1993.
 XX
 PD 07-MAY-1985; 93EP-00104177.
 XX
 PR 18-MAY-1984; 84US-00611669.
 PR 11-FEB-1985; 85US-00700374.
 PR 07-MAY-1985; 85EP-00303234.
 XX
 PA (NEWS-) NEW ENGLAND MED CENT HOSPITALS.
 PA (TUFT) TUFTS COLLEGE.
 PA (WELL-) WELLESLEY COLLEGE.
 PA (MASI) MASSACHUSETTS INST TECHNOLOGY.
 XX
 XX Auron PE, Webb AC, Gehrke L, Dinarello CA, Rosenwasser LJ;
 PI Rich A, Wolff SM;

XX WPI; 1993-360975/46.
 DR N-PSDB; AAQ50981.
 XX
 XX New DNA encoding protein with IL-1 activity - useful in monitoring
 PT disease states e.g. cancer and studying inflammation e.g. in arthritis
 PT etc.
 PT
 XX
 PS Claim 1; Page 11-16; 24pp; English.
 XX
 XX DNA comprising part of the nucleotide sequence AAQ50981 which encodes a
 CC polypeptide having IL-1 activity and a mol.wt. of 20000 is claimed.
 CC Specifically, the region between nucleotides 111-717 has been found to
 CC retain hIL-1 activity (see AAQ45464). (Updated on 25-MAR-2003 to correct
 CC FN field.) (Updated on 25-MAR-2003 to correct PF field.) (Updated on 25-
 CC MAR-2003 to correct PR field.) (Updated on 25-MAR-2003 to correct PA
 CC field.)
 XX
 XX Sequence 269 AA;
 SQ

Query Match 100.0%; Score 40; DB 2; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 DB 113 YVHDAPV 119

RESULT 64
 AAW31668
 ID AAW31668 standard; protein; 269 AA.
 XX
 AC AAW31668;
 XX
 XX 27-MAR-1998 (first entry)
 DT
 DE Precursor form of leaderless protein IL-1 beta.
 XX
 KW Leaderless protein; IL-1 beta; FGF; inhibitor; cardiac glycoside;
 KW aglycone; treatment; carcinoma; diabetes.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Protein 1. .269
 FT /note= "precursor form of IL-1 beta"
 FT Protein 117. .269
 FT /note= "the mature form of IL-1 beta starts at the
 FT position 117"
 XX
 PN W09728808-A1.
 XX
 XX 14-AUG-1997.
 PD
 XX 12-FEB-1997; 97WO-US002237.
 PF
 XX 12-FEB-1996; 96US-00599895.
 PR
 XX (SCRI) SCRIPPS RES INST.
 PA
 XX FlorKiewicz RZ;
 PI
 XX WPI; 1997-415065/38.
 DR N-PSDB; AAV02214.
 XX
 XX Inhibition of export of leaderless protein from cells - using cardiac
 PT glycoside or its aglycone, e.g. ouabain or digoxin.
 PT
 XX Disclosure; Page 33-34; 61pp; English.
 PS
 XX This is the precursor form of the leaderless protein IL-1 beta. The
 CC export of such leaderless proteins from a cell can be inhibited by a

CC method which comprises contacting the cell with a cardiac glycoside or
 CC with an aglycone derivative of a cardiac glycoside. Preferably the
 CC glycoside is digoxin, strophanthin K, digitoxin, lanatoside A, ouabain,
 CC oleandrin or acovenoside A, and the aglycone is strophanthidin, for
 CC digoxigenin, digitoxigenin or uzarigenin. The method is useful for
 CC inhibiting export of leaderless proteins like FGF-1, FGF-2, IL-1 alpha,
 CC IL-1 beta, PD-ECGF, CNTF, thymosin, parathymosin, factor XIIIa, vas
 CC deferens protein, sciatic nerve growth promoting protein, L-14 lectin,
 CC transglutaminase, thioredoxin-like protein, HIV tat and int-2. Inhibition
 CC of export of FGF is useful for treating FGF-mediated pathophysiological
 CC conditions (e.g. melanoma, ovarian carcinoma, teratocarcinoma and
 CC neuroblastoma). It is useful for inhibiting proliferation of cells
 CC bearing an FGF-receptor; and for treating complications of diabetes
 XX
 XX Sequence 269 AA;
 SQ

Query Match 100.0%; Score 40; DB 2; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 DB 113 YVHDAPV 119

RESULT 65
 AAW71382
 ID AAW71382 standard; protein; 269 AA.
 XX
 AC AAW71382;
 XX
 DT 04-DEC-1998 (first entry)
 XX
 DE Interleukin-lbata precursor.
 XX
 KW Interleukin-lbata; leaderless protein; inhibition; export; angiogenesis;
 KW restenosis; treatment; tumour; inflammation; cell proliferation;
 KW diabetes; retinopathy; infection; polycystic kidney disease;
 KW atherosclerosis.
 XX
 OS Unidentified.
 XX
 PN W09837880-A1.
 XX
 PD 03-SEP-1998.
 XX
 PF 25-FEB-1998; 98WO-US003689.
 XX
 PR 26-FEB-1997; 97US-00807014.
 XX
 PA (CIBL-) CIBLEX CORP.
 XX
 PI FlorKiewicz RZ, Baird A;
 XX
 DR WPI; 1998-495377/42.
 DR N-PSDB; AAV60342.
 XX
 XX Inhibiting export of leaderless protein with agent that inhibits binding
 PT to transporter protein - especially for treating angiogenesis and
 PT restenosis by preventing export of fibroblast growth factor, also methods
 PT for identifying leaderless proteins and their transporters.
 XX
 PS Claim 2; Page 64-65; 116pp; English.
 XX
 XX The present sequence represents interleukin-lbata, a leaderless protein.
 CC A leaderless protein refers to a protein that is found in an
 CC extracellular environment, but lacks a canonical leader sequence. The
 CC specification describes a method for inhibiting export of a leaderless
 CC protein from a cell. The method comprises treating the cell with an agent
 CC that inhibits binding between the leaderless protein and a transport
 CC molecule. Treatment with the inhibiting agent is specifically used to
 CC treat angiogenesis and restenosis, i.e. where expression of FGF-2 is
 CC inhibited, and the agent is applied to endothelial or smooth muscle

CC cells. Other applications are treatment of tumors (melanoma,
 CC teratocarcinoma, ovarian carcinoma, bladder cancer and neuroblastoma),
 CC inflammation, cell proliferation, complications of diabetes (e.g.
 CC retinopathy), viral, bacterial or fungal infections, polycystic kidney
 CC disease and atherosclerosis
 XX
 SQ Sequence 269 AA;

Query Match 100.0%; Score 40; DB 2; Length 269;

Best Local Similarity 100.0%; Pred. No. 5.7;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

|||||

Db 113 YVHDAPV 119

RESULT 66

AA08322

ID AAY08322 standard; protein; 269 AA.

XX AC

XX AAY08322;

XX 16-JUL-1999 (first entry)

XX Human IL-1-beta protein.

DE IL-1-beta; interleukin-1; human; immunomodulator; immune response; matrix;

XX antigen; immunogen; vaccine; antigen presenting cell.

KW Homo sapiens.

XX W09922763-A2.

XX 14-MAY-1999.

XX 02-NOV-1998; 98WO-US023313.

XX 31-OCT-1997; 97US-00962407.

XX (CIST-) CISTRON BIOTECHNOLOGY INC.

XX Dondero RS, Galton BC, Casey LS;

PI WPI; 1999-313178/26.

DR Composition containing immunomodulator encapsulated in matrix, useful as

PT adjuvant for vaccine.

XX Claim 5; Page 17-18; 18pp; English.

XX This invention describes a novel composition for modulating an immune

CC response in an animal or human which comprises an immunomodulator

CC encapsulated in a matrix. The composition is used to modulate the immune

CC response to an antigen, immunogen or vaccine. Immunomodulators increase

CC the immune response to vaccines etc. Incorporation in a matrix minimizes

CC systemic exposure to the immunomodulator while allowing continuous or

CC controlled delivery of the immunomodulator to antigen presenting cells.

CC This sequence represents the human interleukin-1-beta protein which is

CC used in the method of the invention

XX
 SQ Sequence 269 AA;

Query Match 100.0%; Score 40; DB 2; Length 269;

Best Local Similarity 100.0%; Pred. No. 5.7;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

|||||

Db 113 YVHDAPV 119

RESULT 67

AA069531

ID AAY69531 standard; protein; 269 AA.

XX AC

XX AAY69531;

XX 10-APR-2000 (first entry)

XX Human interleukin 1-beta (IL-1-beta) precursor.

DE IL-1-beta precursor; interleukin 1-beta; IL-2 induction;

XX T-cell proliferation; B-cell; immunoglobulin synthesis; adjuvant;

XX immunostimulatory.

XX Homo sapiens.

XX Key

XX Peptide

XX Location/Qualifiers

XX 1..8

XX /note= "Signal peptide"

XX Cleavage-site

XX 8..9

XX Protein

XX 9..210

XX /note= "Mature human IL-1-beta"

XX Cleavage-site

XX 210..211

XX Peptide

XX 211..269

XX US5998578-A.

XX 07-DEC-1999.

XX 07-JUN-1995; 95US-00474829.

XX 18-MAY-1984; 84US-00611669.

XX 08-JAN-1987; 87US-00004319.

XX 25-APR-1988; 88US-00185731.

XX 30-AUG-1990; 90US-00557279.

XX 06-MAY-1992; 92US-00880476.

XX 01-JUN-1993; 93US-00071031.

XX (NEW-) NEW ENGLAND MEDICAL CENT HOSPITALS INC.

XX (MASI) MASSACHUSETTS INST TECHNOLOGY.

XX (TUFT) TUFTS COLLEGE.

XX (WELL-) WELLESLEY COLLEGE.

XX Dinarello CA, Webb AC, Rich A, Wolff SM, Auron PE;

XX WPI; 2000-104622/09.

XX N-PSDB; AA255973.

XX Purified truncated polypeptide fragment of human interleukin-1-beta

XX precursor polypeptide useful in producing antibodies.

XX Claim 2; Fig 2A-B; 11pp; English.

XX This sequence represents a human interleukin 1-beta (IL-1-beta) precursor

CC protein, isolated from monocytes. The invention relates to a purified

CC truncated fragment of human IL-1-beta precursor protein (i.e., not the

CC mature form of IL-1-beta) which has IL-1-beta biological activity as

CC determined by mouse thymocyte assay. IL-1 plays a central role as a

CC mediator of host immunological and defense functions. It can induce the

CC production of IL-2 by activating T-cells (IL-2 stimulates the T-cells to

CC proliferate), and increases B-cell proliferation and immunoglobulin (Ig)

CC synthesis. IL-2 also has inflammatory properties, increasing levels of

CC prostaglandin E2 in a variety of tissues. The truncated IL-1-beta

CC precursor protein is useful in producing antibodies that are

CC immunoreactive with it. Genes encoding the truncated IL-1-beta precursor

CC are useful for detecting related DNA sequences in the human genome,

CC reduced IL-1 production being associated with certain cancers and

CC malnutrition. IL-1, or associated fragments, can be used as an

CC immunological reagent or adjuvant in humans or other animals due to its

CC ability to stimulate T and B-cells and increase Ig synthesis. The

CC truncated IL-1-beta precursor may also be also useful in the production

CC of IL-2, via activation of T-cells

XX Sequence 269 AA;

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 68
AAB37790
ID AAB37790 standard; protein; 269 AA.
XX
AC AAB37790;
XX
DT 23-FEB-2001 (first entry)
XX
DE Human interleukin-1beta.
XX
KW Human; interleukin-1; IL-1; IL-1alpha; IL-1beta; IL-1 receptor;
KW antiinflammatory; haemostatic; antibacterial; immunosuppressive;
KW immunomodulator; cardiant; cytostatic; neuroprotective; respiratory;
KW inflammation; infection; sepsis; cachexia; autoimmune disorder;
KW cardiovascular disorder; chronic myelogenous leukaemia;
KW multiple sclerosis; inflammatory bowel disease; Crohn's disease.
XX
OS Homo sapiens.
XX
PN WO20064479-A1.
XX
PD 02-NOV-2000.
XX
PF 26-APR-2000; 2000WO-US011700.
XX
PR 27-APR-1999; 99US-00301274.
XX
PA (ANVT-) ANTIBODY SYSTEMS INC.
XX
PI Fredeking TM, Ignatyev GM;
XX
WPI; 2000-679646/66.
XX
Novel compositions comprising tetracycline or tetracycline-like compounds
for the treatment and/or prevention of acute inflammatory responses and
diseases, e.g. septic shock and immune complex-induced colitis.
XX
Disclosure; Page 148-149; 183pp; English.
XX
The present sequence is given in a specification relating to novel
compositions and methods containing tetracycline or tetracycline-like
compounds for treating and/or preventing acute inflammatory responses and
diseases. Such diseases include acute inflammatory conditions associated
with viral haemorrhagic diseases (including diseases caused by
Bunyaviridae, Filoviridae, Flaviviridae or Arenaviridae viruses),
Parasitic diseases, bacterial infections, sepsis, cachexia, autoimmune
disorders, acute cardiovascular events, chronic myelogenous leukaemia and
transplanted bone marrow-induced graft-versus-host disease, septic shock,
immune complex-induced colitis, cerebrospinal fluid inflammation,
multiple sclerosis, inflammatory responses associated with trauma,
systemic inflammatory response syndrome (SIRS), adult respiratory
distress syndrome (ARDS), acute liver failure, inflammatory bowel disease
and Crohn's disease
XX
SQ Sequence 269 AA;

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 69
AAY96877
ID AAY96877 standard; protein; 269 AA.
XX
AC AAY96877;
XX
DT 31-OCT-2000 (first entry)
XX
DE Human precursor interleukin 1-beta.
XX
KW IL 1-beta; interleukin 1-beta; precursor; transport molecule; golgi;
KW Leaderless; endoplasmic reticulum; protein export; detection; inhibitor.
XX
OS Homo sapiens.
XX
PN US6083706-A.
XX
PD 04-JUL-2000.
XX
PF 25-FEB-1998; 98US-00030613.
XX
PR 26-FEB-1997; 97US-00807014.
XX
PA (CIBL-) CIBLEX CORP.
XX
PI Baird A, Florkiewicz RZ;
XX
WPI; 2000-464338/40.
XX
N-PSDB; AAA53568.
XX
Detecting transport molecules, useful for identifying proteins that
mediate leaderless protein export across cell membranes, by contacting
cell extracts with a fusion protein of leaderless protein and a tag to
form a complex.
XX
Disclosure; Col 47-48; 64pp; English.
XX
Detecting a transport molecule involved in non-endoplasmic reticulum
(ER)/Golgi leaderless protein export, comprises contacting test cell
extracts or membranes with a fusion protein of a leaderless protein and a
tag to form a complex of the fusion protein bound to the transport
molecule, and detecting the transport molecule in an isolated complex.
XX
The leaderless protein is a protein found in the extracellular
environment that lacks a canonical leader sequence, interleukin (IL) 1-
alpha, or 1-beta, fibroblast growth factor (FGF) 1 or 2, human
immunodeficiency virus (HIV) tat, platelet-derived endothelial cell
growth factor (PD-ECGF), ciliary neurotrophic factor (CNTF), sciatic
nerve growth-promoting activity, vas deferens protein, transglutaminase,
L-14 lectin, factor XIIIa, thioredoxin-like protein (ADF), thymosin,
parathyromosin, mammary-derived growth inhibitor, galectin or rhodanase.
XX
The method is used to detect proteins, complexes of proteins, or parts of
a larger complex, that bind to and mediate the transport of leaderless
proteins, e.g. Na+/K+ ATPase which is an integral membrane protein
responsible for transporting sodium and potassium ions across the cell
membrane using ATP as the driving force. Transport molecules detected by
the method are used in assays to identify inhibitors of the interaction
with a leaderless protein
XX
SQ Sequence 269 AA;

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 70
AAB35251

ID AAB35251 standard; protein; 269 AA.
XX
AC AAB35251;
XX
DT 04-MAY-2001 (first entry)
XX
DE Human pre-interleukin-1 beta.
XX
KW Human; ICE; interleukin-1 beta converting enzyme; inflammatory disorder;
KW autoimmune condition; IL-1beta.
XX
OS Homo sapiens.
XX
PN US6187550-B1.
XX
PD 13-FEB-2001.
XX
PF 13-NOV-1996; 96US-00748547.
XX
PR 27-JUL-1994; 94US-00280889.
XX
PA (BADI) BASF AG.
XX
PI Ghayur T, McGuinness LM;
XX
XX WPI; 2001-210325/21.
XX
DR N-PSDB; AAF24472.
XX
XX Identifying genes and compositions that interact with interleukin-1beta
PT (IL-1 beta) processing pathways comprises using a cell having a first
PT gene for precursor IL-1beta and a second gene for an IL-1beta converting
PT enzyme.
XX
PS Disclosure; Fig 2; 49pp; English.
XX
XX The present invention describes methods of identifying compositions with
CC activity in the interleukin-1beta (IL-1beta) processing or secretory
CC pathways, involving applying a test composition to a cell comprising a
CC gene for IL-1beta and IL-1beta converting enzyme (ICE), and determining
CC the effect on the cell, where a change indicates that the composition has
CC such activity. This is useful in the identification of compounds for use
CC in the treatment of inflammatory disorders and autoimmune conditions. The
CC present sequence is the human IL-1beta protein
XX
SQ Sequence 269 AA;
Query Match 100.0%; Score 40; DB 4; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7; Mismatches 0; Indels 0; Gaps 0;
Matches 7; Conservative 0;
QY 1 YVHADPV 7
DB 113 YVHADPV 119
RESULT 71
AAB97079
ID AAB97079 standard; protein; 269 AA.
XX
AC AAB97079;
XX
DT 02-AUG-2001 (first entry)
XX
DE Human IL1B.
XX
KW Human; IL1B; interleukin-1 beta; gene therapy; antiinflammatory;
KW single nucleotide polymorphism; SNP; polymorphic site;
KW inflammatory disorder; immune disorder.
XX
OS Homo sapiens.
XX
PN WO200121639-A1.
XX

PD 29-MAR-2001.
XX
PF 20-SEP-2000; 2000WO-US025794.
XX
PR 22-SEP-1999; 99US-0155412P.
XX
PA (GENA-) GENAISSANCE PHARM INC.
XX
PI Chew A, Choi J, Denton RR, Nandabalan K, Stephens JC;
XX
XX WPI; 2001-389617/41.
XX
DR N-PSDB; AAH24369.
XX
XX New polynucleotide useful for therapeutic purposes, comprises nucleotide
PT polymorphisms of interleukin-1B gene.
XX
PS Disclosure; Fig 3; 57pp; English.
XX
XX The present invention relates to an isolated polynucleotide comprising a
CC nucleotide sequence which is a polymorphic variant of the fully defined
CC 7821 base pair interleukin-1 beta (IL1B) gene reference sequence given in
CC the specification or its fragment or complement. The IL1B gene
CC polymorphic variant is useful for therapeutic purposes, for studying the
CC expression and biological function of IL1B, for developing drugs
CC targeting this protein, and in diagnostics and forensic applications. The
CC method is useful for developing tests and therapeutic treatments for
CC inflammatory and immune disorders. The present sequence is the protein
CC encoded by the IL1B gene reference sequence
XX
SQ Sequence 269 AA;
Query Match 100.0%; Score 40; DB 4; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7; Mismatches 0; Indels 0; Gaps 0;
Matches 7; Conservative 0;
QY 1 YVHADPV 7
DB 113 YVHADPV 119
RESULT 72
AAU80166
ID AAU80166 standard; protein; 269 AA.
XX
AC AAU80166;
XX
DT 15-JUL-2002 (first entry)
XX
DE Human interleukin 1 beta.
XX
KW Human; SNP; single nucleotide polymorphism; inflammation;
KW rheumatoid arthritis; postmenopausal osteoporosis; IBS;
KW inflammatory bowel disease; insulin-dependent diabetes mellitus;
KW multiple sclerosis; local osteolytic hypercalcaemia; chromosome 2q14;
KW bone marrow cancer; gastric cancer; hypochlorhydria; periodontitis;
KW alopecia areata; tuberculosis; diabetic neuropathy; haplotypes; genotype;
KW Epstein-Barr virus infection; Interleukin 1 beta; IL1beta.
XX
OS Homo sapiens.
XX
XX WO200224951-A1.
XX
PD 28-MAR-2002.
XX
PF 22-MAY-2001; 2001WO-US016612.
XX
PR 20-SEP-2000; 2000WO-US025794.
XX
PA (GENA-) GENAISSANCE PHARM INC.
XX
PI Bentivegna SC, Chew A, Choi JY, Denton RR, Lee HH, Nandabalan K;
PI Stephens JC;
XX

DR WPI: 2002-383198/41.
 DR N-PSDB; ABK50291, ABK50292.
 XX Novel genetic variants of interleukin 1, beta gene useful for screening
 PT drugs to treat diseases e.g. inflammatory and immune disorders.
 XX
 PS Disclosure; Fig 3; 71pp; English.
 PS
 XX The invention relates to an isolated polynucleotide having a sequence
 CC comprising interleukin 1, beta (IL1B) isogene selected from 18 isogenes
 CC with regions of a 7824 base pair sequence, given in specification, and
 CC defined by corresponding set of single nucleotide polymorphisms (SNP) and
 CC its fragment or complementary sequence. Also included are a recombinant
 CC non-human organism transformed or transfected with the IL1B gene, a
 CC computer system for storing and analysing polymorphism data for IL1B
 CC gene, a genome anthology for IL1B gene which comprises IL1B isogenes
 CC defined by any one of haplotypes 1-18 as given in the specification,
 CC haplotyping IL1B gene of an individual comprising determining which of
 CC the 1-18 haplotypes (HTS) defines one copy or both copies of the
 CC individuals IL1B gene, genotyping IL1B of an individual comprising
 CC determining for the two copies of IL1B gene present in the individual,
 CC identifying an association between a trait and at least one HTS or
 CC haplotype pair of the IL1B gene, a composition comprising at least
 CC a kit for genotyping IL1B gene for detecting a polymorphism in IL1B gene and
 CC oligonucleotides designed to genotype each of PS. The haplotype/genotype
 CC information is useful for diagnosing/predicting susceptibility to such
 CC diseases as inflammation, rheumatoid arthritis, postmenopausal
 CC osteoporosis, IBS, inflammatory bowel disease, insulin-dependent diabetes
 CC mellitus, multiple sclerosis, local osteolytic hypercalcaemia, bone
 CC marrow cancer, gastric cancer, hypochlorhydria, periodontitis, alopecia
 CC areata, tuberculosis, diabetic neuropathy and Epstein-Barr virus
 CC infection. The gene is located on chromosome 2q14. The isogenes and
 CC protein are useful for screening drugs targeting IL1B. The present
 CC sequence is the human IKILB protein
 XX
 SQ Sequence 269 AA;
 Query Match 100.0%; Score 40; DB 5; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 Db 113 YVHDAPV 119
 RESULT 73
 AAU1115
 ID AAU1115 standard; protein; 269 AA.
 AC AAU1115;
 XX
 XX 14-FEB-2002 (first entry)
 DT Human Interleukin-1beta precursor protein.
 XX
 DE Human; fibroblast growth factor 2; FGF-2; cytostatic; antidiabetic;
 KW cell transport pathway; leaderless protein; FGF-1; interleukin-1;
 KW IL-1alpha; IL-1beta; tumour; melanoma; teratocarcinoma;
 KW ovarian carcinoma; bladder tumour; neuroblastoma; diabetes; angiogenesis;
 KW inflammation; restenosis; viral infection; bacterial infection;
 KW fungal infection; diabetic retinopathy; polycystic kidney disease;
 KW atherosclerosis.
 KW
 XX Homo sapiens.
 OS
 XX Key Location/Qualifiers
 FH 1. .116
 FT Peptide /label= Unidentified
 FT /note= "Cleaved to leave the mature IL-1beta protein"
 FT 117. .269
 FT Protein /label= Mature IL-1beta
 FT

XX US6306613-B1.
 PN 23-OCT-2001.
 PD
 XX 01-DEC-1999; 99US-00451905.
 PF
 XX 26-FEB-1997; 97US-00807014.
 PR 25-FEB-1998; 98US-00030613.
 PR
 PA (CIBL-) CIBLEX CORP.
 XX
 XX Florkiewicz RZ, Baird A, Warnock DE;
 PI
 XX WPI: 2002-040200/05.
 DR N-PSDB; AAS17405.
 DR
 XX Detecting components of a cell transport pathway, for identifying small
 PT export modulation molecules, comprises contacting cell extracts with a
 PT fusion protein of a transport molecule comprising a trifuunctional protein
 PT beta subunit.
 PT
 XX Example 13; Col 57-59; 80pp; English.
 PS
 XX The invention relates to detecting components of a cell transport
 CC pathway, comprising contacting cell extracts, cell membranes or other
 CC subcellular fractions containing components of a cell transport pathway
 CC with a fusion protein of a transport molecule and a tag, where the
 CC transport molecule comprises a trifuunctional protein beta subunit to form
 CC a complex of the fusion protein with components of the cell transport
 CC pathway. One or more components of the transport pathway are leaderless
 CC proteins e.g. fibroblast growth factor 1 and2 [FGF-1,FGF-2], interleukin-
 CC 1alpha (IL-1alpha) and interleukin-1beta, (IL-1beta). The method is used
 CC for detecting components of a cell transport pathway, useful for
 CC identifying small molecules for export modulation that can be used to
 CC treat various conditions including tumours(e.g. melanoma,
 CC teratocarcinoma, ovarian carcinoma, bladder tumours and neuroblastomas),
 CC diabetes, angiogenesis, inflammation, restenosis, viral infection,
 CC bacterial infection, fungal infection, diabetic retinopathy, polycystic
 CC kidney disease and atherosclerosis. The present sequence represents IL-
 CC 1beta precursor protein, a leaderless protein used to identify candidate
 CC transport molecules using the method of the invention
 XX
 SQ Sequence 269 AA;
 Query Match 100.0%; Score 40; DB 5; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 Db 113 YVHDAPV 119
 RESULT 74
 AAE33564
 ID AAE33564 standard; protein; 269 AA.
 XX
 AC AAE33564;
 XX
 DT 16-APR-2003 (first entry)
 DT Human interleukin-1B (IL-1B).
 XX
 DE Drug screening; fungicide; gene therapy; antibacterial; infection;
 KW virucide; human; interleukin-1; IL-1.
 KW
 XX Homo sapiens.
 OS
 XX WO2002101015-A2.
 PN
 XX 19-DEC-2002.
 PD
 XX

PF 11-JUN-2002; 2002WO-US018346.
XX
PR 11-JUN-2001; 2001US-0297305P.
XX
PA (INTE-) INTERLEUKIN GENETICS INC.
XX
PI Dower S, Duff GW;
XX
XX WPI; 2003-148793/14.
XX
XX New detection reagent, useful for monitoring molecular assembly events to
PT permit the dissection of genetic and non-genetic influences on biological
PT activity, comprises an interactive sensor pair.
XX
XX Disclosure; Fig 4; 56pp; English.
XX
XX The invention relates to methods, compositions and apparatus for
CC monitoring molecular assembly events. It also relates to a detection
CC reagent comprising an interactive sensor pair. The detection reagent is
CC useful for monitoring molecular assembly events to permit the dissection
CC of genetic and non-genetic influences on a particular biological
CC activity. The method is useful for linking genetic variations to
CC molecular and physiological events, drug screening, diagnostics, therapy
CC selection and dosing, patient monitoring or environmental safety. The
CC interactive sensor pairs may be used to screen for and identify novel
CC agonists and antagonists or other molecules that modulate a biological
CC activity. The method is also useful for selecting an appropriate targeted
CC therapeutic for a subject having an infection, including viral, bacterial
CC or fungal infection. It is also used in gene therapy. The present
CC sequence is human interleukin-1 (IL-1). This sequence is used to
CC illustrate the method of the invention
XX
SQ Sequence 269 AA;
Query Match 100.0%; Score 40; DB 6; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 113 YVHDAPV 119
|||||
RESULT 75
ABU08119
ID ABU08119 standard; protein; 269 AA.
XX
AC ABU08119;
XX
XX 10-MAY-2003 (first entry)
XX
XX Recombinant interleukin 1 beta protein.
XX
XX Interleukin 1; human; interleukin1, IL-1; IL-1-receptor; IL-1R;
KW IL-R accessory protein; IL-Racp; protein-protein interaction.
XX
XX Homo sapiens.
XX
XX GB2375604-A.
XX
XX 20-NOV-2002.
PD
XX 18-MAY-2001; 2001GB-00012251.
PF
XX 18-MAY-2001; 2001GB-00012251.
PR
XX (WARN) WARNER LAMBERT CO.
PA
XX Bertelli F, Brown JP, Gee NS;
PI
XX WPI; 2003-150708/15.
DR
XX N-PSDB; ABX12959.
XX

PT Determining ability of test compound to modulate formation of interleukin
PT soluble trimolecular complex, by bringing into contact the components of
PT the complex and test compound and determining amount of complex formed.
XX
XX Disclosure; Page 133-134; 171pp; English.
XX
XX This invention relates to a novel assay for determining the ability of a
CC test compound to modulate the formation of a trimolecular complex (TC)
CC including interleukin (IL), a soluble IL-receptor (IL-R) polypeptide and
CC a soluble IL-R accessory protein (IL-Racp). The method comprises bringing
CC into contact an IL polypeptide, a soluble IL-R polypeptide, a soluble IL-
CC Racp polypeptide and a test compound, and determining the amount of TC
CC formed. The method of the invention is useful for determining the ability
CC of a test compound to modulate the formation of a trimolecular complex
CC including IL, a soluble IL-R and a soluble IL-Racp. The method is useful
CC for high throughput screening and enables direct measurement of protein
CC binding characteristics. It is also useful for identifying small molecule
CC inhibitors of TC and hence of IL-1 biological activity. The method may be
CC used in screening methods and assays for agents which modulate the
CC interaction between IL and IL-R, and/or the interaction between IL-Racp
CC and the IL-R/IL biomolecular complexes. This method identifies small
CC molecule inhibitors of TC and hence IL-1 biological activity, and
CC provides a significant advantage over prior methods since it is possible
CC to dose orally and to reduce the cost of production of such compounds
CC compared to the production cost of recombinant proteins. The main
CC advantage of using soluble forms of the proteins in the method is the
CC ease with which these reagents enable the formatting and running of High
CC Throughput Screening (HTS) assays. The present sequence represents an
CC interleukin 1 family protein used in the method of the invention
XX
XX Sequence 269 AA;
SQ
Query Match 100.0%; Score 40; DB 6; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 113 YVHDAPV 119
|||||
RESULT 76
ABO10812
ID ABO10812 standard; protein; 269 AA.
XX
AC ABO10812;
XX
XX 21-AUG-2003 (first entry)
XX
XX Human interleukin 1 beta, IL-1beta.
XX
XX Human; interleukin-1; IL-1 alpha; IL-1 beta; acute pancreatitis; ALS;
KW amyotrophic lateral sclerosis; Alzheimer's disease; cachexia; anorexia;
KW asthma; pulmonary disease; atherosclerosis; autoimmune vasculitis;
KW chronic fatigue syndrome; coronary condition; congestive heart failure;
KW cancer; diabetes; endometriosis; fever; glomerulonephritis; ARDS;
KW graft versus host disease; haemorrhagic shock; inflammatory condition;
KW inflammatory bowel disease; osteoarthritis; rheumatoid arthritis;
KW ischaemia; stroke; lung disease; adult respiratory distress syndrome;
KW multiple sclerosis; pain; Parkinson's disease; psoriasis; septic shock;
KW reperfusion injury; sleep disturbance; uveitis; infection.
XX
XX Homo sapiens.
XX
XX US2003026806-A1.
PN
XX 06-FEB-2003.
PD
XX 29-OCT-2001; 2001US-00011931.
PF
XX 27-OCT-2000; 2000US-0244118P.
PR
XX (AMGE-) AMGEN INC.
PA

XX Claim 25; SEQ ID NO 91; 424pp; English.

XX This invention relates to novel human genes and gene product which are

XX implicated in certain disease states. Compounds which modulate the

XX proteins of the invention may have cytostatic, antiinflammatory, the

XX ophthalmological, antiarteriosclerotic or vulnary activities. The

XX sequences of the invention may be useful for gene therapy. The invention

XX may be useful for diagnosing or treating a hypoxia-regulated condition,

XX such as tumorigenesis, angiogenesis, apoptosis, inflammation,

XX erythropoiesis, or the biological response to hypoxia conditions

XX including processes such as glycolysis, gluconeogenesis, glucose

XX transport, catecholamine synthesis, iron transport or nitric oxide

XX synthesis. The disease includes cancer, ischaemic conditions, reperfusion

XX injury, retinopathy, neonatal stress, pre-eclampsia, atherosclerosis,

XX inflammatory conditions or wound healing. The present sequence is that of

XX a disease related protein of the invention.

SQ Sequence 269 AA;

Query Match 100.0%; Score 40; DB 7; Length 269;

Best Local Similarity 100.0%; Pred. No. 5.7;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7

DB 113 YVHDAVP 119

RESULT 79

ADH17054

ID ADH17054 standard; protein; 269 AA.

XX

XX ADH17054;

XX

XX 11-MAR-2004 (first entry)

XX Human interleukin-1 beta protein.

XX

XX tyrosine kinase activity; type 1 plasminogen activator inhibitor; PAI-1;

XX TIMP-1; tissue inhibitor of metalloproteinase 1; vinculin;

XX vascular endothelial growth factor; VEGF; placental growth factor; PLGF;

XX migration inhibitory factor; MIG; human; interleukin-1 beta.

XX

XX Homo sapiens.

XX

XX WO2003097854-A2.

XX

XX 27-NOV-2003.

XX

XX 19-MAY-2003; 2003WO-US015711.

XX

XX 17-MAY-2002; 2002US-0380872P.

XX

XX 24-FEB-2003; 2003US-0448874P.

XX

XX 24-FEB-2003; 2003US-0448922P.

XX

XX (SUGEN-) SUGEN INC.

XX

XX Mcrimoto A, Deprimo S, O'farrell A, Smolich BD, Manning WC;

XX Walter SA, Schilling JW, Cherrington J;

XX

XX WPI; 2004-042604/04.

XX

XX Determining whether a test compound inhibits tyrosine kinase activity in

XX a mammal by exposing the mammal to the test compound and measuring in the

XX mammal the level of at least one of the measured proteins or mRNA

XX transcripts.

XX

XX Disclosure; SEQ ID NO 53; 408pp; English.

XX

XX The invention relates to a novel method for determining whether a test

XX compound inhibits tyrosine kinase activity in a mammal comprising

XX measuring in the mammal the level of at least one of the proteins and/or

CC mRNA transcripts or genes for such proteins comprising type 1 plasminogen

CC activator inhibitor (PAI-1), TIMP-1 (tissue inhibitor of

CC metalloproteinase 1), vinculin, vascular endothelial growth factor

CC (VEGF), placental growth factor (PLGF), VEGF/PLGF heterodimers or

CC migration inhibitory factor (MIG), exposing the mammal to the test

CC compound and then measuring in the mammal the level of at least one of

CC the proteins and/or mRNA transcripts previously measured. The method of

CC the invention may be useful for determining whether a test compound

CC inhibits tyrosine kinase activity in a mammal. The current sequence is

CC that of the tyrosine kinase activity inhibition-related protein of the

XX invention.

XX

SQ Sequence 269 AA;

Query Match 100.0%; Score 40; DB 8; Length 269;

Best Local Similarity 100.0%; Pred. No. 5.7;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7

DB 113 YVHDAVP 119

RESULT 80

ADN07707

ID ADN07707 standard; protein; 269 AA.

XX

XX ADN07707;

XX

XX 01-JUL-2004 (first entry)

XX Human beta-interleukin-1 protein.

XX

XX Protease; stem cell; bone marrow failure disorder; aplastic anaemia;

XX myeloproliferative disorder; multiple myeloma; gene therapy; human;

XX beta-interleukin.

XX

XX Homo sapiens.

XX

XX US2004071687-A1.

XX

XX 15-APR-2004.

XX

XX 28-MAY-2003; 2003US-00447315.

XX

XX 28-MAY-2002; 2002US-0383658P.

XX

XX (RAFI/) RAFII S.

XX (HEIS/) HEISSIG B.

XX (HATT/) HATTORI K.

XX

XX Rafii S, Heissig B, Hattori K;

XX

XX WPI; 2004-328523/30.

XX

XX N-PSDB; ADN07708.

XX

XX GENBANK; 30583265.

XX

XX Recruiting adult stem cells in an animal for treating aplastic anemia or

XX multiple myeloma by administering a protease or its activator so that the

XX stem cells can proliferate, self-renew, differentiate or mobilize to a

XX target site.

XX

XX Disclosure; SEQ ID NO 13; 77pp; English.

XX

XX The present invention relates to the use of proteases to recruit stem

XX cells from the niches they normally occupy. The invention is useful for

XX recruiting adult stem cells for treating bone marrow failure disorder

XX such as aplastic anaemia and myeloproliferative disorder such as multiple

XX myeloma. The invention is also useful in gene therapy. The present

XX sequence is human beta-interleukin-1 protein.

XX

XX Sequence 269 AA;

```
Query Match      100.0%; Score 40; DB 8; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
   |||||
Db 113 YVHDAVP 119

RESULT 81
ID ABM80337 standard; protein; 269 AA.
XX
AC ABM80337;
XX
DT 18-NOV-2004 (first entry)
XX
DE Tumour-associated antigenic target (TAT) polypeptide PRO65, SEQ:848.
XX
KW Tumour-associated antigenic target; TAT; human; overexpression; cancer;
KW tumour; diagnosis; cell proliferative disorder; breast cancer;
KW colorectal cancer; lung cancer; ovarian cancer; liver cancer;
KW central nervous system cancer; bladder cancer; pancreatic cancer;
KW cervical cancer; melanoma; leukaemia; hybridisation probe;
KW chromosome identification; chromosome mapping; gene mapping;
KW gene therapy; cytostatic.
XX
OS Homo sapiens.
XX
PN WO2004030615-A2.
XX
PD 15-APR-2004.
XX
PF 29-SEP-2003; 2003WO-US028547.
XX
PR 02-OCT-2002; 2002US-0414971P.
XX
PA (GETH ) GENENTECH INC.
XX
PI Wu TD, Zhang Z, Zhou Y;
XX
WPI: 2004-347921/32.
DR N-PSDB; ACN37754.
XX
New tumor-associated antigenic target polypeptides and nucleic acids,
useful in preparing a medicament for treating or detecting a
proliferative disorder, e.g. breast, lung, colorectal, ovarian or
prostate cancer or tumor.
XX
Claim 12; SEQ ID NO 848; 7273pp; English.
XX
The invention relates to human tumour-associated antigenic target (TAT)
polypeptides, and their related nucleic acids. The TAT polypeptides are
overexpressed in cancer tissues compared to normal tissues, and may thus
serve as effective targets for the diagnosis and treatment of cancer in
mammals. The invention also relates to nucleic acid and polypeptide
sequences at least 80% identical to the TAT nucleic acids and
polypeptides; expression vectors and host cells comprising a TAT nucleic
acid; an antibody specific for a TAT polypeptide; a peptide or organic
molecule which binds to a TAT polypeptide; fusion proteins comprising a
TAT polypeptide; and methods and compositions for the treatment or
diagnosis of cancer in mammals. TAT polypeptides, nucleic acids,
antibodies, antagonists, binding molecules and compositions are useful
for diagnosing or treating a cell proliferative disorder associated with
increased TAT expression, particularly cancers such as breast cancer,
colorectal cancer, lung cancer, ovarian cancer, liver cancer, bladder
cancer, pancreatic cancer, cervical cancer, cancers of the central
nervous system, melanoma and leukaemia. TAT nucleic acids may further be
used as hybridisation probes, in chromosome and gene mapping, in
chromosome identification and in gene therapy. The present sequence
represents a TAT polypeptide of the invention
XX
Sequence 269 AA;

Query Match      100.0%; Score 40; DB 8; Length 269;
Best Local Similarity 100.0%; Pred. No. 5.7; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
   |||||
Db 113 YVHDAVP 119

RESULT 82
ADP54072
ID ADP54072 standard; protein; 269 AA.
XX
AC ADP54072;
XX
DT 18-NOV-2004 (first entry)
XX
DE Human PRO protein sequence SEQ ID NO:48.
XX
KW human; PRO; immune related disease; inflammatory immune response;
KW immune response stimulation; antiinflammatory; antianemic; antiarthritic;
KW antiasthmatic; antidiabetic; antiinflammatory; antipsoriatic;
KW antirheumatic; antithyroid; CNS; dermatological; gastrointestinal;
KW haemostatic; hepatotropic; immunostimulant; immunosuppressive; muscular;
KW nephrotropic; neuroprotective; osteopathic; respiratory; vasotropic;
KW virucide; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2004039956-A2.
XX
PD 13-MAY-2004.
XX
PF 28-OCT-2003; 2003WO-US034381.
XX
PR 29-OCT-2002; 2002US-0422472P.
XX
PA (GETH ) GENENTECH INC.
XX
PI Aggarwal S, Clark H, Gurney AL, Schoenfeld J, Williams PM;
PI Wood WI, Wu TD;
XX
WPI: 2004-376182/35.
DR N-PSDB; ADP54071.
XX
New PRO polynucleotides and polypeptides, useful in useful in diagnosing
and treating an immune related disease, e.g. systemic lupus
erythematosus, rheumatoid arthritis, diabetes mellitus or asthma and in
stimulating an immune response.
XX
Claim 1; SEQ ID NO 48; 3009pp; English.
XX
The present invention describes an isolated PRO nucleic acid (I). Also
described: (1) a vector comprising (1); (2) a host cell comprising the
vector of (1); (3) a process for producing a PRO polypeptides; (4) an
isolated PRO polypeptide; (5) a chimeric molecule comprising the
polypeptide of (4) fused to a heterologous amino acid sequence; (6) an
antibody which specifically binds to a polypeptide of (4); (7) a
composition of matter comprising a polypeptide of (4), an agonist or
antagonist of the polypeptide or an antibody that binds to the
polypeptide in combination with a carrier; (8) an article of manufacture
comprising a container, a label on the container and a composition of
matter of (7); (9) a method of treating an immune related disease in a
mammal; (10) a method for determining the presence of a PRO polypeptide
in a sample suspected of having the polypeptide; (11) a method of
diagnosing an immune related disease or an inflammatory immune response
in mammal; (12) a method of identifying a compound that inhibits or
mimics the activity of or expression of a gene encoding a PRO polypeptide
; and (13) a method of stimulating the immune response in a mammal. The
PRO sequences have antiallergic, antianemic, antiarthritic,
antiasthmatic, antidiabetic, antiinflammatory, antipsoriatic,
antirheumatic, antithyroid, CNS, dermatological, gastrointestinal,
```

CC haemostatic, hepatotropic, immunostimulant, immunosuppressive, muscular,
 CC nephrotropic, neuroprotective, osteopathic, respiratory, vasotropic and
 CC virucide activities, and can be used in gene therapy. The nucleic acid
 CC (1) and the encoded polypeptides, compositions, kits and methods are
 CC useful in diagnosing and treating an immune related disease and in
 CC stimulating an immune response. The present sequence represents a human
 CC PRO protein from the present invention.
 XX
 SQ Sequence 269 AA;
 Query Match 100.0%; Score 40; DB 8; Length 269;
 Best Local Similarity 100.0%; Pred. No. 5.7;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 |||||
 Db 113 YVHDAPV 119
 RESULT 83
 AAP60326
 ID AAP60326 standard; protein; 295 AA.
 XX
 AC AAP60326;
 XX
 DT 25-MAR-2003 (revised)
 DT 30-MAY-1991 (first entry)
 XX
 DE Interleukin-1 gene product.
 XX
 KW Autoimmune disease; lupus erythematosus; arthritis; IL-1.
 XX
 OS Homo sapiens.
 XX
 PN BP165654-A.
 XX
 PD 27-DEC-1985.
 XX
 PF 13-MAR-1985; 85EP-00301752.
 XX
 PR 19-JUN-1984; 84US-00622201.
 PR 27-JUL-1984; 84US-00635006.
 PR 26-NOV-1984; 84US-00674555.
 PR 30-NOV-1984; 84US-00676533.
 PR 31-DEC-1984; 84US-00687646.
 XX
 PA (IMMV) IMMUNEX CORP.
 XX
 PI Cerretti DP, Conlon PJ, Cosman DJ, Grabstein KH, Hopp TP;
 PI Kronheim SR, Larsen AD, March CJ;
 XX
 DR WPI; 1986-001236/01.
 DR N-PSDB; AAN60350.
 XX
 PT New homogeneous human interleukin 1 protein - is obtd. by recombinant DNA
 PT techniques, with purificn. on triazinyl dye-ligand bound to support
 PT matrix.
 XX
 PS Claim 2; Fig 4; 48pp; English.
 XX
 CC The IL-1 gene product may be expressed from a transformed host, it has
 CC lymphocyte activating activity, and is useful in treating autoimmune
 CC diseases such as arthritis and lupus erythematosus, and for wound and
 CC burn healing. (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 295 AA;
 Query Match 100.0%; Score 40; DB 1; Length 295;
 Best Local Similarity 100.0%; Pred. No. 6.3;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 |||||

Db 139 YVHDAPV 145
 RESULT 84
 AAP60680
 ID AAP60680 standard; protein; 295 AA.
 XX
 AC AAP60680;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-MAR-2003 (revised)
 DT 01-AUG-1991 (first entry)
 XX
 DE Prepro- and mature interleukin-1 (IL-1).
 XX
 KW Interleukin-3; lymphokine.
 XX
 OS Unidentified.
 XX
 FH Key Location/Qualifiers
 FT Protein 1..295
 FT /label= prepro-IL-1
 FT Protein 143..295
 FT /label= mature IL-1
 XX
 PN ZA8501996-A.
 XX
 PD 20-SEP-1985.
 XX
 PF 18-MAR-1985; 85ZA-00001996.
 XX
 PR 19-JUN-1984; 84US-00622201.
 PR 31-DEC-1984; 84US-00687646.
 XX
 PA (IMMV) IMMUNEX CORP.
 XX
 PI Cerretti DP, Conlon PJ, Cosman DJ, Grabstein KJ, Hopp TP;
 PI Kronheim SR, Larsen AD, March CJ;
 XX
 DR WPI; 1986-061964/09.
 DR N-PSDB; AAN60641.
 XX
 PT New homogeneous interleukin-1 - is produced from crude prod. and used for
 PT gene isolation to give prod. by recombinant DNA procedures for treating
 PT auto-immune diseases etc.
 XX
 PS Claim 2; Fig 4; 52pp; English.
 XX
 CC IL-1 which is used to treat autoimmune diseases such as arthritis and
 CC lupus erythematosus, and is used for wound and burn healing. (Updated on
 CC 10-MAR-2003 to add missing OS field.) (Updated on 25-MAR-2003 to correct
 CC PA field.)
 XX
 SQ Sequence 295 AA;
 Query Match 100.0%; Score 40; DB 1; Length 295;
 Best Local Similarity 100.0%; Pred. No. 6.3;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 |||||
 Db 139 YVHDAPV 145
 RESULT 85
 AAR14855
 ID AAR14855 standard; protein; 295 AA.
 XX
 AC AAR14855;
 XX
 DT 25-MAR-2003 (revised)
 DT 31-JAN-1992 (first entry)
 XX

DE Mature Interleukin-1.
 XX IL-1; cytokine; arthritis; wound healing.
 XX Homo sapiens.
 XX Key Location/Qualifiers
 FH Protein 143..295.
 FT /label= mature IL-1
 XX
 XX BP456332-A.
 XX
 XX 13-NOV-1991.
 XX
 XX 13-MAR-1985; 91EP-00201769.
 XX
 XX 19-JUN-1984; 84US-00622201.
 XX 27-JUL-1984; 84US-00635006.
 XX 26-NOV-1984; 84US-00674555.
 XX 30-NOV-1984; 84US-00676533.
 XX 31-DEC-1984; 84US-00687646.
 XX (IMMV) IMMUNEX CORP.
 XX
 XX Certetti DP, Conlon PJ, Cosman DJ, Grabstein KH, Hopp TP;
 PI Kronheim SR, Larsen AD, March CJ, Price VL;
 XX
 XX WPI; 1991-334306/46.
 DR N-PSDB; AAQ14647.
 XX
 XX DNA encoding IL-1 - used to transform hosts which express sufficient
 PT quantities of homogeneous IL-1 or for investigations of auto-immune
 PT diseases etc.
 XX
 XX Disclosure; Fig 4; 29pp; English.
 XX
 XX This IL-1 has biological activity in a thymocyte proliferation assay. The
 CC sequence encoding it was derived from a cDNA clone capable of hybridising
 CC to a specific oligonucleotide probe (see AAQ14647) after overnight
 CC hybridisation at about 50 deg.C in 6 x saline sodium citrate. (Updated on
 CC 25-MAR-2003 to correct PF field.) (Updated on 25-MAR-2003 to correct PA
 CC field.) (Updated on 25-MAR-2003 to correct PI field.)
 XX
 XX Sequence 295 AA;
 SQ
 Query Match 100.0%; Score 40; DB 2; Length 295;
 Best Local Similarity 100.0%; Pred. No. 6.3;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAVP 7
 DB 139 YVHDAVP 145
 |||||
 RESULT 86
 AAY33271
 ID AAY33271 standard; protein; 538 AA.
 XX
 XX AAY33271;
 XX
 XX 26-NOV-1999 (first entry)
 XX
 XX Interleukin-1b conserved peptide fragment.
 DE
 XX Interleukin-1; IL-1; cytokine; inhibitor; antagonist; receptor; trauma;
 KW anti-inflammatory; anti-infectious; apoptotic; inflammatory; infection;
 KW catabolic; degeneration; chronic inflammation; autoimmune disease; IL-1b;
 KW nervous system; motor system; inhibitor; erythropoiesis; chondrocyte;
 KW rheumatic patient; collagen synthesis; hepatocyte; cell-cell adhesion;
 KW cartilage degradation; nerve regeneration; necrosis induction; apoptosis.
 XX
 XX Unidentified.
 OS

PN DE19753753-A1.
 XX
 PD 26-AUG-1999.
 XX
 XX 04-DEC-1997; 97DE-01053753.
 PF
 XX 04-DEC-1997; 97DE-01053753.
 PR
 XX (ORTH-) ORTHOGEN GENTECHNOLOGIE GMBH.
 PA
 XX
 XX Meijer H, Wehling P, Reinecke J;
 PI
 XX WPI; 1999-479917/41.
 DR
 XX
 XX New recombinant nucleic acid encoding proteins for modifying effects of
 FT cytokine systems, e.g. for treating infection or trauma.
 PT
 XX Disclosure; Fig 1; 8pp; German.
 PS
 XX This invention describes novel recombinant nucleic acids (I) that encode
 CC proteins (II) which modify the effects of cytokines or their
 CC inhibitors/antagonists or their receptors. The products of the invention
 CC have anti-inflammatory, anti-infectious and apoptotic activity. (I) and
 CC (II) are particularly used to modulate activities of the human
 CC interleukin-1 (IL-1) system which is involved in many inflammatory and
 CC catabolic processes, e.g. in infection, trauma, degeneration and chronic
 CC inflammation (autoimmune diseases) of the nervous and motor systems and
 CC internal organs. In particular, (II) are used in cases where IL-1
 CC inhibits erythropoiesis in rheumatic patients, inhibits collagen
 CC synthesis by chondrocytes, inhibits growth of hepatocytes, promotes cell-
 CC cell adhesion, immune reactions, degradation of cartilage, nerve
 CC regeneration, and induction of necrosis or apoptosis in the central
 CC nervous system. This sequence represents a fragment of interleukin-1b (IL
 CC -1b) which is used to describe the method of the invention
 XX
 XX Sequence 538 AA;
 SQ
 Query Match 100.0%; Score 40; DB 2; Length 538;
 Best Local Similarity 100.0%; Pred. No. 12;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAVP 7
 DB 222 YVHDAVP 228
 |||||
 RESULT 87
 AAR34852
 ID AAR34852 standard; protein; 10 AA.
 XX
 XX AAR34852;
 AC
 XX 25-MAR-2003 (revised)
 DT
 DT 14-JUL-1993 (first entry)
 XX
 XX IL-beta protease cleavage site peptide substrate.
 DE
 XX Interleukin; therapeutic; wound healing; treatment; arthritis;
 KW autoimmune disease; radiation; side effects.
 KW
 XX Synthetic.
 OS
 XX
 XX Key Location/Qualifiers
 FH Cleavage-site 4..7
 FT /note= "IL-beta protease cleavage site, Ala -> Gly"
 XX
 XX WO9305071-A1.
 PN
 XX 18-MAR-1993.
 PD
 XX 12-SEP-1991; 91WO-US006595.
 PF
 XX 30-AUG-1991; 91US-00750644.
 PR

XX (IMMV) IMMUNEX CORP.
XX Black RA, Sleath PR, Kronheim SR;
XX WPI; 1993-100924/12.
XX New polypeptide having protease biological activity for interleukin 1-
XX beta - can form inhibitor compsn. and cpds. for treatment of arthritis,
XX auto-immune diseases, inflammation and radiation damage; also for wound
XX healing.
XX Example; Page 37; 69pp; English.
XX The sequence is that of a peptide corresponding to Ala112 to Ser121 of
XX human precursor interleukin (IL)-1beta sequence. It contains a modified
XX (Ala117 -> Gly) IL-1beta protease cleavage site (His115-Pro116) for IL-
XX 1beta protease. It shows a reactivity of 3.40 relative to the original
XX sequence. (Updated on 25-MAR-2003 to correct PN field.)
XX
SQ Sequence 10 AA;
Query Match 90.0%; Score 36; DB 2; Length 10;
Best Local Similarity 85.7%; Pred. No. 1.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 2 YVHDGPV 8
|||||
RESULT 88
AAG73329
ID AAG73329 standard; peptide; 14 AA.
XX AAG73329;
XX
XX 14-AUG-2001 (first entry)
XX Protease indicator compound peptide #58.
XX
XX Protease detection; peptide cleavage; enzyme activity; fluorogenic;
XX viral infection; cancer metastasis; emphysema; arthritis; thrombosis;
XX haemophilia.
XX Synthetic.
XX
XX Key Location/Qualifiers
XX Modified-site 4
XX /label= OTHER
XX /note= "designated J in the specification"
XX
XX WO200118238-A1.
XX
XX 15-MAR-2001.
XX
XX 11-SEP-2000; 2000WO-US024882.
XX
XX 10-SEP-1999; 99US-00394019.
XX (ONCO-) ONCOIMMUNIN INC.
XX Komoriya A, Packard BS;
XX WPI; 2001-389573/41.
XX
XX New fluorogenic compositions whose fluorescence level increases in the
XX presence of active proteases, useful for detecting and localizing
XX protease activity in biological samples, particularly in frozen tissue
XX samples.
XX Claim 4; Page 71; 86pp; English.
XX

XX The present invention describes fluorogenic compositions which can be
XX used for the detection of protease activity. This can be useful as an
XX indicator of viral infection, cancer metastasis, haemophilia, emphysema,
XX thrombosis and arthritis. The fluorogenic compositions comprise a
XX peptide, a peptide spacer and a donor and an acceptor fluorophore. The
XX peptide is cleaved by a protease and the fluorophores can then be
XX detected. The present sequence is one of the peptides described in the
XX exemplification of the invention
XX
SQ Sequence 14 AA;
Query Match 90.0%; Score 36; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 1.7;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAP 6
Db 6 YVHDAP 11
|||||
RESULT 89
AAU10757
ID AAU10757 standard; peptide; 14 AA.
XX
XX AC AAU10757;
XX
XX 12-MAR-2002 (first entry)
XX
XX Target, peptide sequence used in Far Western blot protocol.
XX
XX Peptide-peptide interaction; library encoded peptide; LEP; EBM;
XX DNA binding domain; prokaryotic operator region; chip-based technology;
XX epitope binding molecule; substrate-directed inhibition;
XX lambda repressor reconstitution system; Far Western blot protocol.
XX
XX Synthetic.
XX
XX US2001029024-A1.
XX 11-OCT-2001.
XX
XX 09-FEB-2001; 2001US-00780575.
XX
XX 11-FEB-2000; 2000US-0182060P.
XX
XX (KODA/) KODADEK T J.
XX
XX Kodadek TJ;
XX
XX WPI; 2001-647984/74.
XX
XX Identifying peptide-peptide interaction comprises identifying library
XX encoded peptide as partner to target peptide if complex having first and
XX second DNA binding domains fused to the peptides, binds to prokaryotic
XX operator.
XX
XX Disclosure; Fig 5; 33pp; English.
XX
XX The present invention relates to a method of identifying peptide-peptide
XX interactions. The method comprises contacting first, second fusion
XX constructs containing target peptide or library encoded peptide (LEP)
XX fused to first, second DNA binding domains respectively, in a prokaryotic
XX host cell containing a prokaryotic operator region, and determining
XX binding of the complex. The method is useful for screening a peptide
XX library for peptide-peptide interactions. The LEP selected by the method
XX is useful as capture probes for a specific target protein to which it
XX binds, and for controlling the post translational modification of the
XX proteins in a novel fashion. The LEPs identified by the method can be
XX employed as epitope binding molecules (EBM). The high affinity epitope
XX binding molecules can be used as capture agents in chip-based
XX technologies. The identified LEPs are also useful in a novel application
XX termed substrate-directed inhibition by which substrate-targeted
XX inhibitors are identified by the present method. The LEPs may serve as

CC lead compounds for the development of non-peptidic small molecule
 CC analogues, or may be used directly as drugs. The method provides a highly
 CC sensitive screening assay for the identification of peptide binding
 CC partners to virtually any peptide or polypeptide ligand. The lambda
 CC repressor reconstitution system described is sensitive to even low
 CC affinity interactions. The present sequence for a target peptide sequence
 CC is used in a Far Western blot protocol in the methods of the present
 CC invention

XX Sequence 14 AA;
 SQ Query Match 90.0%; Score 36; DB 4; Length 14;
 Best Local Similarity 85.7%; Pred. No. 1.7;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 4 YVHDGFPV 10
 |||||

RESULT 90
 AAU10760
 ID AAU10760 standard; peptide; 14 AA.

XX AAU10760;

XX 12-MAR-2002 (first entry)

XX LEPB substrate, peptide GG.

XX Peptide-peptide interaction; library encoded peptide; LEP; EBM;
 KW DNA binding domain; prokaryotic operator region; chip-based technology;
 KW epitope binding molecule; substrate-directed inhibition; GST; GFP;
 KW lambda repressor reconstitution system; glutathione S-transferase;
 KW green fluorescent protein.

XX Synthetic.

XX Key Location/Qualifiers

FT Modified-site 1 /note= "Attached to glutathione S-transferase (GST)"

FT Modified-site 14 /note= "Attached to green fluorescent protein (GFP)"

XX US2001029024-A1.

XX 11-OCT-2001.

XX 09-FEB-2001; 2001US-00780575.

XX 11-FEB-2000; 2000US-0182060P.

XX (KODA/) KODADEK T J.

XX Kodadek TJ;

XX WPI; 2001-647984/74.

XX Identifying peptide-peptide interaction comprises identifying library
 PT encoded peptide as partner to target peptide if complex having first and
 PT second DNA binding domains fused to the peptides, binds to prokaryotic
 PT operator.

XX Example; Fig 8; 33pp; English.

XX The present invention relates to a method of identifying peptide-peptide
 CC interactions. The method comprises contacting first, second fusion
 CC constructs containing target peptide or library encoded peptide (LEP)
 CC fused to first, second DNA binding domains respectively, in a prokaryotic
 CC host cell containing a prokaryotic operator region, and determining
 CC binding of the complex. The method is useful for screening a peptide
 CC library for peptide-peptide interactions. The LEP selected by the method
 CC is useful as capture probes for a specific target protein to which it

CC binds, and for controlling the post translational modification of the
 CC proteins in a novel fashion. The LEPs identified by the method can be
 CC employed as epitope binding molecules (EBM). The high affinity epitope
 CC binding molecules can be used as capture agents in chip-based
 CC technologies. The identified LEPs are also useful in a novel application
 CC termed substrate-directed inhibition by which substrate-targeted
 CC inhibitors are identified by the present method. The LEPs may serve as
 CC lead compounds for the development of non-peptidic small molecule
 CC analogues, or may be used directly as drugs. The method provides a highly
 CC sensitive screening assay for the identification of peptide binding
 CC partners to virtually any peptide or polypeptide ligand. The lambda
 CC repressor reconstitution system described is sensitive to even low
 CC affinity interactions. The present sequence represents peptide GG which
 CC acts as a LEPB substrate in the methods of the present invention

XX Sequence 14 AA;

Query Match 90.0%; Score 36; DB 4; Length 14;
 Best Local Similarity 85.7%; Pred. No. 1.7;
 Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 4 YVHDGFPV 10
 |||||

RESULT 91
 AAR06358
 ID AAR06358 standard; protein; 268 AA.

XX AAR06358;

XX 27-AUG-2003 (revised)

DT 25-MAR-2003 (revised)

DT 13-DEC-1990 (first entry)

XX Monkey IL-2 beta deduced from cDNA.

XX Interleukin.

XX Cebus apella.

XX JP02177885-A.

XX 10-JUL-1990.

XX 28-DEC-1988; 88JP-00332467.

XX 28-DEC-1988; 88JP-00332467.

XX (SAKA) OTSUKA PHARM CO LTD.

XX WPI; 1990-252053/33.

XX N-PSDB; AAQ05593.

XX Monkey IL-beta gene - obtd. by introducing recombinant plasmid into host
 PT cells which are incubated.

XX Disclosure; Page 3; 13pp; Japanese.

XX The gene encoding the protein can be used to produce recombinant monkey

CC IL-2 beta. (Updated on 25-MAR-2003 to correct PA field.) (Updated on 27-

CC AUG-2003 to correct OS field.)

XX Sequence 268 AA;

Query Match 90.0%; Score 36; DB 2; Length 268;
 Best Local Similarity 85.7%; Pred. No. 38;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 113 FVHDAPV 119
 :|||||

RESULT 92
ADN88476
ID ADN88476 standard; peptide; 16 AA.
XX AC
XX ADN88476;
XX DT 12-AUG-2004 (first entry)
XX DE
XX DE Fluorogenic protease indicator peptide #172.
XX KW
XX KW fluorogenic; protease detection; protease inhibitor.
XX OS
XX Synthetic.
XX PN
XX US2004096926-A1.
XX PD
XX PD 20-MAY-2004.
XX PF
XX PF 04-JUN-2001; 2001US-00874350.
XX PR
XX PR 20-FEB-1997; 97US-00802981.
XX PR 20-FEB-1998; 98WO-US003000.
XX PR 10-SEP-1999; 99US-00394019.
XX PR 11-SEP-2000; 2000WO-US024882.
XX PA
XX PA (ONCO-) ONCOIMMUNIN INC.
XX PI
XX PI Packard BS, Komoriya A;
XX DR
XX DR WPI; 2004-399235/37.
XX PT
XX PT Fluorogenic composition useful for detecting protease activity and test
XX PT substance modulating protease activity.
XX PS
XX PS Disclosure; SEQ ID NO 172; 114pp; English.
XX CC
XX CC The invention relates to a fluorogenic composition (I) for detecting the
XX CC activity of a protease. (I) is useful for detecting the activity of a
XX CC protease, which involves contacting the protease with (I), where the
XX CC activity of protease is detected in a histological section, cell culture
XX CC or tissue section. The cell suspension is derived from the biological
XX CC sample chosen from tissue, blood, urine, saliva, lymph or biopsy. The
XX CC protease activity is detected by fluorescence microscopy, fluorescence
XX CC microplate reader, absorption microplate reader, flow cytometry,
XX CC fluorometry, absorption spectroscopy or confocal fluorescent microplate
XX CC reader. (I) is useful for delivering a molecule into a cell, and for
XX CC screening a test agent for the ability to modulate the activity of the
XX CC protease. (I) is useful for detection and localisation of protease
XX CC activity in biological samples. (I) also acts as a protease inhibitor,
XX CC thus useful as protease inhibitors. (I) enables detection of the protease
XX CC activity, and provides a high intensity fluorescent signal at a visible
XX CC wavelength when they are digested by a protease. The present sequence
XX CC represents a fluorogenic protease indicator peptide of the invention.
XX SQ
XX SQ Sequence 16 AA;
Query Match 82.5%; Score 33; DB 8; Length 16;
Best Local Similarity 100.0%; Pred. No. 8.1;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 2 VHDAPV 7
Db 5 VHDAPV 10
|||||
RESULT 93
AAM88306
ID AAM88306 standard; protein; 83 AA.
XX AC
XX AC AAM88306;
XX XX

DT 07-NOV-2001 (first entry)
XX Human immune/haematopoietic antigen SEQ ID NO:15899.
XX DE
XX KW Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
XX KW cytostatic; gene therapy; vaccine; metastasis.
XX OS
XX OS Homo sapiens.
XX PN
XX PN WO200157182-A2.
XX PD
XX PD 09-AUG-2001.
XX PF
XX PF 17-JAN-2001; 2001WO-US001354.
XX PR
XX PR 31-JAN-2000; 2000US-0179065P.
XX PR 04-FEB-2000; 2000US-0180628P.
XX PR 24-FEB-2000; 2000US-0184664P.
XX PR 02-MAR-2000; 2000US-0186350P.
XX PR 16-MAR-2000; 2000US-0189874P.
XX PR 17-MAR-2000; 2000US-0190076P.
XX PR 18-APR-2000; 2000US-0198123P.
XX PR 19-MAY-2000; 2000US-0205515P.
XX PR 07-JUN-2000; 2000US-0209467P.
XX PR 28-JUN-2000; 2000US-0214886P.
XX PR 30-JUN-2000; 2000US-0215135P.
XX PR 07-JUL-2000; 2000US-0216647P.
XX PR 07-JUL-2000; 2000US-0216880P.
XX PR 11-JUL-2000; 2000US-0217487P.
XX PR 11-JUL-2000; 2000US-0217496P.
XX PR 14-JUL-2000; 2000US-0218290P.
XX PR 26-JUL-2000; 2000US-0220963P.
XX PR 26-JUL-2000; 2000US-0220964P.
XX PR 14-AUG-2000; 2000US-0224518P.
XX PR 14-AUG-2000; 2000US-0224519P.
XX PR 14-AUG-2000; 2000US-0225213P.
XX PR 14-AUG-2000; 2000US-0225214P.
XX PR 14-AUG-2000; 2000US-0225266P.
XX PR 14-AUG-2000; 2000US-0225267P.
XX PR 14-AUG-2000; 2000US-0225270P.
XX PR 14-AUG-2000; 2000US-0225270P.
XX PR 14-AUG-2000; 2000US-0225447P.
XX PR 14-AUG-2000; 2000US-0225757P.
XX PR 14-AUG-2000; 2000US-0225758P.
XX PR 14-AUG-2000; 2000US-0225759P.
XX PR 18-AUG-2000; 2000US-0226279P.
XX PR 22-AUG-2000; 2000US-0226681P.
XX PR 22-AUG-2000; 2000US-0226688P.
XX PR 22-AUG-2000; 2000US-0227182P.
XX PR 23-AUG-2000; 2000US-0227009P.
XX PR 30-AUG-2000; 2000US-0228924P.
XX PR 01-SEP-2000; 2000US-0229287P.
XX PR 01-SEP-2000; 2000US-0229343P.
XX PR 01-SEP-2000; 2000US-0229344P.
XX PR 01-SEP-2000; 2000US-0229345P.
XX PR 05-SEP-2000; 2000US-0229509P.
XX PR 06-SEP-2000; 2000US-0229513P.
XX PR 06-SEP-2000; 2000US-0230437P.
XX PR 06-SEP-2000; 2000US-0230438P.
XX PR 08-SEP-2000; 2000US-0231242P.
XX PR 08-SEP-2000; 2000US-0231243P.
XX PR 08-SEP-2000; 2000US-0231244P.
XX PR 08-SEP-2000; 2000US-0231413P.
XX PR 08-SEP-2000; 2000US-0231414P.
XX PR 08-SEP-2000; 2000US-0232080P.
XX PR 08-SEP-2000; 2000US-0232081P.
XX PR 12-SEP-2000; 2000US-0231968P.
XX PR 14-SEP-2000; 2000US-0232397P.
XX PR 14-SEP-2000; 2000US-0232398P.
XX PR 14-SEP-2000; 2000US-0232399P.
XX PR 14-SEP-2000; 2000US-0232400P.
XX PR 14-SEP-2000; 2000US-0232401P.
XX PR 14-SEP-2000; 2000US-0233063P.

```
PR 14-SEP-2000; 2000US-0233064P.
PR 14-SEP-2000; 2000US-0233065P.
PR 21-SEP-2000; 2000US-0234223P.
PR 21-SEP-2000; 2000US-0234274P.
PR 25-SEP-2000; 2000US-0234997P.
PR 25-SEP-2000; 2000US-0234998P.
PR 26-SEP-2000; 2000US-0235484P.
PR 27-SEP-2000; 2000US-0235834P.
PR 27-SEP-2000; 2000US-0235836P.
PR 29-SEP-2000; 2000US-0236327P.
PR 29-SEP-2000; 2000US-0236327P.
PR 29-SEP-2000; 2000US-0236368P.
PR 29-SEP-2000; 2000US-0236369P.
PR 29-SEP-2000; 2000US-0236370P.
PR 02-OCT-2000; 2000US-0236802P.
PR 02-OCT-2000; 2000US-0237037P.
PR 02-OCT-2000; 2000US-0237038P.
PR 02-OCT-2000; 2000US-0237039P.
PR 13-OCT-2000; 2000US-0237040P.
PR 13-OCT-2000; 2000US-0239935P.
PR 13-OCT-2000; 2000US-0239937P.
PR 20-OCT-2000; 2000US-0240960P.
PR 20-OCT-2000; 2000US-0241221P.
PR 20-OCT-2000; 2000US-0241785P.
PR 20-OCT-2000; 2000US-0241786P.
PR 20-OCT-2000; 2000US-0241787P.
PR 20-OCT-2000; 2000US-0241808P.
PR 20-OCT-2000; 2000US-0241809P.
PR 20-OCT-2000; 2000US-0241826P.
PR 01-NOV-2000; 2000US-024617P.
PR 08-NOV-2000; 2000US-0246474P.
PR 08-NOV-2000; 2000US-0246475P.
PR 08-NOV-2000; 2000US-0246476P.
PR 08-NOV-2000; 2000US-0246477P.
PR 08-NOV-2000; 2000US-0246478P.
PR 08-NOV-2000; 2000US-0246523P.
PR 08-NOV-2000; 2000US-0246524P.
PR 08-NOV-2000; 2000US-0246525P.
PR 08-NOV-2000; 2000US-0246526P.
PR 08-NOV-2000; 2000US-0246527P.
PR 08-NOV-2000; 2000US-0246528P.
PR 08-NOV-2000; 2000US-0246529P.
PR 08-NOV-2000; 2000US-0246609P.
PR 08-NOV-2000; 2000US-0246610P.
PR 08-NOV-2000; 2000US-0246611P.
PR 08-NOV-2000; 2000US-0246613P.
PR 17-NOV-2000; 2000US-0249207P.
PR 17-NOV-2000; 2000US-0249208P.
PR 17-NOV-2000; 2000US-0249209P.
PR 17-NOV-2000; 2000US-0249210P.
PR 17-NOV-2000; 2000US-0249211P.
PR 17-NOV-2000; 2000US-0249212P.
PR 17-NOV-2000; 2000US-0249213P.
PR 17-NOV-2000; 2000US-0249214P.
PR 17-NOV-2000; 2000US-0249215P.
PR 17-NOV-2000; 2000US-0249216P.
PR 17-NOV-2000; 2000US-0249217P.
PR 17-NOV-2000; 2000US-0249218P.
PR 17-NOV-2000; 2000US-0249244P.
PR 17-NOV-2000; 2000US-0249245P.
PR 17-NOV-2000; 2000US-0249264P.
PR 17-NOV-2000; 2000US-0249265P.
PR 17-NOV-2000; 2000US-0249297P.
PR 17-NOV-2000; 2000US-0249299P.
PR 17-NOV-2000; 2000US-0249300P.
PR 01-DEC-2000; 2000US-0250160P.
PR 01-DEC-2000; 2000US-0250391P.
PR 05-DEC-2000; 2000US-0251030P.
PR 05-DEC-2000; 2000US-0251988P.
PR 05-DEC-2000; 2000US-0256719P.
PR 06-DEC-2000; 2000US-0251479P.
PR 08-DEC-2000; 2000US-0251856P.
PR 08-DEC-2000; 2000US-0251868P.
PR 08-DEC-2000; 2000US-0251869P.
PR 08-DEC-2000; 2000US-0251989P.
PR 08-DEC-2000; 2000US-0251990P.
PR 11-DEC-2000; 2000US-0254097P.
PR 05-JAN-2001; 2001US-0259678P.
PA (HUMA-) HUMAN GENOME SCI INC.
XX
XX Rosen CA, Barash SC, Ruben SM;
PI WPI; 2001-483426/52.
XX N-PSDB; AAK61087.
DR Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
XX useful for preventing, diagnosing and/or treating cancers and metastasis.
PT Claim 11; SEQ ID NO 15899; 3071pp + Sequence Listing; English.
XX
XX AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC amino acid sequences given in AAK82170 to AAK91921. (I) have cytostatic
CC activity, and can be used in gene therapy and vaccine production. (I)
CC proteins and polynucleotides may be used in the prevention, diagnosis and
CC treatment of diseases associated with inappropriate (I) expression. For
CC example, they may be used to treat disorders associated with decreased
CC expression by rectifying mutations or deletions in a patient's genome
CC that affect the activity of (I) by expressing inactive proteins or to
CC supplement the patients own production of (I). Additionally, (I)
CC polynucleotides may be used to produce the secreted (I), by inserting the
CC nucleic acids into a host cell and culturing the cell to express the
CC protein. (I) proteins and polynucleotides may be used to prevent,
CC diagnose and treat immune/haematopoietic-related diseases, especially
CC cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC to AAK87694 represent human immune/haematopoietic antigen genomic
CC sequences from the present invention. AAK54942 to AAK54950 and AAK82169
CC represent sequences used in the exemplification of the present invention
XX
XX Sequence 83 AA;
SQ
Query Match 82.5%; Score 33; DB 4; Length 83;
Best Local Similarity 85.7%; Pred. No. 45;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 37 YHHDAPV 43
| | | | |
| | | | |
RESULT 94
ADB70030
ID ADB70030 standard; protein; 272 AA.
XX
XX ADB70030;
AC ADB70030;
XX
XX 04-DEC-2003 (first entry)
XX
XX C. neoformans amino acid sequence SEQ ID NO:3074.
XX
XX fungicide; gene therapy; infection.
XX
XX Cryptococcus neoformans.
XX
XX WO2003052076-A2.
XX
XX 26-JUN-2003.
XX
XX 17-DEC-2002; 2002WO-US040225.
XX
XX 17-DEC-2001; 2001US-0341261P.
XX
XX (ELIT-) ELITRA PHARM INC.
XX
XX Zamudio C, Eroshkin AM;
XX
```


DR WPI; 2003-533017/50.
 XX N-PSDB; ADB68947.
 PT New nucleic acid, useful for preparing a composition for treating an
 PT infection caused by *Cryptococcus neoformans*.
 XX
 XX Claim 9; SEQ ID NO 3074; 136pp; English.
 XX
 XX The invention relates to a novel purified or isolated *Cryptococcus*
 CC *neoformans* nucleic acid molecule comprising a sequence encoding a
 CC polypeptide comprising a sequence not given in the specification. A
 CC polynucleotide of the invention has fungicide activity, and may have a
 CC use in gene therapy. The nucleic acid is useful for preparing a
 CC composition for treating an infection caused by *Cryptococcus neoformans*.
 CC The present sequence represents a *C. neoformans* sequence of the
 CC invention. Note: The sequence data for this patent is not represented in
 CC the printed specification, but was obtained in electronic format directly
 CC from WIPO at ftp.wipo.int/pub/published_pat_sequences.
 XX
 XX Sequence 272 AA;
 SQ

Query Match 82.5%; Score 33; DB 7; Length 272;
 Best Local Similarity 71.4%; Pred. NO. 1.6e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 Db 77 YLHDCPV 83
 |:|:|:|

RESULT 95
 AAU72965
 ID AAU72965 standard; protein; 419 AA.
 XX
 AC AAU72965;
 XX
 DT 12-MAR-2002 (first entry)
 XX
 DE *Neisseria meningitidis* virulence protein #55.
 XX
 KW Meningitis; virulence; gene; antibacterial; vaccine; veterinary;
 KW infection; Gram-negative bacteria; antimicrobial.
 XX
 OS *Neisseria meningitidis*.
 XX
 WO200185772-A2.
 PN
 PD 15-NOV-2001.
 XX
 PF 08-MAY-2001; 2001WO-GB002003.
 XX
 PR 08-MAY-2000; 2000GB-00011108.
 XX
 PA (MICR-) MICROSCIENCE LTD.
 XX
 PI Tang C;
 XX
 WPI; 2002-066593/09.
 PN
 PD N-PSDB; AAS97250.
 XX
 PF New peptide encoded by operon including virulence genes of *Neisseria*
 PT meningitidis, useful as vaccine component for treating or preventing
 PT meningitis and for identifying antimicrobial drug.
 XX
 PS Claim 4; Page 235-236; 423pp; English.
 XX
 XX The invention relates to a peptide (I) encoded by an operon (II) of
 CC *Neisseria meningitidis* including virulence genes, or a related molecule
 CC having a 40% sequence similarity at the peptide or nucleotide level in a
 CC Gram-negative bacterium, or its functional fragment, for therapeutic or
 CC diagnostic use. (I) and (II) are useful in the manufacture of a
 CC medicament for treating or preventing a condition (e.g., meningitis)
 CC associated with infection by *Neisseria* or Gram-negative bacteria. The
 PT New peptide encoded by operon including virulence genes of *Neisseria*
 PT meningitidis, useful as vaccine component for treating or preventing
 PT meningitis and for identifying antimicrobial drug.
 XX
 PS Claim 4; Page 235-236; 423pp; English.
 XX
 XX The invention relates to a peptide (I) encoded by an operon (II) of
 CC *Neisseria meningitidis* including virulence genes, or a related molecule
 CC having a 40% sequence similarity at the peptide or nucleotide level in a
 CC Gram-negative bacterium, or its functional fragment, for therapeutic or
 CC diagnostic use. (I) and (II) are useful in the manufacture of a
 CC medicament for treating or preventing a condition (e.g., meningitis)
 CC associated with infection by *Neisseria* or Gram-negative bacteria. The

CC product is useful for veterinary treatment and in a screening assay for
 CC the identification of an antimicrobial drug. The vaccines have
 CC prophylactic applications. AAU72911-AAU73014 represent *N. meningitidis*
 CC virulence proteins of the invention
 XX
 XX Sequence 419 AA;
 SQ

Query Match 82.5%; Score 33; DB 5; Length 419;
 Best Local Similarity 71.4%; Pred. NO. 2.6e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 Db 315 YVHDVPL 321
 |:|:|:|

RESULT 96
 AAU72938
 ID AAU72938 standard; protein; 419 AA.
 XX
 AC AAU72938;
 XX
 DT 12-MAR-2002 (first entry)
 XX
 DE *Neisseria meningitidis* virulence protein #28.
 XX
 KW Meningitis; virulence; gene; antibacterial; vaccine; veterinary;
 KW infection; Gram-negative bacteria; antimicrobial.
 XX
 OS *Neisseria meningitidis*.
 XX
 WO200185772-A2.
 PN
 PD 15-NOV-2001.
 XX
 PF 08-MAY-2001; 2001WO-GB002003.
 XX
 PR 08-MAY-2000; 2000GB-00011108.
 XX
 PA (MICR-) MICROSCIENCE LTD.
 XX
 PI Tang C;
 XX
 WPI; 2002-066593/09.
 PN
 PD N-PSDB; AAS97223.
 XX
 PF New peptide encoded by operon including virulence genes of *Neisseria*
 PT meningitidis, useful as vaccine component for treating or preventing
 PT meningitis and for identifying antimicrobial drug.
 XX
 PS Claim 4; Page 119-120; 423pp; English.
 XX
 XX The invention relates to a peptide (I) encoded by an operon (II) of
 CC *Neisseria meningitidis* including virulence genes, or a related molecule
 CC having a 40% sequence similarity at the peptide or nucleotide level in a
 CC Gram-negative bacterium, or its functional fragment, for therapeutic or
 CC diagnostic use. (I) and (II) are useful in the manufacture of a
 CC medicament for treating or preventing a condition (e.g., meningitis)
 CC associated with infection by *Neisseria* or Gram-negative bacteria. The
 CC product is useful for veterinary treatment and in a screening assay for
 CC the identification of an antimicrobial drug. The vaccines have
 CC prophylactic applications. AAU72911-AAU73014 represent *N. meningitidis*
 CC virulence proteins of the invention
 XX
 XX Sequence 419 AA;
 SQ

Query Match 82.5%; Score 33; DB 5; Length 419;
 Best Local Similarity 71.4%; Pred. NO. 2.6e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 Db 315 YVHDVPL 321
 |:|:|:|

```
RESULT 97
ABG24306
ID ABG24306 standard; protein; 451 AA.
XX
AC ABG24306;
XX
DT 18-FEB-2002 (first entry)
XX
DE Novel human diagnostic protein #24297.
XX
KW Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW food supplement; medical imaging; diagnostic; genetic disorder.
XX
OS Homo sapiens.
XX
PN WO200175067-A2.
XX
PD 11-OCT-2001.
XX
PF 30-MAR-2001; 2001WO-US008631.
XX
PR 31-MAR-2000; 2000US-00540217.
XX
PR 23-AUG-2000; 2000US-00649167.
XX
PA (HYSE-) HYSEQ INC.
XX
PI Drmanac RT, Liu C, Tang YT;
XX
WPI; 2001-639362/73.
XX
N-PSDB; AAS88493.
XX
PT New isolated polynucleotide and encoded polypeptides, useful in
PT diagnostics, forensics, gene mapping, identification of mutations
PT responsible for genetic disorders or other traits and to assess
PT biodiversity.
XX
PS Claim 20; SEQ ID NO 54665; 103pp; English.
XX
CC The invention relates to isolated polynucleotide (I) and polypeptide (II)
CC sequences. (I) is useful as hybridisation probes, polymerase chain
CC reaction (PCR) primers, oligomers, and for chromosome and gene mapping,
CC and in recombinant production of (II). The polynucleotides are also used
CC in diagnostics as expressed sequence tags for identifying expressed
CC genes. (I) is useful in gene therapy techniques to restore normal
CC activity of (II) or to treat disease states involving (II). (II) is
CC useful for generating antibodies against it, detecting or quantitating a
CC polypeptide in tissue, as molecular weight markers and as a food
CC supplement. (II) and its binding partners are useful in medical imaging
CC of sites expressing (II). (I) and (II) are useful for treating disorders
CC involving aberrant protein expression or biological activity. The
CC polypeptide and polynucleotide sequences have application in
CC diagnostics, forensics, gene mapping, identification of mutations
CC responsible for genetic disorders or other traits to assess biodiversity
CC and to produce other types of data and products dependent on DNA and
CC amino acid sequences. ABG0010-ABG30377 represent novel human diagnostic
CC amino acid sequences of the invention. Note: The sequence data for this
CC patent did not appear in the printed specification, but was obtained in
CC electronic format directly from WIPO at
CC ftp.wipo.int/pub/published_pct_sequences
XX
SQ Sequence 451 AA;
Query Match 82.5%; Score 33; DB 4; Length 451;
Best Local Similarity 100.0%; Pred. No. 2.8e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 2 VHDAPV 7
DB 441 VHDAPV 446
RESULT 98
ABB72034
ID ABB72034 standard; protein; 1172 AA.
XX
AC ABB72034;
XX
DT 26-MAR-2002 (first entry)
XX
DE Drosophila melanogaster polypeptide SEQ ID NO 42894.
XX
KW Drosophila; developmental biology; cell signalling; insecticide;
KW pharmaceutical.
XX
OS Drosophila melanogaster.
XX
PN WO200171042-A2.
XX
PD 27-SEP-2001.
XX
PF 23-MAR-2001; 2001WO-US009231.
XX
PR 23-MAR-2000; 2000US-0191637P.
XX
PR 11-JUL-2000; 2000US-00614150.
XX
PA (PEKE ) PE CORP NY.
XX
PI Venter JC, Adams M, Li PWD, Myers EW;
XX
WPI; 2001-656860/75.
XX
N-PSDB; ABL16137.
XX
PT New isolated nucleic acid detection reagent for detecting 1000 or more
PT genes from Drosophila and for elucidating cell signaling and cell-cell
PT interactions.
XX
PS Disclosure; SEQ ID NO 42894; 21pp + Sequence Listing; English.
XX
CC The invention relates to an isolated nucleic acid detection reagent
CC capable of detecting 1000 or more genes from Drosophila. The invention is
CC useful in developmental biology and in elucidating cell signalling and
CC cell-cell interactions in higher eukaryotes for the development of
CC insecticides, therapeutics and pharmaceutical drugs. The invention
CC discloses genomic DNA sequences (ABL16176-ABL30511), expressed DNA
CC sequences (ABL01840-ABL16175) and the encoded proteins (ABB57737-
CC ABB72072). The sequence data for this patent did not form part of the
CC printed specification, but was obtained in electronic format directly
CC from WIPO at ftp.wipo.int/pub/published_pct_sequences
XX
SQ Sequence 1172 AA;
Query Match 82.5%; Score 33; DB 4; Length 1172;
Best Local Similarity 57.1%; Pred. No. 7.7e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 672 YLHDSPI 678
RESULT 99
AAR34854
ID AAR34854 standard; protein; 10 AA.
XX
AC AAR34854;
XX
DT 25-MAR-2003 (revised)
DT 14-JUL-1993 (first entry)
XX
DE IL-beta protease cleavage site peptide substrate.
XX
KW Interleukin; therapeutic; wound healing; treatment; arthritis;
KW autoimmune disease; radiation; side effects.
XX
```

OS Synthetic.
XX
FH Key Location/Qualifiers
FT Cleavage-site 4..7
FT /note= "IL-beta protease cleavage site, Pro -> Ala"
XX
PN WO9305071-A1.
XX
PD 18-MAR-1993.
XX
XX
XX 12-SEP-1991; 91WO-US006595.
XX
XX 30-AUG-1991; 91US-00750644.
XX
XX (IMMV) IMMUNEX CORP.
XX
XX Black RA, Sleath PR, Kronheim SR;
XX
XX WPI; 1993-100924/12.
XX
XX New polypeptide having protease biological activity for interleukin 1-
PT beta - can form inhibitor compsn. and cpds. for treatment of arthritis,
PT auto:immune diseases, inflammation and radiation damage; also for wound
PT healing.
XX
XX Example; Page 37; 69pp; English.
XX
XX The sequence is that of a peptide corresponding to Ala112 to Ser121 of
CC human precursor interleukin (IL)-beta sequence. It contains a modified
CC (Pro118 -> Ala) IL-beta protease cleavage site (His115-Pro118) for IL-
CC beta protease. It shows a reactivity of 0.47 relative to the original
CC sequence. (Updated on 25-MAR-2003 to correct PN field.)
XX
XX Sequence 10 AA;
SQ
Query Match 80.0%; Score 32; DB 2; Length 10;
Best Local Similarity 85.7%; Pred. No. 7.9;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
| | | | |
DB 2 YVHDAV 8
| | | | |
RESULT 100
AAB43346
ID AAB43346 standard; protein; 179 AA.
XX
AC AAB43346;
XX
XX 08-FEB-2001 (first entry)
XX
XX Human ORFX ORF3110 polypeptide sequence SEQ ID NO:6220.
XX
XX Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW vulnary; antipsoriatic; antiparkinsonian; neutropic; neuroprotective;
KW anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;
KW immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW hypotensive; dermatological; immunosuppressive; antiinflammatory;
KW antiviral; antibacterial; antifungal; antirheumatic; antithyroid;
KW antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW neurodegenerative disorder; osteoarthritis; graft vs host disease;
KW cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW cholesterol ester storage; systemic lupus erythematosus; infection;
KW severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW bone damage; cartilage damage; antiinflammatory disease; coagulation;
KW thrombosis; contraceptive.
XX
XX Homo sapiens.
XX
XX WO200058473-A2.
XX

PD 05-OCT-2000.
XX
XX 31-MAR-2000; 2000WO-US008621.
XX
XX 31-MAR-1999; 99US-0127607P.
PR 02-APR-1999; 99US-0127636P.
PR 05-APR-1999; 99US-0127728P.
PR 30-MAR-2000; 2000US-00540763.
XX
XX (CURA-) CURAGEN CORP.
XX
XX Shimkets RA, Leach M;
PI
XX WPI; 2000-602362/57.
DR N-PSDB; AAC7555.
DR
XX
XX Novel nucleic acids and peptides derived from open reading frame X,
PT useful for treating e.g. cancers, proliferative disorders,
PT neurodegenerative disorders and cardiovascular disease.
XX
XX Claim 11; Page 5405; 5507pp; English.
XX
XX AAC74446 to AAC77606 encode the proteins given in AAB40237 to AAB43397,
CC which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC sequences have activities such as: cytostatic; hepatotropic; vulnary;
CC antipsoriatic; antiparkinsonian; neutropic; neuroprotective; osteopathic;
CC anticonvulsant; antiarthritic; immunosuppressant; immunostimulant;
CC cardiant; thrombolytic; coagulant; vasotropic; antidiabetic; hypotensive;
CC dermatological; immunosuppressive; antiinflammatory; antibacterial;
CC antiviral; antifungal; antirheumatic; antithyroid; and antianaemic. The
CC sequences can be used for determining the presence of or predisposition
CC to, or preventing or treating pathological conditions associated with an
CC ORFX-associated disorder. The nucleic acids can be used to express ORFX
CC proteins in gene therapy vectors. The proteins and nucleic acids may be
CC used to treat cancers, proliferative disorders, neurodegenerative
CC disorders, osteoarthritis, graft vs host disease, cardiovascular disease,
CC diabetes mellitus, hypertension, hypothyroidism, cholesterol ester
CC storage, systemic lupus erythematosus, severe combined immunodeficiency
CC (SCID), AIDS, viral, bacterial or fungal infection, malaria, autoimmune
CC disorders, asthma, allergies, aplastic anaemia, burns, wounds, bone and
CC cartilage damage, nocturnal haemoglobinuria, antiinflammatory disease; to
CC enhance coagulation; to inhibit thrombosis; and as a contraceptive
XX
XX Sequence 179 AA;
SQ
Query Match 80.0%; Score 32; DB 3; Length 179;
Best Local Similarity 66.7%; Pred. No. 1.7e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAP 6
| : | : |
DB 58 YIHDS 63

Search completed: June 30, 2005, 22:19:47
Job time : 172 secs

Page Blank (uspto)

GenCore version 5.1.6
Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

Run on: June 30, 2005, 22:19:55 ; Search time 42 Seconds
(without alignments)
12.442 Million cell updates/sec

Title: US-09-874-350C-210

Perfect score: 40

Sequence: 1 YVHADPV 7

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 513545 seqs, 74649064 residues

Total number of hits satisfying chosen parameters: 513545

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 150 summaries

Database : Issued Patents AA:*

1: /cgn2_6/protdata/1/iaa/5A COMB.pep.*

2: /cgn2_6/protdata/1/iaa/5B COMB.pep.*

3: /cgn2_6/protdata/1/iaa/6A COMB.pep.*

4: /cgn2_6/protdata/1/iaa/6B COMB.pep.*

5: /cgn2_6/protdata/1/iaa/PCTUS COMB.pep.*

6: /cgn2_6/protdata/1/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	100.0	8	1	US-08-203-716-22
2	40	100.0	8	1	US-08-440-179-22
3	40	100.0	8	3	US-09-039-657-22
4	40	100.0	10	1	US-08-203-716-13
5	40	100.0	10	1	US-08-385-434-7
6	40	100.0	10	1	US-08-649-197-7
7	40	100.0	10	1	US-08-440-179-13
8	40	100.0	10	2	US-08-748-117A-1
9	40	100.0	10	2	US-08-597-346-1
10	40	100.0	10	2	US-08-679-350-1
11	40	100.0	10	3	US-09-039-657-13
12	40	100.0	10	4	US-09-421-954-1
13	40	100.0	10	6	5422425-8
14	40	100.0	10	6	5422425-8
15	40	100.0	12	1	US-06-203-716-21
16	40	100.0	12	1	US-08-440-179-21
17	40	100.0	12	3	US-09-039-657-21
18	40	100.0	13	3	US-09-117-608-2
19	40	100.0	14	1	US-08-354-885-3
20	40	100.0	14	3	US-08-665-643A-2
21	40	100.0	17	1	US-08-385-434-11
22	40	100.0	17	1	US-08-649-197-11
23	40	100.0	17	6	5422425-12
24	40	100.0	17	6	5422425-12
25	40	100.0	269	1	US-08-203-716-3
26	40	100.0	269	1	US-08-440-179-3
27	40	100.0	269	2	US-08-432-693-11

28	40	100.0	269	2	US-08-599-895-11	Sequence 11, Appl
29	40	100.0	269	2	US-08-483-806-2	Sequence 2, Appl
30	40	100.0	269	3	US-09-211-290-11	Sequence 11, Appl
31	40	100.0	269	3	US-09-030-613-11	Sequence 11, Appl
32	40	100.0	269	3	US-09-322-676-11	Sequence 11, Appl
33	40	100.0	269	3	US-09-039-657-3	Sequence 3, Appl
34	40	100.0	269	3	US-08-748-547-4	Sequence 4, Appl
35	40	100.0	269	3	US-09-466-036A-11	Sequence 11, Appl
36	40	100.0	269	3	US-09-451-905-11	Sequence 11, Appl
37	40	100.0	269	4	US-09-949-016-5960	Sequence 5960, Ap
38	40	100.0	269	5	PCT-US91-02339-1	Sequence 1, Appl
39	40	100.0	298	4	US-09-949-016-11362	Sequence 11362, A
40	36	90.0	10	1	US-08-203-716-15	Sequence 15, Appl
41	36	90.0	10	1	US-08-203-716-17	Sequence 17, Appl
42	36	90.0	10	1	US-08-203-716-18	Sequence 18, Appl
43	36	90.0	10	1	US-08-440-179-15	Sequence 15, Appl
44	36	90.0	10	1	US-08-440-179-17	Sequence 17, Appl
45	36	90.0	10	1	US-08-440-179-18	Sequence 18, Appl
46	36	90.0	10	3	US-09-039-657-15	Sequence 15, Appl
47	36	90.0	10	3	US-09-039-657-17	Sequence 17, Appl
48	36	90.0	10	3	US-09-039-657-18	Sequence 18, Appl
49	35	87.5	10	1	US-08-203-716-14	Sequence 14, Appl
50	35	87.5	10	1	US-08-440-179-14	Sequence 14, Appl
51	35	87.5	10	3	US-09-039-657-14	Sequence 14, Appl
52	33	82.5	6	1	US-08-203-716-23	Sequence 23, Appl
53	33	82.5	6	1	US-08-440-179-23	Sequence 23, Appl
54	33	82.5	6	1	US-09-039-657-23	Sequence 23, Appl
55	33	82.5	10	1	US-08-203-716-16	Sequence 16, Appl
56	33	82.5	10	1	US-08-440-179-16	Sequence 16, Appl
57	33	82.5	10	3	US-09-039-657-16	Sequence 16, Appl
58	32	80.0	10	1	US-08-203-716-20	Sequence 20, Appl
59	32	80.0	10	1	US-08-440-179-20	Sequence 20, Appl
60	32	80.0	10	3	US-09-039-657-20	Sequence 20, Appl
61	32	80.0	223	3	US-09-134-001C-4198	Sequence 4198, Ap
62	32	80.0	422	4	US-09-134-000C-5643	Sequence 5643, Ap
63	32	80.0	914	3	US-09-437-054A-8	Sequence 8, Appl
64	31	77.5	10	1	US-08-203-716-19	Sequence 19, Appl
65	31	77.5	10	1	US-08-440-179-19	Sequence 19, Appl
66	31	77.5	10	3	US-09-039-657-19	Sequence 19, Appl
67	31	77.5	60	4	US-10-179-784-20	Sequence 20, Appl
68	31	77.5	60	4	US-10-179-784-22	Sequence 22, Appl
69	31	77.5	481	4	US-09-543-681A-8321	Sequence 8321, Ap
70	31	77.5	1090	4	US-09-252-991A-23149	Sequence 23149, A
71	30	75.0	60	4	US-10-179-784-9	Sequence 9, Appl
72	30	75.0	221	4	US-09-270-767-57481	Sequence 57481, A
73	30	75.0	338	4	US-09-270-767-42208	Sequence 42208, A
74	30	75.0	548	4	US-09-252-991A-21629	Sequence 21629, A
75	30	75.0	700	4	US-09-543-681A-4969	Sequence 4969, Ap
76	30	75.0	803	1	US-08-062-368-4	Sequence 4, Appl
77	30	75.0	816	4	US-09-540-236-3443	Sequence 3443, Ap
78	29	72.5	5	1	US-08-354-685-4	Sequence 4, Appl
79	29	72.5	97	4	US-09-902-540-14474	Sequence 14474, A
80	29	72.5	107	4	US-09-281-760E-36	Sequence 36, Appl
81	29	72.5	121	4	US-09-252-991A-23454	Sequence 23454, A
82	29	72.5	145	4	US-09-543-681A-5202	Sequence 5202, Ap
83	29	72.5	178	4	US-09-252-991A-20957	Sequence 20957, A
84	29	72.5	179	4	US-09-107-532A-7290	Sequence 7290, Ap
85	29	72.5	183	4	US-09-252-991A-19320	Sequence 19320, A
86	29	72.5	205	4	US-09-949-016-7376	Sequence 7376, Ap
87	29	72.5	218	1	US-08-417-822A-2	Sequence 2, Appl
88	29	72.5	242	4	US-09-252-991A-28448	Sequence 28448, A
89	29	72.5	245	4	US-09-489-039A-9197	Sequence 9197, Ap
90	29	72.5	254	4	US-09-489-039A-7881	Sequence 7881, Ap
91	29	72.5	263	4	US-09-724-797-12	Sequence 12, Appl
92	29	72.5	274	4	US-09-489-039A-13000	Sequence 13000, A
93	29	72.5	289	4	US-09-248-796A-17294	Sequence 17294, A
94	29	72.5	296	4	US-09-270-767-33591	Sequence 33591, A
95	29	72.5	312	4	US-09-701-623C-2	Sequence 2, Appl
96	29	72.5	340	4	US-09-270-767-58348	Sequence 58348, A
97	29	72.5	345	4	US-09-252-991A-33007	Sequence 33007, A
98	29	72.5	349	4	US-09-328-352-7606	Sequence 7606, Ap
99	29	72.5	354	4	US-09-543-681A-6524	Sequence 6524, Ap
100	29	72.5	368	4	US-09-538-092-1226	Sequence 1226, Ap

101 29 72.5 376 4 US-09-107-532A-6913 Sequence 6913, Ap
102 29 72.5 386 4 US-09-276-767-41410 Sequence 41410, A
103 29 72.5 386 4 US-09-270-767-56626 Sequence 56626, A
104 29 72.5 390 4 US-09-902-540-12046 Sequence 12046, A
105 29 72.5 418 4 US-09-949-016-10645 Sequence 10645, A
106 29 72.5 413 4 US-09-252-991A-32677 Sequence 32677, A
107 29 72.5 426 5 PCT-US95-13795-2 Sequence 2, Appl
108 29 72.5 426 4 US-09-336-583-2 Sequence 2, Appl
109 29 72.5 427 4 US-09-595-857B-28 Sequence 28, Appl
110 29 72.5 439 4 US-09-328-352-4576 Sequence 4576, Ap
111 29 72.5 477 4 US-09-270-767-43020 Sequence 43020, A
112 29 72.5 495 4 US-09-902-540-11210 Sequence 11210, A
113 29 72.5 497 3 US-08-869-696-9 Sequence 9, Appl
114 29 72.5 556 3 US-08-869-696-2 Sequence 2, Appl
115 29 72.5 582 3 US-09-091-725-17 Sequence 17, Appl
116 29 72.5 607 4 US-09-489-039A-12140 Sequence 12140, A
117 29 72.5 613 1 US-08-272-875-3 Sequence 3, Appl
118 29 72.5 615 4 US-09-543-681A-5298 Sequence 5298, Ap
119 29 72.5 806 1 US-08-270-076A-11 Sequence 11, Appl
120 29 72.5 907 4 US-09-252-991A-24114 Sequence 24114, A
121 29 72.5 998 2 US-08-415-788-7 Sequence 7, Appl
122 29 72.5 1029 2 US-08-415-788-3 Sequence 3, Appl
123 29 72.5 1131 4 US-09-248-796A-19110 Sequence 19110, A
124 29 72.5 1233 3 US-09-194-613-5 Sequence 5, Appl
125 29 72.5 1343 4 US-09-270-767-31792 Sequence 31792, A
126 29 72.5 1343 4 US-09-270-767-47009 Sequence 47009, A
127 29 72.5 1501 4 US-09-252-991A-20266 Sequence 20266, A
128 28.5 71.2 295 4 US-09-543-681A-5406 Sequence 5406, Ap
129 28 70.0 6 3 US-08-953-033-8 Sequence 8, Appl
130 28 70.0 6 4 US-08-877-605-145 Sequence 145, App
131 28 70.0 8 3 US-08-953-033-6 Sequence 6, Appl
132 28 70.0 8 3 US-08-953-033-7 Sequence 7, Appl
133 28 70.0 8 3 US-08-953-033-10 Sequence 10, Appl
134 28 70.0 8 3 US-08-953-033-15 Sequence 15, Appl
135 28 70.0 8 3 US-08-953-033-16 Sequence 16, Appl
136 28 70.0 8 3 US-08-953-033-17 Sequence 17, Appl
137 28 70.0 11 1 US-08-594-447-19 Sequence 19, Appl
138 28 70.0 11 1 US-08-541-964-18 Sequence 18, Appl
139 28 70.0 11 2 US-08-665-647-33 Sequence 33, Appl
140 28 70.0 14 3 US-08-953-033-23 Sequence 23, Appl
141 28 70.0 77 4 US-09-389-956-20 Sequence 20, Appl
142 28 70.0 110 4 US-09-389-956-8 Sequence 8, Appl
143 28 70.0 110 4 US-09-902-540-11433 Sequence 11433, A
144 28 70.0 118 4 US-09-389-956-22 Sequence 22, Appl
145 28 70.0 137 4 US-09-325-932A-170 Sequence 170, App
146 28 70.0 177 4 US-09-248-796A-27103 Sequence 27103, A
147 28 70.0 205 3 US-08-857-076-113 Sequence 113, App
148 28 70.0 211 4 US-09-328-352-5475 Sequence 5475, Ap
149 28 70.0 212 4 US-09-270-767-32555 Sequence 32555, A
150 28 70.0 212 4 US-09-270-767-47772 Sequence 47772, A

ALIGNMENTS

RESULT 1
US-08-203-716-22
; Sequence 22, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165400
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 8 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-203-716-22
Query Match 100.0%; Score 40; DB 1; Length 8;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 1 YVHDAPV 7
RESULT 2
US-08-440-179-22
; Sequence 22, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165400

TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 8 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-440-179-22

Query Match 100.0%; Score 40; DB 1; Length 8;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 1 YVHDAPV 7

RESULT 3
US-09-039-657-22
Sequence 22, Application US/09039657
Patent No. 6136787
GENERAL INFORMATION:
APPLICANT: Black, Roy A.
APPLICANT: Sleath, Paul R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/039,657
FILING DATE: 16-MAR-1998
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jr., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090

INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 8 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-039-657-22

Query Match 100.0%; Score 40; DB 3; Length 8;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 1 YVHDAPV 7

RESULT 4
US-08-203-716-13
Sequence 13, Application US/08203716

Patent No. 5416013
GENERAL INFORMATION:
APPLICANT: BLACK, ROY A
APPLICANT: SLEATH, PAUL R
APPLICANT: KRONHEIM, SHIRLEY R
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
STREET: 180 N. STETSON
CITY: CHICAGO
STATE: IL
COUNTRY: USA
ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/203,716
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/750,644
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELECOMMUNICATION INFORMATION:
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-203-716-13

Query Match 100.0%; Score 40; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 2 YVHDAPV 8

RESULT 5
US-08-385-434-7
Sequence 7, Application US/08385434
Patent No. 5545518
GENERAL INFORMATION:
APPLICANT: Krieglner, Michael
APPLICANT: Nitecki, Danute, E.
TITLE OF INVENTION: Assay For Determining TNF or IL-1 Convertase
NUMBER OF SEQUENCES: 11
CORRESPONDENCE ADDRESS:
ADDRESSEE: Chiron Corporation, Intellectual Property R440
STREET: P.O. Box 8097
CITY: Emeryville
STATE: California
COUNTRY: United States of America
ZIP: 94662-8097
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25

```
/ CURRENT APPLICATION DATA:
/ APPLICATION NUMBER: US/08/385,434
/ FILING DATE: 08-FEB-95
/ CLASSIFICATION: 435
/ PRIOR APPLICATION DATA:
/ APPLICATION NUMBER: 07/562,720
/ FILING DATE: 06-AUG-1990
/ APPLICATION DATA: 08/053,558
/ FILING DATE: 26-APR-1993
/ ATTORNEY/AGENT INFORMATION:
/ NAME: Pochopien, Donald J.
/ REGISTRATION NUMBER: 32,167
/ REFERENCE/DOCKET NUMBER: 32386/871.003
/ TELECOMMUNICATION INFORMATION:
/ TELEPHONE: 312/474-6300
/ TELEFAX: 312/474-0448
/ TELEX: 25-3856
/ INFORMATION FOR SEQ ID NO: 7:
/ SEQUENCE CHARACTERISTICS:
/ LENGTH: 10 amino acids
/ TYPE: amino acid
/ TOPOLOGY: linear
/ MOLECULE TYPE: peptide
/ US-08-385-434-7

Query Match 100.0%; Score 40; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHDAPV 8

RESULT 6
US-08-649-197-7
/ Sequence 7, Application US/08649197
/ Patent No. 5639593
/ GENERAL INFORMATION:
/ APPLICANT: Krieglner, Michael
/ APPLICANT: Nitecki, Danute, E.
/ TITLE OF INVENTION: Methods For The Identification Of Cytokine
/ TITLE OF INVENTION: Convertase Inhibitors
/ NUMBER OF SEQUENCES: 11
/ CORRESPONDENCE ADDRESS:
/ ADDRESSEE: Chiron Corporation, Intellectual Property R440
/ STREET: P.O. Box 8097
/ CITY: Emeryville
/ STATE: California
/ COUNTRY: United States of America
/ ZIP: 94662-8097
/ COMPUTER READABLE FORM:
/ MEDIUM TYPE: Floppy disk
/ COMPUTER: IBM PC compatible
/ OPERATING SYSTEM: PC-DOS/MS-DOS
/ SOFTWARE: Patent In Release #1.25
/ CURRENT APPLICATION DATA:
/ APPLICATION NUMBER: US/08/649,197
/ FILING DATE:
/ CLASSIFICATION: 435
/ PRIOR APPLICATION DATA:
/ APPLICATION NUMBER: 08/385,434
/ FILING DATE: 08-FEB-95
/ APPLICATION DATA:
/ APPLICATION NUMBER: 07/562,720
/ FILING DATE: 06-AUG-1990
/ APPLICATION DATA: 08/053,558
/ FILING DATE: 26-APR-1993
/ ATTORNEY/AGENT INFORMATION:
/ NAME: Savereide, Paul B.
/ REGISTRATION NUMBER: 36,914

/ CURRENT APPLICATION DATA:
/ APPLICATION NUMBER: US/08/385,434
/ FILING DATE: 08-FEB-95
/ CLASSIFICATION: 435
/ PRIOR APPLICATION DATA:
/ APPLICATION NUMBER: 07/562,720
/ FILING DATE: 06-AUG-1990
/ APPLICATION DATA: 08/053,558
/ FILING DATE: 26-APR-1993
/ ATTORNEY/AGENT INFORMATION:
/ NAME: Savereide, Paul B.
/ REGISTRATION NUMBER: 36,914

/ REFERENCE/DOCKET NUMBER: 33296/0871.004
/ TELECOMMUNICATION INFORMATION:
/ TELEPHONE: (510) 601-2585
/ TELEFAX: (510) 655-3542
/ INFORMATION FOR SEQ ID NO: 7:
/ SEQUENCE CHARACTERISTICS:
/ LENGTH: 10 amino acids
/ TYPE: amino acid
/ TOPOLOGY: linear
/ MOLECULE TYPE: peptide
/ US-08-649-197-7

Query Match 100.0%; Score 40; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHDAPV 8

RESULT 7
US-08-440-179-13
/ Sequence 13, Application US/08440179
/ Patent No. 5756465
/ GENERAL INFORMATION:
/ APPLICANT: BLACK, ROY A
/ APPLICANT: SLEATH, PAUL R
/ APPLICANT: KRONHEIM, SHIRLEY R
/ TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
/ NUMBER OF SEQUENCES: 24
/ CORRESPONDENCE ADDRESS:
/ ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
/ ADDRESSEE: MILNAMOW
/ STREET: 180 N. STETSON
/ CITY: CHICAGO
/ STATE: IL
/ COUNTRY: USA
/ ZIP: 60601
/ COMPUTER READABLE FORM:
/ MEDIUM TYPE: Floppy disk
/ COMPUTER: IBM PC compatible
/ OPERATING SYSTEM: PC-DOS/MS-DOS
/ SOFTWARE: Patent In Release #1.24
/ CURRENT APPLICATION DATA:
/ APPLICATION NUMBER: US/08/440,179
/ FILING DATE: 12-MAY-1995
/ CLASSIFICATION: 424
/ PRIOR APPLICATION DATA:
/ APPLICATION NUMBER: US 07/750,644
/ FILING DATE: 30-AUG-1991
/ ATTORNEY/AGENT INFORMATION:
/ NAME: KATZ, MARTIN L.
/ REGISTRATION NUMBER: 25011
/ REFERENCE/DOCKET NUMBER: IMMUNEX2108
/ TELECOMMUNICATION INFORMATION:
/ TELEPHONE: 3126165400
/ TELEFAX: 3126165460
/ TELEX: 9102211206
/ INFORMATION FOR SEQ ID NO: 13:
/ SEQUENCE CHARACTERISTICS:
/ LENGTH: 10 amino acids
/ TYPE: amino acid
/ TOPOLOGY: linear
/ MOLECULE TYPE: peptide
/ US-08-440-179-13

Query Match 100.0%; Score 40; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHDAPV 8
```


Db 2 YVHDAPV 8

```
RESULT 8
US-08-748-117A-1
; Sequence 1, Application US/08748117A
; Patent No. 5834514
; GENERAL INFORMATION:
; APPLICANT: Dolle, Roland E.
; APPLICANT: Rinker, James M.
; TITLE OF INVENTION: HALOMETHYL AMIDES AS IL-1 BETA PROTEASE
; TITLE OF INVENTION: INHIBITORS
; NUMBER OF SEQUENCES: 1
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: James F. Haley, Jr.
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: United States of America
; ZIP: 10020
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/748,117A
; FILING DATE: 12-NOV-1996
; CLASSIFICATION: 564
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/453,122
; FILING DATE: 30-MAY-1995
; PRIOR APPLICATION DATA: US 08/236,425
; APPLICATION NUMBER: US 08/236,425
; FILING DATE: 29-APR-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Haley Jr., James F.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: VPI/SW/010 DIV CON
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-596-9000
; TELEFAX: 212-596-9090
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /product= "OTHER"
; OTHER INFORMATION: /note= "alanine is derivatized with TRITC - tetramethylrhodamine isothiocyanate"
; OTHER INFORMATION: isothiocyanate"
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 10
; OTHER INFORMATION: /product= "OTHER"
; OTHER INFORMATION: /note= "serine carboxylic acid is derivatized as an amide"
US-08-748-117A-1

Query Match 100.0%; Score 40; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHDAPV 8
```

RESULT 9

```
US-08-597-346-1
; Sequence 1, Application US/08597346
; Patent No. 5843905
; GENERAL INFORMATION:
; APPLICANT: Dolle, Roland E.
; APPLICANT: Singh, Jasbir
; APPLICANT: Speier, Gary
; TITLE OF INVENTION: Peptidic Phosphinyloxketones as Interleukin
; TITLE OF INVENTION: 1a-Converting Enzyme
; NUMBER OF SEQUENCES: 1
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterling Winthrop Inc.
; STREET: 9 Great Valley Parkway
; STREET: P.O. Box 3026
; CITY: Malvern
; STATE: PA
; COUNTRY: USA
; ZIP: 19355
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 2.0 MB storage
; COMPUTER: Apple Macintosh
; OPERATING SYSTEM: Macintosh 7.1
; SOFTWARE: Microsoft Word 5.1a
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/597,346
; FILING DATE: 06-FEB-1996
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/248,791
; FILING DATE: May 25, 1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Doreen M. Wells
; REGISTRATION NUMBER: 34,278
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (610) 889-8684
; TELEFAX: (610) 889-6364
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: -1
; OTHER INFORMATION: /label= TRITC
; OTHER INFORMATION: /note= "TRITC is tetramethylrhodamine isothiocyanate".
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 11
; OTHER INFORMATION: /label= Xaa
; OTHER INFORMATION: /note= "Xaa is NH2".
US-08-597-346-1

Query Match 100.0%; Score 40; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHDAPV 8

RESULT 10
US-08-679-350-1
; Sequence 1, Application US/08679350
; Patent No. 5985838
; GENERAL INFORMATION:
; APPLICANT: Ator, Mark A.
; APPLICANT: Awad, Mohamed M.A.
; APPLICANT: Chaturvedula, Prasad V.
; APPLICANT: Dolle, Roland E.
```

APPLICANT: Hoyer, Denton W.
APPLICANT: Lodge, Eric P.
APPLICANT: Osifo, Irennegbe K.
APPLICANT: Prouty, Catherine, P.
APPLICANT: Rinker, James M.
APPLICANT: Ross, Tina Morgan
APPLICANT: Salvino, Joseph M.
APPLICANT: Schmidt, Stanley J.
APPLICANT: Singh, Jasbir
TITLE OF INVENTION: PEPTIDE ANALOGS AS IRREVERSIBLE
TITLE OF INVENTION: INTERLEUKIN-1 (PROTEASE INHIBITORS
NUMBER OF SEQUENCES: 1
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sanofi Winthrop, Inc.
STREET: 9 Great Valley Parkway
CITY: Malvern
STATE: Pennsylvania
COUNTRY: USA
ZIP: 19355
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 3.5 inch, 1.4 MB storage
COMPUTER: Compaq Deskpro XL466
OPERATING SYSTEM: Windows For Workgroups 3.11
SOFTWARE: Microsoft Word 6.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/679,350
FILING DATE:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/371,723
FILING DATE: 12 January 1995
APPLICATION NUMBER: 08/055,051
FILING DATE: 29 April 1993
ATTORNEY/AGENT INFORMATION:
NAME: William J. Davis
REGISTRATION NUMBER: 30,744
REFERENCE/DOCKET NUMBER: 62040-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (610) 889-8802
TELEFAX: (610) 889-8799
TELEX: No. 5985838e
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 Amino Acids
TYPE: Amino Acid
STRANDEDNESS:
TOPOLOGY: Linear
MOLECULE TYPE: Peptide
FEATURE:
NAME/KEY: Modified-site
LOCATION: -1
OTHER INFORMATION: /label=TRITC
OTHER INFORMATION: /note="TRITC is tetramethylrhodamine isothiocyanate".
FEATURE:
NAME/KEY: Modified-site
LOCATION: 11
OTHER INFORMATION:
US-08-679-350-1

Query Match 100.0%; Score 40; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 2 YVHDAPV 8

RESULT 11

US-09-039-657-13
Sequence 13, Application US/09039657
Patent No. 6136787
GENERAL INFORMATION:
APPLICANT: Black, Roy A.

APPLICANT: Sleath, Paul R.
APPLICANT: Kronheim, Shirley R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
TITLE OF INVENTION: 1B PROTEASE INHIBITORS
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/039,657
FILING DATE: 16-MAR-1998
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jx., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELECOMMUNICATION INFORMATION:
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-039-657-13

Query Match 100.0%; Score 40; DB 3; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 2 YVHDAPV 8

RESULT 12

US-09-421-954-1
Sequence 1, Application US/09421954
Patent No. 6576614
GENERAL INFORMATION:
APPLICANT: Ator, Mark A.
APPLICANT: Awad, Mohamed M.A.
APPLICANT: Chaturvedula, Prasad V.
APPLICANT: Dolle, Roland E.
APPLICANT: Hoyer, Denton W.
APPLICANT: Lodge, Eric P.
APPLICANT: Osifo, Irennegbe K.
APPLICANT: Prouty, Catherine, P.
APPLICANT: Rinker, James M.
APPLICANT: Ross, Tina Morgan
APPLICANT: Salvino, Joseph M.
APPLICANT: Schmidt, Stanley J.
APPLICANT: Singh, Jasbir
TITLE OF INVENTION: PEPTIDE ANALOGS AS IRREVERSIBLE
TITLE OF INVENTION: INTERLEUKIN-1 (PROTEASE INHIBITORS
NUMBER OF SEQUENCES: 1
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sanofi Winthrop, Inc.
STREET: 9 Great Valley Parkway
CITY: Malvern
STATE: Pennsylvania
COUNTRY: USA

ZIP: 19355
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 3.5 inch, 1.4 MB storage
COMPUTER: Compaq Deskpro XL466
OPERATING SYSTEM: Windows For Workgroups 3.11
SOFTWARE: Microsoft Word 6.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/421,954
FILING DATE:
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: 08/679,350
FILING DATE:
APPLICATION NUMBER: 08/055,051
FILING DATE: 29 April 1993
ATTORNEY/AGENT INFORMATION:
NAME: William J. Davis
REGISTRATION NUMBER: 30,744
REFERENCE/DOCKET NUMBER: 62040-2
TELEPHONE: (610) 889-8802
TELEFAX: (610) 889-8799
TELEX: NO. 6576614e
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 Amino Acids
TYPE: Amino Acid
STRANDEDNESS:
TOPOLOGY: Linear
MOLECULE TYPE: Peptide
FEATURE:
NAME/KEY: Modified-site
LOCATION: -1
OTHER INFORMATION: /label=TRITC
OTHER INFORMATION: /note="TRITC is tetramethylrhodamine isothiocyanate".
FEATURE:
NAME/KEY: Modified-site
LOCATION: 11
OTHER INFORMATION:
US-09-421-954-1

Query Match 100.0%; Score 40; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 2 YVHDAVP 8

RESULT 13
5422425-8
; Patent No. 5422425
; APPLICANT: KRIEGLER, MICHAEL; NITECKI, DANUTE E.
; TITLE OF INVENTION: METHODS FOR THE IDENTIFICATION OF CYTOKINE
; CONVERTASE INHIBITORS
; NUMBER OF SEQUENCES: 12
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/53,558
; FILING DATE: 26-APR-1993
; PRIORITY APPLICATION DATA:
; APPLICATION NUMBER: 562,720
; FILING DATE: 06-AUG-1990
; SEQ ID NO: 8:
; LENGTH: 10
5422425-8

Query Match 100.0%; Score 40; DB 6; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 2 YVHDAVP 8

RESULT 14
5422425-8
; Patent No. 5422425
; APPLICANT: KRIEGLER, MICHAEL; NITECKI, DANUTE E.
; TITLE OF INVENTION: METHODS FOR THE IDENTIFICATION OF CYTOKINE
; CONVERTASE INHIBITORS
; NUMBER OF SEQUENCES: 12
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/53,558
; FILING DATE: 26-APR-1993
; PRIORITY APPLICATION DATA:
; APPLICATION NUMBER: 562,720
; FILING DATE: 06-AUG-1990
; SEQ ID NO: 8:
; LENGTH: 10
5422425-8

Query Match 100.0%; Score 40; DB 6; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.051;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 2 YVHDAVP 8

RESULT 15
US-08-203-716-21
; Sequence 21, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIORITY APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 12 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-203-716-21

Query Match 100.0%; Score 40; DB 1; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.062; Indels 0;
Matches 7; Conservative 0; Mismatches 0; Gaps 0;

QY 1 YVHDAPV 7
Db 3 YVHDAPV 9

RESULT 16
US-08-440-179-21
; Sequence 21, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; ADDRESSEE: MILNAMOW
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 12 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-440-179-21

Query Match 100.0%; Score 40; DB 1; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.062; Indels 0;
Matches 7; Conservative 0; Mismatches 0; Gaps 0;

QY 1 YVHDAPV 7
Db 3 YVHDAPV 9

RESULT 17
US-09-039-657-21
; Sequence 21, Application US/09039657
; Patent No. 6136787
; GENERAL INFORMATION:
; APPLICANT: Black, Roy A.
; APPLICANT: Sleath, Paul R.
; APPLICANT: Kronheim, Shirley R.
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN

; TITLE OF INVENTION: 1B PROTEASE INHIBITORS
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & NEAVE
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10020
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/039,657
; FILING DATE: 16-MAR-1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Haley Jr., James F.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: VPI/SW002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-596-9000
; TELEFAX: 212-596-9090
; INFORMATION FOR SEQ ID NO: 21:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 12 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-039-657-21

Query Match 100.0%; Score 40; DB 3; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.062; Indels 0;
Matches 7; Conservative 0; Mismatches 0; Gaps 0;

QY 1 YVHDAPV 7
Db 3 YVHDAPV 9

RESULT 18
US-09-117-608-2
; Sequence 2, Application US/09117608
; Patent No. 6166202
; GENERAL INFORMATION:
; APPLICANT: Simmonds, Adrian
; APPLICANT: Miller, James N.
; APPLICANT: Moody, Christopher J.
; APPLICANT: Swann, Elizabeth
; APPLICANT: Briggs, Mark S.J.
; APPLICANT: Bruce, Ian E.
; TITLE OF INVENTION: BENZOPHENOXAZINE DYES
; FILE REFERENCE: 28911/34892
; CURRENT APPLICATION NUMBER: US/09/117,608
; CURRENT FILING DATE: 1999-01-15
; PRIOR APPLICATION NUMBER: 9602265.2 GB
; PRIOR FILING DATE: 1996-02-05
; PRIOR APPLICATION NUMBER: PCT/GB97/00324
; PRIOR FILING DATE: 1997-02-05
; NUMBER OF SEQ ID NOS: 2
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
; OTHER INFORMATION: peptide
US-09-117-608-2

Query Match 100.0%; Score 40; DB 3; Length 13;
Best Local Similarity 100.0%; Pred. No. 0.067;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 2 YVHDAVP 8
| | | | |

RESULT 19

US-08-354-685-3
; Sequence 3, Application US/08354685
; Patent No. 5498695
; GENERAL INFORMATION:
; APPLICANT: Daumy, Gaston O.
; APPLICANT: Reiter, Lawrence A.
; TITLE OF INVENTION: PARA-NITROANILIDE PEPTIDES
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dr. Peter C. Richardson
; STREET: 235 East 42nd Street, 20th Floor
; CITY: New York
; STATE: New York
; COUNTRY: U.S.A.
; ZIP: 10017-5755
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/354,685
; FILING DATE:
; CLASSIFICATION: 530
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 981,153
; FILING DATE: 24-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Strassburger, Philip C.
; REGISTRATION NUMBER: 34,258
; REFERENCE/DOCKET NUMBER: PC8352
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)573-5731
; TELEFAX: (212)573-1939
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 14 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-354-685-3

Query Match 100.0%; Score 40; DB 1; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.072;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 4 YVHDAVP 10
| | | | |

RESULT 20

US-08-665-643A-2
; Sequence 2, Application US/08665643A
; Patent No. 6288037
; GENERAL INFORMATION:
; APPLICANT: Talanian, Robert V.
; APPLICANT: Ghayur, Tariq
; APPLICANT: Hodges, John C.
; TITLE OF INVENTION: SUBSTRATES AND INHIBITORS FOR CYSTEINE PROTEASE ICH-1
; FILE REFERENCE: BBI-049CPCPA
; CURRENT APPLICATION NUMBER: US/08/665,643A

; CURRENT FILING DATE: 1996-06-18
; PRIOR APPLICATION NUMBER: 08/592,943
; PRIOR FILING DATE: 1996-01-29
; NUMBER OF SEQ ID NOS: 89
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
; OTHER INFORMATION: construct
; OTHER INFORMATION: amino-terminal acetyl modification;
; OTHER INFORMATION: carboxy-terminal amide modification
US-08-665-643A-2

Query Match 100.0%; Score 40; DB 3; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.072;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 4 YVHDAVP 10
| | | | |

RESULT 21

US-08-385-434-11
; Sequence 11, Application US/08385434
; Patent No. 5545518
; GENERAL INFORMATION:
; APPLICANT: Kriegler, Michael
; APPLICANT: Nitecki, Danute, E.
; TITLE OF INVENTION: Assay For Determining TNF or IL-1 Convertase
; TITLE OF INVENTION: Activity
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation, Intellectual Property R440
; STREET: P.O. Box 8097
; CITY: Emeryville
; STATE: California
; COUNTRY: United States of America
; ZIP: 94662-8097
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/385,434
; FILING DATE: 08-FEB-95
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/562,720
; FILING DATE: 06-AUG-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/053,558
; FILING DATE: 26-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Pochopien, Donald J.
; REGISTRATION NUMBER: 32,167
; REFERENCE/DOCKET NUMBER: 32386/871.003
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312/474-6300
; TELEFAX: 312/474-0448
; TELEX: 25-3856
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 17 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Modified-site

;
; LOCATION: 11.15
; OTHER INFORMATION: /note= "The residue at this
; OTHER INFORMATION: location is beta-alanine"
US-08-385-434-11

Query Match 100.0%; Score 40; DB 1; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.089; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 2 YVHDAV 8

RESULT 23
US-08-649-197-11
; Sequence 11, Application US/08649197
; Patent No. 5639593
; GENERAL INFORMATION:
; APPLICANT: Krieglner, Michael E.
; APPLICANT: Nitecki, Danute E.
; TITLE OF INVENTION: Methods For The Identification Of Cytokine
; TITLE OF INVENTION: Convertase Inhibitors
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation, Intellectual Property R440
; STREET: P.O. Box 8097
; CITY: Emeryville
; STATE: California
; COUNTRY: United States of America
; ZIP: 94662-8097
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/649,197
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/385,434
; FILING DATE: 08-FEB-95
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/562,720
; FILING DATE: 06-AUG-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/053,558
; FILING DATE: 26-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Savereide, Paul B.
; REGISTRATION NUMBER: 36,914
; REFERENCE/DOCKET NUMBER: 33296/0871.004
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 601-2585
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 17 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 11.15
; OTHER INFORMATION: /note= "The residue at this
; OTHER INFORMATION: location is beta-alanine"
US-08-649-197-11

Query Match 100.0%; Score 40; DB 1; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.089; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 2 YVHDAV 8

RESULT 23
5422425-12
; Patent No. 5422425
; APPLICANT: KRIEGLER, MICHAEL; NITECKI, DANUTE E.
; TITLE OF INVENTION: METHODS FOR THE IDENTIFICATION OF CYTOKINE
; CONVERTASE INHIBITORS
; NUMBER OF SEQUENCES: 12
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/53,558
; FILING DATE: 26-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 562,720
; FILING DATE: 06-AUG-1990
; SEQ ID NO:12:
; LENGTH: 17
5422425-12

Query Match 100.0%; Score 40; DB 6; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.089;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 2 YVHDAV 8

RESULT 24
5422425-12
; Patent No. 5422425
; APPLICANT: KRIEGLER, MICHAEL; NITECKI, DANUTE E.
; TITLE OF INVENTION: METHODS FOR THE IDENTIFICATION OF CYTOKINE
; CONVERTASE INHIBITORS
; NUMBER OF SEQUENCES: 12
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/53,558
; FILING DATE: 26-APR-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 562,720
; FILING DATE: 06-AUG-1990
; SEQ ID NO:12:
; LENGTH: 17
5422425-12

Query Match 100.0%; Score 40; DB 6; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.089;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 2 YVHDAV 8

RESULT 25
US-08-203-716-3
; Sequence 3, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA

ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
OPERATING SYSTEM: IBM PC compatible
SOFTWARE: PatentIn Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/203,716
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/750,644
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-203-716-3

Query Match 100.0%; Score 40; DB 1; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 113 YVHDAVP 119
|||||

RESULT 26
US-08-440-179-3
Sequence 3, Application US/08440179
Patent No. 5756465
GENERAL INFORMATION:
APPLICANT: BLACK, ROY A
APPLICANT: SLEATH, PAUL R
APPLICANT: KRONHEIM, SHIRLEY R
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
ADDRESSEE: MILNAMOW
STREET: 180 N. STETSON
CITY: CHICAGO
STATE: IL
COUNTRY: USA
ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
OPERATING SYSTEM: IBM PC compatible
SOFTWARE: PatentIn Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/440,179
FILING DATE: 12-MAY-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/750,644
FILING DATE: 30-AUG-1991
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELECOMMUNICATION INFORMATION:

TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-440-179-3

Query Match 100.0%; Score 40; DB 1; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 113 YVHDAVP 119
|||||

RESULT 27
US-08-432-693-11
Sequence 11, Application US/08432693
Patent No. 5861267
GENERAL INFORMATION:
APPLICANT: Su, Michael
TITLE OF INVENTION: METHODS AND HOST CELLS FOR ASSAYING
EXOGENOUS AND ENDOGENOUS PROTEASE ACTIVITY
NUMBER OF SEQUENCES: 13
CORRESPONDENCE ADDRESS:
ADDRESSEE: Fish & Neave
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: United States of America
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
OPERATING SYSTEM: IBM PC compatible
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/432,693
FILING DATE:
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jr, James F
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/95-01
TELECOMMUNICATION INFORMATION:
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 11:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-432-693-11

Query Match 100.0%; Score 40; DB 2; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
Db 113 YVHDAVP 119
|||||

RESULT 28
US-08-599-895-11
Sequence 11, Application US/08599895
Patent No. 5891855

```
;
; GENERAL INFORMATION:
; APPLICANT: Florikiewicz, Robert Z.
; TITLE OF INVENTION: INHIBITORS OF LEADERLESS PROTEIN EXPORT
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SEED and BERRY LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98104-7092
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/599,895
; FILING DATE: 31-JAN-1996
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 5891855tenburg Ph.D., Carol
; REGISTRATION NUMBER: 39,317
; REFERENCE/DOCKET NUMBER: 760100.416
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-599-895-11

Query Match 100.0%; Score 40; DB 2; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 29
US-08-483-806-2
; Sequence 2, Application US/08483806
; Patent No. 5985657
; GENERAL INFORMATION:
; APPLICANT: Auron, Philip E.
; APPLICANT: Dinarello, Charles A.
; APPLICANT: Webb, Andrew C.
; APPLICANT: Rich, Alexander
; APPLICANT: Wolff, Sheldon M.
; TITLE OF INVENTION: Recombinant DNA Which Codes for
; INTERLEUKIN-1
; NUMBER OF SEQUENCES: 2
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Saliwanchik & Saliwanchik
; STREET: 2421 N.W. 41st Street
; CITY: Gainesville
; STATE: Florida
; COUNTRY: USA
; ZIP: 32606-6669
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/483,806
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 536
```

```
;
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/071,031
; FILING DATE: 01-JUN-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/880,476
; FILING DATE: 06-MAY-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/557,279
; FILING DATE: 24-JUL-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/185,731
; FILING DATE: 25-APR-1988
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/004,319
; FILING DATE: 18-JAN-1987
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 06/611,669
; FILING DATE: 18-MAY-1984
; ATTORNEY/AGENT INFORMATION:
; NAME: Lloyd, Jeff
; REGISTRATION NUMBER: 35,589
; REFERENCE/DOCKET NUMBER: N100FDDFD1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (352) 375-8100
; TELEFAX: (352) 372-5800
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-483-806-2

Query Match 100.0%; Score 40; DB 2; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 30
US-09-211-290-11
; Sequence 11, Application US/09211290
; Patent No. 6071885
; GENERAL INFORMATION:
; APPLICANT: Florikiewicz, Robert Z.
; TITLE OF INVENTION: INHIBITORS OF LEADERLESS PROTEIN EXPORT
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SEED and BERRY LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98104-7092
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/211,290
; FILING DATE: 12-DEC-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Maki, David J.
; REGISTRATION NUMBER: 31,392
; REFERENCE/DOCKET NUMBER: 200124.401D1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
```



```
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-211-290-11

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 31
US-09-030-613-11
; Sequence 11, Application US/09030613
; Patent No. 6083706
; GENERAL INFORMATION:
; APPLICANT: Floriewicz, Robert Z.
; APPLICANT: Baird, J. Andrew
; TITLE OF INVENTION: INHIBITORS OF LEADERLESS PROTEIN EXPORT
; NUMBER OF SEQUENCES: 36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SEED and BERRY LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/030,613
; FILING DATE: 25-FEB-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 6083706tenburg Ph.D., Carol
; REGISTRATION NUMBER: 39,317
; REFERENCE/DOCKET NUMBER: 760100.418C1
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-030-613-11

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 32
US-09-322-676-11
; Sequence 11, Application US/09322676
; Patent No. 6107283
; GENERAL INFORMATION:
; APPLICANT: Floriewicz, Robert Z.
; APPLICANT: Baird, J. Andrew
; TITLE OF INVENTION: INHIBITORS OF LEADERLESS PROTEIN EXPORT
; NUMBER OF SEQUENCES: 36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SEED and BERRY LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/030,613
; FILING DATE: 25-FEB-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 6083706tenburg Ph.D., Carol
; REGISTRATION NUMBER: 39,317
; REFERENCE/DOCKET NUMBER: 760100.418C1
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-030-613-11

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 33
US-09-039-657-3
; Sequence 3, Application US/09039657
; Patent No. 6136787
; GENERAL INFORMATION:
; APPLICANT: Black, Roy A.
; APPLICANT: Sleath, Paul R.
; APPLICANT: Kronheim, Shirley R.
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
; TITLE OF INVENTION: 1B PROTEASE INHIBITORS
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & NEAVE
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10020
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/039,657
; FILING DATE: 16-MAR-1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
```

NAME: Haley Jr., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELECOMMUNICATION INFORMATION:
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-039-657-3

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 34
US-08-748-547-4
Sequence 4, Application US/08748547
Patent No. 6187550
GENERAL INFORMATION:
APPLICANT: GHAYUR, TARIO
APPLICANT: MCGUINNESS, LORRAINE M.
TITLE OF INVENTION: METHODS AND CELL LINES FOR SCREENING
TITLE OF INVENTION: COMPOSITIONS AND GENES FOR ABILITY TO INTERACT WITH IL-1B
TITLE OF INVENTION: AND ICE PROCESSING
NUMBER OF SEQUENCES: 19
CORRESPONDENCE ADDRESS:
ADDRESSEE: WOLF, GREENFIELD & SACKS, P.C.
STREET: 600 ATLANTIC AVENUE
CITY: BOSTON
STATE: MA
COUNTRY: USA
ZIP: 02210
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/748,547
FILING DATE: 13-NOV-1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/280,889
FILING DATE: 27-JUL-1994
ATTORNEY/AGENT INFORMATION:
NAME: JANIUK, ANTHONY J.
REGISTRATION NUMBER: 29,809
REFERENCE/DOCKET NUMBER: B0870/7000
TELECOMMUNICATION INFORMATION:
TELEPHONE: 617-720-3500
TELEFAX: 617-720-2441
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-748-547-4

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 35
US-09-466-036A-11
Sequence 11, Application US/09466036A
Patent No. 6281197
GENERAL INFORMATION:
APPLICANT: Florikiewicz, Robert Z.
TITLE OF INVENTION: INHIBITORS OF LEADERLESS PROTEIN EXPORT
NUMBER OF SEQUENCES: 13
CORRESPONDENCE ADDRESS:
ADDRESSEE: SEED and BERRY LLP
STREET: 6300 Columbia Center, 701 Fifth Avenue
CITY: Seattle
STATE: Washington
COUNTRY: USA
ZIP: 98104-7092
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/466,036A
FILING DATE: 17-Dec-2001
CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 09/211,290
FILING DATE: <Unknown>
ATTORNEY/AGENT INFORMATION:
NAME: Maki, David J.
REGISTRATION NUMBER: 31,392
REFERENCE/DOCKET NUMBER: 200124.401D1
TELECOMMUNICATION INFORMATION:
TELEPHONE: (206) 622-4900
TELEFAX: (206) 682-6031
INFORMATION FOR SEQ ID NO: 11:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 11:
US-09-466-036A-11

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 36
US-09-451-905-11
Sequence 11, Application US/09451905
Patent No. 6306613
GENERAL INFORMATION:
APPLICANT: Robert Z. Florikiewicz
APPLICANT: Andrew Baird
APPLICANT: Dale E. Warnock
TITLE OF INVENTION: MODULATORS OF LEADERLESS PROTEIN EXPORT
TITLE OF INVENTION: AND METHODS FOR IDENTIFYING AND USING THE SAME
FILE REFERENCE: 200124.402C4
CURRENT APPLICATION NUMBER: US/09/451,905
CURRENT FILING DATE: 1999-12-01
NUMBER OF SEQ ID NOS: 48
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 11

```
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapien
US-09-451-905-11

Query Match 100.0%; Score 40; DB 3; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 37
US-09-949-016-5960
; Sequence 5960, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 5960
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Human
US-09-949-016-5960

Query Match 100.0%; Score 40; DB 4; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 38
PCT-US91-02339-1
; Sequence 1, Application PC/TUS9102339
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY
; APPLICANT: SLEATH, PAUL
; APPLICANT: KRONHEIM, SHIRLEY
; TITLE OF INVENTION: INTERLEUKIN 1 B PROTEASE
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: IMMUNEX CORPORATION
; STREET: 51 UNIVERSITY STREET
; CITY: SEATTLE
; STATE: WASHINGTON
; COUNTRY: USA
; ZIP: 98101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US91/02339
; FILING DATE: 19910404
; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:
; NAME: OSTER, JEFFREY B.
; REGISTRATION NUMBER: 32,585
; REFERENCE/DOCKET NUMBER: 0401WO
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 2065870430
; TELEFAX: 2065870606
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; ORGANISM: INTERLEUKIN-1B
PCT-US91-02339-1

Query Match 100.0%; Score 40; DB 5; Length 269;
Best Local Similarity 100.0%; Pred. No. 1.6;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119

RESULT 39
US-09-949-016-11362
; Sequence 11362, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 11362
; LENGTH: 298
; TYPE: PRT
; ORGANISM: Human
US-09-949-016-11362

Query Match 100.0%; Score 40; DB 4; Length 298;
Best Local Similarity 100.0%; Pred. No. 1.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 142 YVHDAPV 148

RESULT 40
US-08-203-716-15
; Sequence 15, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
```

; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-203-716-15

Query Match 90.0%; Score 36; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
Db 2 YVHEAPV 8

RESULT 41
US-08-203-716-17
; Sequence 17, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011

; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-203-716-17

Query Match 90.0%; Score 36; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
Db 2 YVHDGPV 8

RESULT 42
US-08-203-716-18
; Sequence 18, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-203-716-18

Query Match 90.0%; Score 36; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
|||

Db 2 YVHDVPV 8

RESULT 43

US-08-440-179-15
; Sequence 15, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; ADDRESSEE: MILNAMOW
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-440-179-15

Query Match 90.0%; Score 36; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDVPV 7
Db 2 YVHEAPV 8

RESULT 44

US-08-440-179-17
; Sequence 17, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; ADDRESSEE: MILNAMOW
; STREET: 180 N. STETSON
; CITY: CHICAGO

STATE: IL
COUNTRY: USA
ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/440,179
FILING DATE: 12-MAY-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/750,644
FILING DATE: 30-AUG-1991
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 17:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-440-179-17

Query Match 90.0%; Score 36; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDVPV 7
Db 2 YVHDGCV 8

RESULT 45

US-08-440-179-18
; Sequence 18, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; ADDRESSEE: MILNAMOW
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011

RESULT 46

US-08-440-179-19
; Sequence 19, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; ADDRESSEE: MILNAMOW
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011

REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 18:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-440-179-18

Query Match 90.0%; Score 36; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
||| |||
Db 2 YVHDVPV 8

RESULT 46
US-09-039-657-15
Sequence 15, Application US/09039657
Patent No. 6136787
GENERAL INFORMATION:
APPLICANT: Black, Roy A.
APPLICANT: Sleath, Paul R.
APPLICANT: Kronheim, Shirley R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/039,657
FILING DATE: 16-MAR-1998
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jr., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 15:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-039-657-15

Query Match 90.0%; Score 36; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
||| |||
Db 2 YVHEAPV 8

RESULT 47
US-09-039-657-17
Sequence 17, Application US/09039657
Patent No. 6136787
GENERAL INFORMATION:
APPLICANT: Black, Roy A.
APPLICANT: Sleath, Paul R.
APPLICANT: Kronheim, Shirley R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/039,657
FILING DATE: 16-MAR-1998
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jr., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 17:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-039-657-17

Query Match 90.0%; Score 36; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
||| |||
Db 2 YVHDGPV 8

RESULT 48
US-09-039-657-18
Sequence 18, Application US/09039657
Patent No. 6136787
GENERAL INFORMATION:
APPLICANT: Black, Roy A.
APPLICANT: Sleath, Paul R.
APPLICANT: Kronheim, Shirley R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/039,657
; FILING DATE: 16-MAR-1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Haley Jr., James F.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: VPI/SW002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-596-9000
; TELEFAX: 212-596-9090
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-09-039-657-18

Query Match 90.0%; Score 36; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.33; Indels 0; Gaps 0;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDPV 7
|||
Db 2 YVHDPV 8

RESULT 49
US-08-203-716-14
; Sequence 14, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; APPLICATION NUMBER: US/07/750,644
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid

; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-203-716-14

Query Match 87.5%; Score 35; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.53; Indels 0; Gaps 0;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDPV 7
|||
Db 2 YVHDPV 8

RESULT 50
US-08-440-179-14
; Sequence 14, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; FILING DATE: 12-MAY-1995
; APPLICATION NUMBER: US/08/440,179
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-440-179-14

Query Match 87.5%; Score 35; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.53; Indels 0; Gaps 0;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDPV 7
|||
Db 2 YVHDPV 8

RESULT 51
US-09-039-657-14
; Sequence 14, Application US/09039657
; Patent No. 6136787
; GENERAL INFORMATION:

APPLICANT: Black, Roy A.
APPLICANT: Sleath, Paul R.
APPLICANT: Kronheim, Shirley R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/039,657
FILING DATE: 16-MAR-1998
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jr., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 14:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-039-657-14

Query Match 87.5%; Score 35; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 0.53;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 YVHDAPV 7
Db 2 YVHNPV 8

RESULT 52
US-08-203-716-23
Sequence 23, Application US/08203716
Patent No. 5416013
GENERAL INFORMATION:
APPLICANT: BLACK, ROY A
APPLICANT: SLEATH, PAUL R
APPLICANT: KRONHEIM, SHIRLEY R
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
STREET: 180 N. STETSON
CITY: CHICAGO
STATE: IL
COUNTRY: USA
ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/203,716
FILING DATE:
CLASSIFICATION: 435

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/750,644
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELECOMMUNICATION INFORMATION:
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 23:
SEQUENCE CHARACTERISTICS:
LENGTH: 6 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-203-716-23
Query Match 82.5%; Score 33; DB 1; Length 6;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
OY 2 VHDAPV 7
Db 1 VHDAPV 6
RESULT 53
US-08-440-179-23
Sequence 23, Application US/08440179
Patent No. 5756465
GENERAL INFORMATION:
APPLICANT: BLACK, ROY A
APPLICANT: SLEATH, PAUL R
APPLICANT: KRONHEIM, SHIRLEY R
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
STREET: 180 N. STETSON
CITY: CHICAGO
STATE: IL
COUNTRY: USA
ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/440,179
FILING DATE: 12-MAY-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/750,644
FILING DATE: 30-AUG-1991
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELECOMMUNICATION INFORMATION:
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 23:
SEQUENCE CHARACTERISTICS:
LENGTH: 6 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-440-179-23

Query Match 82.5%; Score 33; DB 1; Length 6;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
Db 1 VHDAPV 6

RESULT 54
US-09-039-657-23
; Sequence 23, Application US/09039657
; Patent No. 6136787
; GENERAL INFORMATION:
; APPLICANT: Black, Roy A.
; APPLICANT: Sleath, Paul R.
; APPLICANT: Kronheim, Shirley R.
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
; TITLE OF INVENTION: 1B PROTEASE INHIBITORS
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & NEAVE
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10020
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/039,657
; FILING DATE: 16-MAR-1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Haley Jr., James F.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: VPI/SW002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-596-9000
; TELEFAX: 212-596-9090
; INFORMATION FOR SEQ ID NO: 23:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 6 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-039-657-23

Query Match 82.5%; Score 33; DB 3; Length 6;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
Db 1 VHDAPV 6

RESULT 55
US-08-203-716-16
; Sequence 16, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:

; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; LOCATION: 4
; IDENTIFICATION METHOD: Xaa = D-Asp
US-08-203-716-16

Query Match 82.5%; Score 33; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHXAPV 8

RESULT 56
US-08-440-179-16
; Sequence 16, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424

; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; LOCATION: 4
; IDENTIFICATION METHOD: Xaa = D-Asp
US-08-440-179-16

Query Match 82.5%; Score 33; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHXAPV 8

RESULT 57
US-09-039-657-16
; Sequence 16, Application US/09039657
; Patent No. 6136787
; GENERAL INFORMATION:
; APPLICANT: Black, Roy A.
; APPLICANT: Sleath, Paul R.
; APPLICANT: Kronheim, Shirley R.
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
; TITLE OF INVENTION: 1B PROTEASE INHIBITORS
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & NEAVE
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10020
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/039,657
; FILING DATE: 16-MAR-1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Haley Jr., James F.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: VPI/SW002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-596-9000
; TELEFAX: 212-596-9090
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:

; NAME/KEY: Modified-site
; LOCATION: 5
; OTHER INFORMATION: /product= "D-Asp"
US-09-039-657-16

Query Match 82.5%; Score 33; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 1.4;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHXAPV 8

RESULT 58
US-08-203-716-20
; Sequence 20, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: Black, Roy A.
; APPLICANT: Sleath, Paul R.
; APPLICANT: Kronheim, Shirley R.
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/203,716
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/750,644
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 20:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-203-716-20

Query Match 80.0%; Score 32; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 2.2;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 2 YVHDAV 8

RESULT 59
US-08-440-179-20
; Sequence 20, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:

APPLICANT: BLACK, ROY A
APPLICANT: SLEATH, PAUL R
APPLICANT: KRONHEIM, SHIRLEY R
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
ADDRESSEE: MILINAWOW
STREET: 180 N. STETSON
CITY: CHICAGO
STATE: IL
COUNTRY: USA
ZIP: 60601
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.24
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/440,179
FILING DATE: 12-MAY-1995
CLASSIFICATION: 424
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/750,644
FILING DATE: 30-AUG-1991
ATTORNEY/AGENT INFORMATION:
NAME: KATZ, MARTIN L.
REGISTRATION NUMBER: 25011
REFERENCE/DOCKET NUMBER: IMMUNEX2108
TELECOMMUNICATION INFORMATION:
TELEPHONE: 3126165400
TELEFAX: 3126165460
TELEX: 9102211206
INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-440-179-20

Query Match 80.0%; Score 32; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 2.2;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 YVHDAVP 7
Db 2 YVHDAAV 8
|||||

RESULT 60
US-09-039-657-20
Sequence 20, Application US/09039657
Patent No. 6136787
GENERAL INFORMATION:
APPLICANT: Black, Roy A.
APPLICANT: Sleath, Paul R.
APPLICANT: Kronheim, Shirley R.
TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
TITLE OF INVENTION: 1B PROTEASE INHIBITORS
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: FISH & NEAVE
STREET: 1251 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10020
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30

CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/039,657
FILING DATE: 16-MAR-1998
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Haley Jr., James F.
REGISTRATION NUMBER: 27,794
REFERENCE/DOCKET NUMBER: VPI/SW002
TELECOMMUNICATION INFORMATION:
TELEPHONE: 212-596-9000
TELEFAX: 212-596-9090
INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS:
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-039-657-20

Query Match 80.0%; Score 32; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 2.2;
Matches 6; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 YVHDAVP 7
Db 2 YVHDAAV 8
|||||

RESULT 61
US-09-134-001C-4198
Sequence 4198, Application US/09134001C
Patent No. 6380370
GENERAL INFORMATION:
APPLICANT: Lynn Doucette-Stamm et al
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO STAPHYLOCOCCUS
TITLE OF INVENTION: EPIDERMIDIS FOR DIAGNOSTICS AND THERAPEUTICS
FILE REFERENCE: GTC-007
CURRENT APPLICATION NUMBER: US/09/134,001C
CURRENT FILING DATE: 1998-08-13
PRIOR APPLICATION NUMBER: US 60/064,964
PRIOR FILING DATE: 1997-11-08
PRIOR APPLICATION NUMBER: US 60/055,779
PRIOR FILING DATE: 1997-08-14
NUMBER OF SEQ ID NOS: 5674
SEQ ID NO 4198
LENGTH: 223
TYPE: PRT
ORGANISM: Staphylococcus epidermidis
US-09-134-001C-4198

Query Match 80.0%; Score 32; DB 3; Length 223;
Best Local Similarity 57.1%; Pred. No. 56;
Matches 4; Conservative 2; Mismatches 1; Indels 1; Gaps 0;

QY 1 YVHDAVP 7
Db 171 YVHDFPI 177
|:|:|

RESULT 62
US-09-134-000C-5643
Sequence 5643, Application US/09134000C
Patent No. 6617156
GENERAL INFORMATION:
APPLICANT: Lynn Doucette-Stamm et al
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO
TITLE OF INVENTION: ENTEROCOCCUS FAECALIS FOR DIAGNOSTICS AND THERAPEUTICS
FILE REFERENCE: 032796-032
CURRENT APPLICATION NUMBER: US/09/134,000C
CURRENT FILING DATE: 1998-08-13
PRIOR APPLICATION NUMBER: US 60/055,778
PRIOR FILING DATE: 1997-08-15

```
; NUMBER OF SEQ ID NOS: 6812
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 5643
; LENGTH: 422
; TYPE: PRT
; ORGANISM: Enterococcus faecalis
US-09-134-000C-5643

Query Match      80.0%; Score 32; DB 4; Length 422;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY      2 VHDAPV 7
Db      295 IHDAVP 300

RESULT 63
US-09-437-054A-8
; Sequence 8, Application US/09437054A
; Patent No. 6316698
; GENERAL INFORMATION:
; APPLICANT: Allen, Stephen M.
; APPLICANT: Kinney, Anthony J.
; TITLE OF INVENTION: Plant Alpha-Glucosidase II Homologs
; FILE REFERENCE: BB1273 US NA
; CURRENT APPLICATION NUMBER: US/09/437,054A
; CURRENT FILING DATE: 2001-05-14
; PRIOR APPLICATION NUMBER: 60/107,909
; PRIOR FILING DATE: 1998-No. 6316698ember-10
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Microsoft Office 97
; SEQ ID NO 8
; LENGTH: 914
; TYPE: PRT
; ORGANISM: Glycine max
US-09-437-054A-8

Query Match      80.0%; Score 32; DB 3; Length 914;
Best Local Similarity 66.7%; Pred. No. 2.5e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAP 6
Db      257 YIHDSF 262

RESULT 64
US-08-203-716-19
; Sequence 19, Application US/08203716
; Patent No. 5416013
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-440-179-19

; NUMBER OF SEQ ID NOS: 6812
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 5643
; LENGTH: 422
; TYPE: PRT
; ORGANISM: Enterococcus faecalis
US-09-134-000C-5643

Query Match      80.0%; Score 32; DB 4; Length 422;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY      2 VHDAPV 7
Db      295 IHDAVP 300

RESULT 63
US-09-437-054A-8
; Sequence 8, Application US/09437054A
; Patent No. 6316698
; GENERAL INFORMATION:
; APPLICANT: Allen, Stephen M.
; APPLICANT: Kinney, Anthony J.
; TITLE OF INVENTION: Plant Alpha-Glucosidase II Homologs
; FILE REFERENCE: BB1273 US NA
; CURRENT APPLICATION NUMBER: US/09/437,054A
; CURRENT FILING DATE: 2001-05-14
; PRIOR APPLICATION NUMBER: 60/107,909
; PRIOR FILING DATE: 1998-No. 6316698ember-10
; NUMBER OF SEQ ID NOS: 19
; SOFTWARE: Microsoft Office 97
; SEQ ID NO 8
; LENGTH: 914
; TYPE: PRT
; ORGANISM: Glycine max
US-09-437-054A-8

Query Match      77.5%; Score 31; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 3.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
Db      2 YVFDAPV 8

RESULT 65
US-08-440-179-19
; Sequence 19, Application US/08440179
; Patent No. 5756465
; GENERAL INFORMATION:
; APPLICANT: BLACK, ROY A
; APPLICANT: SLEATH, PAUL R
; APPLICANT: KRONHEIM, SHIRLEY R
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DRESSLER, GOLDSMITH, SHORE, SUTKER &
; ADDRESSEE: MILNAMOW
; STREET: 180 N. STETSON
; CITY: CHICAGO
; STATE: IL
; COUNTRY: USA
; ZIP: 60601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,179
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/750,644
; FILING DATE: 30-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: KATZ, MARTIN L.
; REGISTRATION NUMBER: 25011
; REFERENCE/DOCKET NUMBER: IMMUNEX2108
; TELEPHONE: 3126165400
; TELEFAX: 3126165460
; TELEX: 9102211206
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-440-179-19
```

Query Match 77.5%; Score 31; DB 1; Length 10;
Best Local Similarity 85.7%; Pred. No. 3.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 2 YVFDAPV 8

RESULT 66

US-09-039-657-19
; Sequence 19, Application US/09039657
; Patent No. 6136787
; GENERAL INFORMATION:
; APPLICANT: Black, Roy A.
; APPLICANT: Sleath, Paul R.
; APPLICANT: Kronheim, Shirley R.
; TITLE OF INVENTION: INTERLEUKIN 1B PROTEASE AND INTERLEUKIN
; TITLE OF INVENTION: 1B PROTEASE INHIBITORS
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: FISH & NEAVE
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10020
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/039,657
; FILING DATE: 16-MAR-1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Haley Jr., James F.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: VPI/SW002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-596-9000
; TELEFAX: 212-596-9090
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-039-657-19

Query Match 77.5%; Score 31; DB 3; Length 10;
Best Local Similarity 85.7%; Pred. No. 3.5;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 2 YVFDAPV 8

RESULT 67

US-10-179-784-20
; Sequence 20, Application US/10179784
; Patent No. 6787341
; GENERAL INFORMATION:
; APPLICANT: Shuman, Stewart
; APPLICANT: Striskanda, Verl
; TITLE OF INVENTION: Pharmacological Targeting of Bacterial DNA Ligase
; TITLE OF INVENTION: For Treatment And Prevention of Bacterial Infections
; FILE REFERENCE: D6468
; CURRENT APPLICATION NUMBER: US/10/179,784

; CURRENT FILING DATE: 2002-06-24
; PRIOR APPLICATION NUMBER: US 60/300,727
; PRIOR FILING DATE: 2001-06-24
; NUMBER OF SEQ ID NOS: 41
; SEQ ID NO 20
; LENGTH: 60
; TYPE: PRT
; ORGANISM: Mycobacterium leprae
; FEATURE:
; NAME/KEY: DOMAIN
; OTHER INFORMATION: domain Ia of NAD+-dependent DNA ligase
US-10-179-784-20

Query Match 77.5%; Score 31; DB 4; Length 60;
Best Local Similarity 71.4%; Pred. No. 23;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 15 YVRDAPV 21

RESULT 68

US-10-179-784-22
; Sequence 22, Application US/10179784
; Patent No. 6787341
; GENERAL INFORMATION:
; APPLICANT: Shuman, Stewart
; APPLICANT: Striskanda, Verl
; TITLE OF INVENTION: Pharmacological Targeting of Bacterial DNA Ligase
; TITLE OF INVENTION: For Treatment And Prevention of Bacterial Infections
; FILE REFERENCE: D6468
; CURRENT APPLICATION NUMBER: US/10/179,784
; CURRENT FILING DATE: 2002-06-24
; PRIOR APPLICATION NUMBER: US 60/300,727
; PRIOR FILING DATE: 2001-06-24
; NUMBER OF SEQ ID NOS: 41
; SEQ ID NO 22
; LENGTH: 60
; TYPE: PRT
; ORGANISM: Mycobacterium tuberculosis
; FEATURE:
; NAME/KEY: DOMAIN
; OTHER INFORMATION: domain Ia of NAD+-dependent DNA ligase
US-10-179-784-22

Query Match 77.5%; Score 31; DB 4; Length 60;
Best Local Similarity 71.4%; Pred. No. 23;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAV 7
Db 15 YVRDAPV 21

RESULT 69

US-09-543-681A-8321
; Sequence 8321, Application US/09543681A
; Patent No. 6605709
; GENERAL INFORMATION:
; APPLICANT: GARY BRETON
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PROTEUS MIRABILIS
; TITLE OF INVENTION: DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709,1002-001
; CURRENT APPLICATION NUMBER: US/09/543,681A
; CURRENT FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 60/128,706
; PRIOR FILING DATE: 1999-04-09
; NUMBER OF SEQ ID NOS: 8344
; SEQ ID NO 8321
; LENGTH: 481
; TYPE: PRT
; ORGANISM: Proteus mirabilis

US-09-543-681A-8321

Query Match 77.5%; Score 31; DB 4; Length 481;
Best Local Similarity 71.4%; Pred. No. 26+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|.:|:|:|
Db 5 YMHAPV 11

RESULT 70

US-09-252-991A-23149
; Sequence 23149, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
; APPLICANT: Marc J. Rubenfield et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
; FILE REFERENCE: 107196.136
; CURRENT APPLICATION NUMBER: US/09/252,991A
; CURRENT FILING DATE: 1999-02-18
; PRIOR APPLICATION NUMBER: US 60/074,788
; PRIOR FILING DATE: 1998-02-18
; PRIOR APPLICATION NUMBER: US 60/094,190
; PRIOR FILING DATE: 1998-07-27
; NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 23149
; LENGTH: 1090
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa

US-09-252-991A-23149

Query Match 77.5%; Score 31; DB 4; Length 1090;
Best Local Similarity 83.3%; Pred. No. 4.7e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|:|
Db 753 YFHDAP 758

RESULT 71

US-10-179-784-9
; Sequence 9, Application US/10179784
; Patent No. 6787341
; GENERAL INFORMATION:
; APPLICANT: Shuman, Stewart
; APPLICANT: Sriekanda, Veri
; TITLE OF INVENTION: Pharmacological Targeting of Bacterial DNA Ligase
; FILE REFERENCE: D6468
; CURRENT APPLICATION NUMBER: US/10/179,784
; CURRENT FILING DATE: 2002-06-24
; PRIOR APPLICATION NUMBER: US 60/300,727
; PRIOR FILING DATE: 2001-06-24
; NUMBER OF SEQ ID NOS: 41
; SEQ ID NO 9
; LENGTH: 60
; TYPE: PRT
; ORGANISM: Bordetella pertussis
; FEATURE:
; NAME/KEY: DOMAIN
; OTHER INFORMATION: domain Ia of NAD+-dependent DNA ligase

US-10-179-784-9

Query Match 75.0%; Score 30; DB 4; Length 60;
Best Local Similarity 83.3%; Pred. No. 36;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|:|
Db 15 YVHDDP 20

RESULT 72

US-09-270-767-57481
; Sequence 57481, Application US/09270767
; Patent No. 6703491
; GENERAL INFORMATION:
; APPLICANT: Homburger et al.
; TITLE OF INVENTION: Nucleic acids and proteins of Drosophila melanogaster
; FILE REFERENCE: File Reference: 7326-094
; CURRENT APPLICATION NUMBER: US/09/270,767
; CURRENT FILING DATE: 1999-03-17
; NUMBER OF SEQ ID NOS: 62517
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 57481
; LENGTH: 221
; TYPE: PRT
; ORGANISM: Drosophila melanogaster

US-09-270-767-57481

Query Match 75.0%; Score 30; DB 4; Length 221;
Best Local Similarity 71.4%; Pred. No. 1.4e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 51 YVHDAGI 57

RESULT 73

US-09-270-767-42208
; Sequence 42208, Application US/09270767
; Patent No. 6703491
; GENERAL INFORMATION:
; APPLICANT: Homburger et al.
; TITLE OF INVENTION: Nucleic acids and proteins of Drosophila melanogaster
; FILE REFERENCE: File Reference: 7326-094
; CURRENT APPLICATION NUMBER: US/09/270,767
; CURRENT FILING DATE: 1999-03-17
; NUMBER OF SEQ ID NOS: 62517
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 42208
; LENGTH: 338
; TYPE: PRT
; ORGANISM: Drosophila melanogaster

US-09-270-767-42208

Query Match 75.0%; Score 30; DB 4; Length 338;
Best Local Similarity 71.4%; Pred. No. 2.2e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 168 YVHDAGI 174

RESULT 74

US-09-252-991A-21629
; Sequence 21629, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
; APPLICANT: Marc J. Rubenfield et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
; FILE REFERENCE: 107196.136
; CURRENT APPLICATION NUMBER: US/09/252,991A
; CURRENT FILING DATE: 1999-02-18
; PRIOR APPLICATION NUMBER: US 60/074,788
; PRIOR FILING DATE: 1998-02-18
; PRIOR APPLICATION NUMBER: US 60/094,190
; PRIOR FILING DATE: 1998-07-27
; NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 21629

US-09-252-991A-21629

```
; LENGTH: 548
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-09-252-991A-21629

Query Match          75.0%; Score 30; DB 4; Length 548;
Best Local Similarity 66.7%; Pred. No. 3.7e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|
|:|:|
Db 468 YLHDSF 473

RESULT 75
US-09-543-681A-4969
; Sequence 4969, Application US/09543681A
; Patent No. 5605709
; GENERAL INFORMATION:
; APPLICANT: GARY BRETON
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PROTEUS MIRABILIS
; FILE REFERENCE: 2709.1002-001
; CURRENT APPLICATION NUMBER: US/09/543,681A
; CURRENT FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 60/128,706
; PRIOR FILING DATE: 1999-04-09
; NUMBER OF SEQ ID NOS: 8344
; SEQ ID NO 4969
; LENGTH: 700
; TYPE: PRT
; ORGANISM: Proteus mirabilis
US-09-543-681A-4969

Query Match          75.0%; Score 30; DB 4; Length 700;
Best Local Similarity 83.3%; Pred. No. 4.8e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|
|:|:|
Db 471 YQHDAP 476

RESULT 76
US-08-062-368-4
; Sequence 4, Application US/08062368
; Patent No. 5491086
; GENERAL INFORMATION:
; APPLICANT: Gelfand, David H.
; APPLICANT: Wang, Alice M.
; TITLE OF INVENTION: Purified Thermostable Nucleic Acid
; TITLE OF INVENTION: Polymerases Enzyme From Pyrodictium Species
; NUMBER OF SEQUENCES: 35
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hoffmann-La Roche Inc.
; STREET: 340 Kingsland Street
; CITY: Nutley
; STATE: New Jersey
; COUNTRY: U.S.A.
; ZIP: 07110
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/062,368
; FILING DATE: 19930514
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Sias Ph.D., Stacey R.
; REGISTRATION NUMBER: 32,630
; REFERENCE/DOCKET NUMBER: 8584
```

```
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 814-2863
; TELEFAX: (510) 814-2977
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 803 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
US-08-062-368-4

Query Match          75.0%; Score 30; DB 1; Length 803;
Best Local Similarity 83.3%; Pred. No. 5.5e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|
|:|:|
Db 705 YEHDAF 710

RESULT 77
US-09-540-236-3443
; Sequence 3443, Application US/09540236
; Patent No. 6673910
; GENERAL INFORMATION:
; APPLICANT: Gary L. Breton et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO MORAXELLA CATARACTALIS
; FILE REFERENCE: 2709.2005-001
; CURRENT APPLICATION NUMBER: US/09/540,236
; CURRENT FILING DATE: 2000-04-04
; NUMBER OF SEQ ID NOS: 3840
; SEQ ID NO 3443
; LENGTH: 816
; TYPE: PRT
; ORGANISM: M. catarrhalis
US-09-540-236-3443

Query Match          75.0%; Score 30; DB 4; Length 816;
Best Local Similarity 57.1%; Pred. No. 5.6e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAFV 7
|:|:|
|:|:|
Db 797 YIEDAFI 803

RESULT 78
US-08-354-685-4
; Sequence 4, Application US/08354685
; Patent No. 5498695
; GENERAL INFORMATION:
; APPLICANT: Daumy, Gaston O.
; APPLICANT: Reiter, Lawrence A.
; TITLE OF INVENTION: PARA-NITROANILIDE PEPTIDES
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dr. Peter C. Richardson
; STREET: 235 East 42nd Street, 20th Floor
; CITY: New York
; STATE: New York
; COUNTRY: U.S.A.
; ZIP: 10017-5755
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/354,685
; FILING DATE:
; CLASSIFICATION: 530
```

; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 981,153
; FILING DATE: 24-NOV-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Strassburger, Philip C.
; REGISTRATION NUMBER: 34,258
; REFERENCE/DOCKET NUMBER: PC8352
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)573-5731
; TELEFAX: (212)573-1939
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 5 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-354-685-4

Query Match 72.5%; Score 29; DB 1; Length 5;
Best Local Similarity 100.0%; Pred. No. 4.1e+05;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDA 5
|||
Db 1 YVHDA 5

RESULT 79
US-09-902-540-14474
; Sequence 14474, Application US/09902540
; Patent No. 6833447
; GENERAL INFORMATION:
; APPLICANT: Goldman, Barry S.
; APPLICANT: Hinkle, Gregory J.
; APPLICANT: Slater, Steven C.
; APPLICANT: Wiegand, Roger C.
; TITLE OF INVENTION: Myxococcus xanthus Genome Sequences and Uses Thereof
; FILE REFERENCE: 38-10(15849)B
; CURRENT APPLICATION NUMBER: US/09/902,540
; CURRENT FILING DATE: 2001-07-10
; PRIOR APPLICATION NUMBER: 60/217,883
; PRIOR FILING DATE: 2000-07-10
; NUMBER OF SEQ ID NOS: 16825
; SEQ ID NO 14474
; LENGTH: 97
; TYPE: PRT
; ORGANISM: Myxococcus xanthus
; US-09-902-540-14474

Query Match 72.5%; Score 29; DB 4; Length 97;
Best Local Similarity 100.0%; Pred. No. 96;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
|||
Db 5 HDAPV 9

RESULT 80
US-09-281-760B-36
; Sequence 36, Application US/09281760E
; Patent No. 6734287
; GENERAL INFORMATION:
; APPLICANT: Lawton, Robert
; APPLICANT: Mermer, Brian
; APPLICANT: Francoeur, Greg
; TITLE OF INVENTION: Specific Binding Protein for Treating
; TITLE OF INVENTION: Canine Allergy
; FILE REFERENCE: 01-1275A
; CURRENT APPLICATION NUMBER: US/09/281,760E
; CURRENT FILING DATE: 1999-03-30
; PRIOR APPLICATION NUMBER: 09/058,331

; PRIOR FILING DATE: 1998-04-09
; NUMBER OF SEQ ID NOS: 39
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 36
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Canis familiaris
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (136)..(136)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (413)..(414)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (451)..(451)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (460)..(462)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (500)..(500)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (530)..(530)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (568)..(568)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (847)..(849)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (853)..(853)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1382)..(1382)
; OTHER INFORMATION: "n" stands for any nucleic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1832)..(1832)
; OTHER INFORMATION: "n" stands for any nucleic acid
; US-09-281-760E-36

Query Match 72.5%; Score 29; DB 4; Length 107;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|||
Db 19 YVHKAP 24

RESULT 81
US-09-252-991A-23454
; Sequence 23454, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
; APPLICANT: Marc J. Rubenfield et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
; TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 107196.136
; CURRENT APPLICATION NUMBER: US/09/252,991A
; CURRENT FILING DATE: 1999-02-18

; PRIOR APPLICATION NUMBER: US 60/074,788
; PRIOR FILING DATE: 1998-02-18
; PRIOR APPLICATION NUMBER: US 60/094,190
; PRIOR FILING DATE: 1998-07-27
; NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 23454
; LENGTH: 121
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-09-252-991A-23454

Query Match 72.5%; Score 29; DB 4; Length 121;
Best Local Similarity 100.0%; Pred. No. 1.2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDA 5
|||
Db 101 YVHDA 105

RESULT 82
US-09-543-681A-5202
; Sequence 5202, Application US/09543681A
; Patent No. 6605709
; GENERAL INFORMATION:
; APPLICANT: GARY BRETON
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PROTEUS MIRABILIS
; TITLE OF INVENTION: DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.1002-001
; CURRENT APPLICATION NUMBER: US/09/543,681A
; CURRENT FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 60/128,706
; PRIOR FILING DATE: 1999-04-09
; NUMBER OF SEQ ID NOS: 8344
; SEQ ID NO 5202
; LENGTH: 145
; TYPE: PRT
; ORGANISM: Proteus mirabilis
US-09-543-681A-5202

Query Match 72.5%; Score 29; DB 4; Length 145;
Best Local Similarity 57.1%; Pred. No. 1.5e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHADPV 7
|:|:|
Db 136 YLHETPV 142

RESULT 83
US-09-252-991A-20957
; Sequence 20957, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
; APPLICANT: Marc J. Rubenfield et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
; TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 107196.136
; CURRENT APPLICATION NUMBER: US/09/252,991A
; CURRENT FILING DATE: 1999-02-18
; PRIOR APPLICATION NUMBER: US 60/074,788
; PRIOR FILING DATE: 1998-02-18
; PRIOR APPLICATION NUMBER: US 60/094,190
; PRIOR FILING DATE: 1998-07-27
; NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 20957
; LENGTH: 178
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-09-252-991A-20957

Query Match 72.5%; Score 29; DB 4; Length 178;
Best Local Similarity 100.0%; Pred. No. 1.8e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 3 HDAPV 7
|||
Db 166 HDAPV 170

RESULT 84
US-09-107-532A-7290
; Sequence 7290, Application US/09107532A
; Patent No. 6583275
; GENERAL INFORMATION:
; APPLICANT: Lynn A Doucette-Stamm and David Bush
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO
; ENTEROCOCCUS FAECIUM FOR DIAGNOSTICS AND THERAPEUTICS
; NUMBER OF SEQUENCES: 7310
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: GENOME THERAPEUTICS CORPORATION
; STREET: 100 Beaver Street
; CITY: Waltham
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02354
; COMPUTER READABLE FORM:
; MEDIUM TYPE: CD-ROM ISO9660
; COMPUTER: PC
; OPERATING SYSTEM: <Unknown>
; SOFTWARE: ASCII
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/107,532A
; FILING DATE: 30-Jun-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/085,598
; FILING DATE: 14 May 1998
; APPLICATION NUMBER: 60/051571
; FILING DATE: July 2, 1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Ariniello, Pamela Deneke
; REGISTRATION NUMBER: 40,489
; REFERENCE/DOCKET NUMBER: GTC-012
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (781)893-5007
; TELEFAX: (781)893-8277
; INFORMATION FOR SEQ ID NO: 7290:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 179 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: YES
; ORIGINAL SOURCE:
; ORGANISM: Enterococcus faecium
; FEATURE:
; NAME/KEY: misc feature
; LOCATION: (8) LOCATION 1...179
; SEQUENCE DESCRIPTION: SEQ ID NO: 7290:
US-09-107-532A-7290

Query Match 72.5%; Score 29; DB 4; Length 179;
Best Local Similarity 100.0%; Pred. No. 1.8e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
|||
Db 72 HDAPV 76

RESULT 85
US-09-252-991A-19320
; Sequence 19320, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
; APPLICANT: Marc J. Rubenfield et al.

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
; TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 107196.136
; CURRENT APPLICATION NUMBER: US/09/252,991A
; PRIOR FILING DATE: 1999-02-18
; CURRENT APPLICATION NUMBER: US 60/074,788
; PRIOR FILING DATE: 1998-02-18
; PRIOR APPLICATION NUMBER: US 60/094,190
; PRIOR FILING DATE: 1998-07-27
; NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 19320
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
; FEATURE:
; NAME/KEY: UNSURE
; LOCATION: (163), (164), (167), (169), (170), (171)
; OTHER INFORMATION: Identity of amino acid at the above locations are unknown.
US-09-252-991A-19320

Query Match 72.5%; Score 29; DB 4; Length 183;
Best Local Similarity 100.0%; Pred. No. 1.9e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAP 6
| | | | |
Db 174 VHDAP 178

RESULT 86
US-09-949-016-7376
; Sequence 7376, Application US/09949016
; Patent No. 6812339
; GENERAL INFORMATION:
; APPLICANT: VENTER, J. Craig et al.
; TITLE OF INVENTION: POLYMORPHISMS IN KNOWN GENES ASSOCIATED
; TITLE OF INVENTION: WITH HUMAN DISEASE, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001307
; CURRENT APPLICATION NUMBER: US/09/949,016
; CURRENT FILING DATE: 2000-04-14
; PRIOR APPLICATION NUMBER: 60/241,755
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 60/237,768
; PRIOR FILING DATE: 2000-10-03
; PRIOR APPLICATION NUMBER: 60/231,498
; PRIOR FILING DATE: 2000-09-08
; NUMBER OF SEQ ID NOS: 207012
; SOFTWARE: Fast-SEQ for Windows Version 4.0
; SEQ ID NO 7376
; LENGTH: 205
; TYPE: PRT
; ORGANISM: Human
US-09-949-016-7376

Query Match 72.5%; Score 29; DB 4; Length 205;
Best Local Similarity 100.0%; Pred. No. 2.1e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAP 6
| | | | |
Db 190 VHDAP 194

RESULT 87
US-08-417-822A-2
; Sequence 2, Application US/08417822A
; Patent No. 5639454
; GENERAL INFORMATION:
; APPLICANT: Suzanne M. Thiem
; TITLE OF INVENTION: Recombinant Baculovirus
; TITLE OF INVENTION: With Broad Host Range
; NUMBER OF SEQUENCES: 2
; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Ian C. McLeod
; STREET: 2190 Commons Parkway
; CITY: Okemos
; STATE: Michigan
; COUNTRY: USA
; ZIP: 48864
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 5.25 inch, 360 Kb
; MEDIUM TYPE: storage
; COMPUTER: Acer
; OPERATING SYSTEM: MS-DOS 5.00
; SOFTWARE: Wordperfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/417,822A
; FILING DATE: April 6, 1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Ian C. McLeod
; REGISTRATION NUMBER: 20,931
; REFERENCE/DOCKET NUMBER: MSU 4.1-241
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (517) 347-4100
; TELEFAX: (517) 347-4103
; TELEX: No. 5639454e
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 218
; TYPE: Amino Acid
; STRANDEDNESS: Single
; TOPOLOGY: Linear
; MOLECULE TYPE: DNA
; HYPOTHETICAL: NO
; ANTI-SENSE: No
; FRAGMENT TYPE:
; ORIGINAL SOURCE:
; ORGANISM: Lymantria dispar
; STRAIN: N/A
; INDIVIDUAL ISOLATE: N/A
; DEVELOPMENTAL STAGE: N/A
; HAPLOTYPE: N/A
; TISSUE TYPE: N/A
; CELL TYPE: N/A
; CELL LINE: N/A
; ORGANELLE: N/A
; IMMEDIATE SOURCE: N/A
; POSITION IN GENOME: N/A
; FEATURE:
; NAME/KEY: protein encoded by DNA
; LOCATION:
; IDENTIFICATION METHOD: sequencing
; OTHER INFORMATION: protein
; OTHER INFORMATION: for increasing host
; OTHER INFORMATION: range encoded by SEQ ID NO:1
; PUBLICATION INFORMATION:
US-08-417-822A-2

Query Match 72.5%; Score 29; DB 1; Length 218;
Best Local Similarity 57.1%; Pred. No. 2.2e+02;
Matches 4; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 108 YAHGDFL 114

RESULT 88
US-09-252-991A-28448
; Sequence 28448, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:

APPLICANT: Marc J. Rubenfield et al.
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
FILE REFERENCE: 107196.136
CURRENT APPLICATION NUMBER: US/09/252.991A
CURRENT FILING DATE: 1999-02-18
PRIOR APPLICATION NUMBER: US 60/074,788
PRIOR FILING DATE: 1998-02-18
PRIOR APPLICATION NUMBER: US 60/094,190
PRIOR FILING DATE: 1998-07-27
NUMBER OF SEQ ID NOS: 33142
SEQ ID NO 28448
LENGTH: 242
TYPE: PRT
ORGANISM: Pseudomonas aeruginosa
US-09-252-991A-28448

Query Match 72.5%; Score 29; DB 4; Length 242;
Best Local Similarity 100.0%; Pred. No. 2.5e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
|||
Db 79 HDAPV 83

RESULT 89
US-09-489-039A-9197
Sequence 9197, Application US/09489039A
Patent No. 6610836
GENERAL INFORMATION:
APPLICANT: Gary Breton et. al
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
FILE REFERENCE: 2709.2004001
CURRENT APPLICATION NUMBER: US/09/489,039A
CURRENT FILING DATE: 2000-01-27
PRIOR APPLICATION NUMBER: US 60/117,747
PRIOR FILING DATE: 1999-01-29
NUMBER OF SEQ ID NOS: 14342
SEQ ID NO 9197
LENGTH: 245
TYPE: PRT
ORGANISM: Klebsiella pneumoniae
US-09-489-039A-9197

Query Match 72.5%; Score 29; DB 4; Length 245;
Best Local Similarity 100.0%; Pred. No. 2.5e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAP 6
|||
Db 86 VHDAP 90

RESULT 90
US-09-489-039A-7881
Sequence 7881, Application US/09489039A
Patent No. 6610836
GENERAL INFORMATION:
APPLICANT: Gary Breton et. al
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
FILE REFERENCE: 2709.2004001
CURRENT APPLICATION NUMBER: US/09/489,039A
CURRENT FILING DATE: 2000-01-27
PRIOR APPLICATION NUMBER: US 60/117,747
PRIOR FILING DATE: 1999-01-29
NUMBER OF SEQ ID NOS: 14342
SEQ ID NO 7881
LENGTH: 254
TYPE: PRT
ORGANISM: Klebsiella pneumoniae

US-09-489-039A-7881

Query Match 72.5%; Score 29; DB 4; Length 254;
Best Local Similarity 100.0%; Pred. No. 2.6e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
|||
Db 84 HDAPV 88

RESULT 91
US-09-724-797-12
Sequence 12, Application US/09724797
Patent No. 6733998
GENERAL INFORMATION:
APPLICANT: Jon S. THORSON
TITLE OF INVENTION: MICROMONOSPORA ECHINOSPORA GENES
TITLE OF INVENTION: ENCODING FOR BIOSYNTHESIS OF
TITLE OF INVENTION: CALICHEAMICIN AND SELF-RESISTANCE THERETO
FILE REFERENCE: 2653-40
CURRENT APPLICATION NUMBER: US/09/724,797
CURRENT FILING DATE: 2000-11-28
PRIOR APPLICATION NUMBER: 60/111,325
PRIOR FILING DATE: 1998-12-07
NUMBER OF SEQ ID NOS: 95
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 12
LENGTH: 263
TYPE: PRT
ORGANISM: Bacteria
US-09-724-797-12

Query Match 72.5%; Score 29; DB 4; Length 263;
Best Local Similarity 66.7%; Pred. No. 2.7e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
:|:|:
Db 18 FVHDSP 23

RESULT 92
US-09-489-039A-13000
Sequence 13000, Application US/09489039A
Patent No. 6610836
GENERAL INFORMATION:
APPLICANT: Gary Breton et. al
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA
FILE REFERENCE: 2709.2004001
CURRENT APPLICATION NUMBER: US/09/489,039A
CURRENT FILING DATE: 2000-01-27
PRIOR APPLICATION NUMBER: US 60/117,747
PRIOR FILING DATE: 1999-01-29
NUMBER OF SEQ ID NOS: 14342
SEQ ID NO 13000
LENGTH: 274
TYPE: PRT
ORGANISM: Klebsiella pneumoniae
US-09-489-039A-13000

Query Match 72.5%; Score 29; DB 4; Length 274;
Best Local Similarity 100.0%; Pred. No. 2.8e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
|||
Db 127 HDAPV 131

RESULT 93
US-09-248-796A-17294

```
; Sequence 17294, Application US/09248796A
; Patent No. 6747137
; GENERAL INFORMATION:
; APPLICANT: Keith Weinstock et al
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO CANDIDA ALBICAN
; TITLE OF INVENTION: FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 107196.132
; CURRENT APPLICATION NUMBER: US/09/248,796A
; CURRENT FILING DATE: 1999-02-12
; PRIOR APPLICATION NUMBER: US 60/074,725
; PRIOR FILING DATE: 1998-02-13
; PRIOR APPLICATION NUMBER: US 60/096,409
; PRIOR FILING DATE: 1998-08-13
; NUMBER OF SEQ ID NOS: 28208
; SEQ ID NO 17294
; LENGTH: 289
; TYPE: PRT
; ORGANISM: Candida albicans
US-09-248-796A-17294

Query Match          72.5%; Score 29; DB 4; Length 289;
Best Local Similarity 85.7%; Pred. No. 3e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
Db      208 YVIDAPV 214

RESULT 94
US-09-270-767-33591
; Sequence 33591, Application US/09270767
; Patent No. 6703491
; GENERAL INFORMATION:
; APPLICANT: Homburger et al.
; TITLE OF INVENTION: Nucleic acids and proteins of Drosophila melanogaster
; FILE REFERENCE: File Reference: 7326-094
; CURRENT APPLICATION NUMBER: US/09/270,767
; CURRENT FILING DATE: 1999-03-17
; NUMBER OF SEQ ID NOS: 62517
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 33591
; LENGTH: 296
; TYPE: PRT
; ORGANISM: Drosophila melanogaster
US-09-270-767-33591

Query Match          72.5%; Score 29; DB 4; Length 296;
Best Local Similarity 100.0%; Pred. No. 3.1e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDA 5
Db      220 YVHDA 224

RESULT 95
US-09-701-623C-2
; Sequence 2, Application US/09701623C
; Patent No. 6811782
; GENERAL INFORMATION:
; APPLICANT: Wang Ph.D., Chang Yi
; TITLE OF INVENTION: PEPTIDE COMPOSITION AS IMMUNOGEN FOR THE TREATMENT OF
; TITLE OF INVENTION: ALLERGY
; FILE REFERENCE: 11514153US1
; CURRENT APPLICATION NUMBER: US/09/701,623C
; CURRENT FILING DATE: 2000-12-01
; PRIOR APPLICATION NUMBER: PCT/US99/13959
; PRIOR FILING DATE: 1999-06-21
; PRIOR APPLICATION NUMBER: 09/100,287
; PRIOR FILING DATE: 1998-06-20
; NUMBER OF SEQ ID NOS: 91
; SOFTWARE: PatentIn Ver. 2.1
```

```
; SEQ ID NO 2
; LENGTH: 312
; TYPE: PRT
; ORGANISM: Dog
; FEATURE:
; OTHER INFORMATION: CH2CH3n of dog Ige
; PUBLICATION INFORMATION:
; AUTHORS: Patel.
; JOURNAL: Immunogenetics
; VOLUME: 41
; PAGES: 282-286
; DATE: 1995
US-09-701-623C-2

Query Match          72.5%; Score 29; DB 4; Length 312;
Best Local Similarity 83.3%; Pred. No. 3.3e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAP 6
Db      124 YVHKAP 129

RESULT 96
US-09-270-767-58348
; Sequence 58348, Application US/09270767
; Patent No. 6703491
; GENERAL INFORMATION:
; APPLICANT: Homburger et al.
; TITLE OF INVENTION: Nucleic acids and proteins of Drosophila melanogaster
; FILE REFERENCE: File Reference: 7326-094
; CURRENT APPLICATION NUMBER: US/09/270,767
; CURRENT FILING DATE: 1999-03-17
; NUMBER OF SEQ ID NOS: 62517
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 58348
; LENGTH: 340
; TYPE: PRT
; ORGANISM: Drosophila melanogaster
; FEATURE:
; OTHER INFORMATION: Xaa means any amino acid
US-09-270-767-58348

Query Match          72.5%; Score 29; DB 4; Length 340;
Best Local Similarity 100.0%; Pred. No. 3.6e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      3 HDAPV 7
Db      28 HDAPV 32

RESULT 97
US-09-252-991A-33007
; Sequence 33007, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
; APPLICANT: Marc J. Rubenfield et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
; TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 107196.136
; CURRENT APPLICATION NUMBER: US/09/252,991A
; CURRENT FILING DATE: 1999-02-18
; PRIOR APPLICATION NUMBER: US 60/074,788
; PRIOR FILING DATE: 1998-02-18
; PRIOR APPLICATION NUMBER: US 60/094,190
; PRIOR FILING DATE: 1998-07-27
; NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 33007
; LENGTH: 345
; TYPE: PRT
; ORGANISM: Pseudomonas aeruginosa
US-09-252-991A-33007
```

```
Query Match          72.5%; Score 29; DB 4; Length 345;
Best Local Similarity 100.0%; Pred. No. 3.6e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      3 HDAVP 7
      |||||
Db      22 HDAVP 26

RESULT 98
US-09-328-352-7606
; Sequence 7606, Application US/09328352
; Patent No. 6562958
; GENERAL INFORMATION:
; APPLICANT: Gary L. Breton et al.
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO ACINETOBACTER
; FILE REFERENCE: BAUMANNII FOR DIAGNOSTICS AND THERAPEUTICS
; CURRENT APPLICATION NUMBER: US/09/328,352
; CURRENT FILING DATE: 1999-06-04
; NUMBER OF SEQ ID NOS: 8252
; SEQ ID NO 7606
; LENGTH: 349
; TYPE: PRT
; ORGANISM: Acinetobacter baumannii
US-09-328-352-7606

Query Match          72.5%; Score 29; DB 4; Length 349;
Best Local Similarity 71.4%; Pred. No. 3.7e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
      |||||
Db      232 YVGDAPI 238

RESULT 99
US-09-543-681A-6524
; Sequence 6524, Application US/09543681A
; Patent No. 6605709
; GENERAL INFORMATION:
; APPLICANT: GARY BRETON
; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PROTEUS MIRABILIS
; FILE REFERENCE: DIAGNOSTICS AND THERAPEUTICS
; CURRENT APPLICATION NUMBER: US/09/543,681A
; CURRENT FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 60/128,706
; PRIOR FILING DATE: 1999-04-09
; NUMBER OF SEQ ID NOS: 8344
; SEQ ID NO 6524
; LENGTH: 354
; TYPE: PRT
; ORGANISM: Proteus mirabilis
US-09-543-681A-6524

Query Match          72.5%; Score 29; DB 4; Length 354;
Best Local Similarity 100.0%; Pred. No. 3.7e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      3 HDAVP 7
      |||||
Db      38 HDAVP 42

RESULT 100
US-09-538-092-1226
; Sequence 1226, Application US/09538092
; Patent No. 6753314
; GENERAL INFORMATION:
; APPLICANT: Giot, Loic
; APPLICANT: Mansfield, Traci A.
```

```
; TITLE OF INVENTION: Protein-Protein Complexes and Method of Using Same
; FILE REFERENCE: 15966-542
; CURRENT APPLICATION NUMBER: US/09/538,092
; CURRENT FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: 60/127,352
; PRIOR FILING DATE: 1999-04-01
; PRIOR APPLICATION NUMBER: 60/178,965
; PRIOR FILING DATE: 2000-02-01
; NUMBER OF SEQ ID NOS: 1387
; SOFTWARE: CurapatSeqFormatter Version 0.9
; SEQ ID NO 1226
; LENGTH: 368
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc feature
; LOCATION: (0)..(0)
; OTHER INFORMATION: Polypeptide Accession Number P78406
US-09-538-092-1226

Query Match          72.5%; Score 29; DB 4; Length 368;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      3 HDAVP 7
      |||||
Db      126 HDAVP 130

Search completed: June 30, 2005, 22:33:02
Job time : 46 secs
```

This Page Blank (uspto)

GenCore version 5.1.6
Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

Run on: June 30, 2005, 22:22:55 ; Search time 161 Seconds
(without alignments)
16.774 Million cell updates/sec

Title: US-09-874-350C-210

Perfect score: 40

Sequence: 1 YVHDPV 7

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1722976 seqs, 385795295 residues

Total number of hits satisfying chosen parameters: 1722976

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 150 summaries

Database : Published Applications AA.*

1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep.*
2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep.*
3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep.*
4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep.*
5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep.*
6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep.*
7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep.*
8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep.*
9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep.*
10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep.*
11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep.*
12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep.*
13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep.*
14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep.*
15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep.*
16: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep.*
17: /cgn2_6/ptodata/2/pubpaa/US10E_PUBCOMB.pep.*
18: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep.*
19: /cgn2_6/ptodata/2/pubpaa/US11A_PUBCOMB.pep.*
20: /cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep.*
21: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep.*
22: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	100.0	7	11	US-09-874-350A-210
2	40	100.0	7	11	US-09-874-350A-216
3	40	100.0	7	11	US-09-874-350A-217
4	40	100.0	10	10	US-09-572-404B-200
5	40	100.0	14	10	US-09-747-287-88
6	40	100.0	14	10	US-09-747-287-89
7	40	100.0	14	10	US-09-747-287-90
8	40	100.0	14	11	US-09-874-350A-55
9	40	100.0	14	11	US-09-874-350A-56
10	40	100.0	14	11	US-09-874-350A-57
11	40	100.0	14	11	US-09-874-350A-218
					Sequence 210, App
					Sequence 216, App
					Sequence 217, App
					Sequence 200, App
					Sequence 88, Appl
					Sequence 89, Appl
					Sequence 90, Appl
					Sequence 55, Appl
					Sequence 56, Appl
					Sequence 57, Appl
					Sequence 218, App

12	40	100.0	15	11	US-09-874-350A-213	Sequence 213, App
13	40	100.0	16	10	US-09-747-287-91	Sequence 91, Appl
14	40	100.0	16	10	US-09-747-287-92	Sequence 92, Appl
15	40	100.0	16	10	US-09-747-287-93	Sequence 93, Appl
16	40	100.0	16	10	US-09-747-287-205	Sequence 205, App
17	40	100.0	16	10	US-09-747-287-206	Sequence 206, App
18	40	100.0	16	11	US-09-874-350A-58	Sequence 58, Appl
19	40	100.0	16	11	US-09-874-350A-59	Sequence 59, Appl
20	40	100.0	16	11	US-09-874-350A-60	Sequence 60, Appl
21	40	100.0	16	11	US-09-874-350A-214	Sequence 214, App
22	40	100.0	16	11	US-09-874-350A-219	Sequence 219, App
23	40	100.0	17	11	US-09-874-350A-61	Sequence 61, Appl
24	40	100.0	17	11	US-09-874-350A-62	Sequence 62, Appl
25	40	100.0	17	11	US-09-874-350A-63	Sequence 63, Appl
26	40	100.0	17	11	US-09-874-350A-64	Sequence 64, Appl
27	40	100.0	17	11	US-09-874-350A-65	Sequence 65, Appl
28	40	100.0	18	10	US-09-747-287-94	Sequence 94, Appl
29	40	100.0	18	10	US-09-747-287-95	Sequence 95, Appl
30	40	100.0	18	10	US-09-747-287-96	Sequence 96, Appl
31	40	100.0	18	10	US-09-747-287-97	Sequence 97, Appl
32	40	100.0	18	10	US-09-747-287-98	Sequence 98, Appl
33	40	100.0	18	10	US-09-747-287-204	Sequence 204, App
34	40	100.0	18	11	US-09-874-350A-66	Sequence 66, Appl
35	40	100.0	18	11	US-09-874-350A-170	Sequence 170, App
36	40	100.0	18	11	US-09-874-350A-171	Sequence 171, App
37	40	100.0	18	11	US-09-874-350A-212	Sequence 212, App
38	40	100.0	18	11	US-09-874-350A-220	Sequence 220, App
39	40	100.0	18	11	US-09-874-350A-221	Sequence 221, App
40	40	100.0	55	16	US-10-716-029-198	Sequence 198, App
41	40	100.0	219	16	US-10-637-313-78	Sequence 78, Appl
42	40	100.0	219	16	US-10-637-313-84	Sequence 84, Appl
43	40	100.0	219	16	US-10-637-313-86	Sequence 86, Appl
44	40	100.0	219	16	US-10-637-313-90	Sequence 88, Appl
45	40	100.0	219	16	US-10-637-313-98	Sequence 90, Appl
46	40	100.0	219	16	US-10-637-313-92	Sequence 92, Appl
47	40	100.0	219	16	US-10-637-313-94	Sequence 94, Appl
48	40	100.0	269	9	US-09-840-707A-2	Sequence 2, Appl
49	40	100.0	269	9	US-09-770-528-10	Sequence 7, Appl
50	40	100.0	269	14	US-10-139-833-7	Sequence 10, Appl
51	40	100.0	269	14	US-10-011-931-2	Sequence 2, Appl
52	40	100.0	269	14	US-10-038-557A-2	Sequence 2, Appl
53	40	100.0	269	14	US-10-167-127-4	Sequence 4, Appl
54	40	100.0	269	15	US-10-440-464-53	Sequence 53, Appl
55	40	100.0	269	15	US-10-447-315-13	Sequence 13, Appl
56	40	100.0	269	16	US-10-637-313-82	Sequence 82, Appl
57	40	100.0	269	17	US-10-985-299-2	Sequence 2, Appl
58	40	100.0	269	17	US-10-491-997-84	Sequence 84, Appl
59	37	92.5	67	16	US-10-437-963-178722	Sequence 178722, Sequence 207, App
60	36	90.0	14	10	US-09-780-575-4	Sequence 4, Appl
61	36	90.0	20	9	US-10-437-963-127296	Sequence 127296, Sequence 132031, Sequence 172, App
62	36	90.0	1566	16	US-10-437-963-132031	Sequence 99, Appl
63	34	85.0	156	16	US-09-874-350A-172	Sequence 229242, Sequence 274088, Sequence 247918, Sequence 3074, App
64	33	82.5	16	11	US-09-747-287-99	Sequence 56, Appl
65	33	82.5	18	10	US-10-425-115-229242	Sequence 110, App
66	33	82.5	58	16	US-10-425-115-274088	Sequence 152111, Sequence 21825, A
67	33	82.5	78	16	US-10-425-115-274088	Sequence 41734, A
68	33	82.5	120	16	US-10-425-115-247918	Sequence 71089, A
69	33	82.5	272	15	US-10-320-797-3074	Sequence 24882, Sequence 19932, Sequence 160601, Sequence 22, Appl
70	33	82.5	419	15	US-10-275-026A-56	Sequence 218015, Sequence 302375, Sequence 330170, Sequence 191361
71	33	82.5	419	15	US-10-437-963-152111	
72	32	80.0	45	16	US-10-437-963-152111	
73	32	80.0	162	15	US-10-425-114-41734	
74	32	80.0	203	17	US-10-732-923-21825	
75	32	80.0	213	15	US-10-282-122A-71089	
76	32	80.0	344	15	US-10-424-599-248882	
77	32	80.0	676	16	US-10-437-963-19932	
78	31	77.5	32	16	US-10-437-963-160601	
79	31	77.5	60	14	US-10-179-784-20	
80	31	77.5	60	14	US-10-179-784-22	
81	31	77.5	66	15	US-10-424-599-218015	
82	31	77.5	67	16	US-10-425-115-302375	
83	31	77.5	92	16	US-10-425-115-330170	
84	31	77.5	150	15	US-10-424-599-191361	

85 31 77.5 167 16 US-10-425-115-189250
86 31 77.5 223 16 US-10-425-115-272422
87 31 77.5 232 15 US-10-425-114-47269
88 31 77.5 259 15 US-10-282-122A-53482
89 31 77.5 267 16 US-10-425-115-336817
90 31 77.5 288 16 US-10-425-115-350581
91 31 77.5 295 15 US-10-424-599-195944
92 31 77.5 355 16 US-10-739-930-9926
93 31 77.5 363 16 US-10-437-963-125228
94 31 77.5 557 16 US-10-437-963-144994
95 31 77.5 602 16 US-10-425-115-197846
96 31 77.5 619 15 US-10-425-114-59691
97 31 77.5 691 9 US-09-712-363-263
98 31 77.5 691 15 US-10-282-122A-62639
99 31 77.5 691 15 US-10-282-122A-64828
100 31 77.5 694 15 US-10-282-122A-63922
101 31 77.5 730 14 US-10-156-761-10285
102 30 75.0 8 16 US-10-485-726-2
103 30 75.0 60 14 US-10-179-784-9
104 30 75.0 64 16 US-10-425-115-31385
105 30 75.0 85 16 US-10-425-115-273751
106 30 75.0 86 15 US-10-424-599-234254
107 30 75.0 101 15 US-10-282-122A-78128
108 30 75.0 101 16 US-10-437-963-123643
109 30 75.0 105 15 US-10-282-122A-51014
110 30 75.0 105 16 US-10-425-115-285340
111 30 75.0 128 16 US-10-425-115-321366
112 30 75.0 152 15 US-10-424-599-271117
113 30 75.0 164 14 US-10-156-761-13313
114 30 75.0 174 16 US-10-767-701-44256
115 30 75.0 177 16 US-10-767-701-38749
116 30 75.0 178 16 US-10-767-701-60243
117 30 75.0 182 16 US-10-425-115-276719
118 30 75.0 183 9 US-09-764-870-516
119 30 75.0 183 14 US-10-125-540-516
120 30 75.0 207 16 US-10-767-701-57691
121 30 75.0 220 15 US-10-282-122A-73604
122 30 75.0 249 16 US-10-425-115-333501
123 30 75.0 251 14 US-10-080-170-323
124 30 75.0 251 14 US-10-080-170-356
125 30 75.0 251 16 US-10-080-170-323
126 30 75.0 251 16 US-10-468-356-323
127 30 75.0 251 16 US-10-468-356-356
128 30 75.0 252 16 US-10-425-115-353047
129 30 75.0 257 15 US-10-424-599-202963
130 30 75.0 286 15 US-10-424-599-271116
131 30 75.0 296 15 US-10-424-599-203145
132 30 75.0 310 15 US-10-282-122A-46232
133 30 75.0 336 15 US-10-282-122A-44044
134 30 75.0 342 16 US-10-437-963-145262
135 30 75.0 343 16 US-10-425-115-279927
136 30 75.0 345 15 US-10-425-114-59674
137 30 75.0 345 15 US-10-425-114-63477
138 30 75.0 367 17 US-10-732-923-13098
139 30 75.0 368 17 US-10-732-923-13105
140 30 75.0 386 15 US-10-369-493-18870
141 30 75.0 392 16 US-10-437-963-119169
142 30 75.0 396 14 US-10-156-761-7931
143 30 75.0 399 16 US-10-425-115-250438
144 30 75.0 414 15 US-10-369-493-19778
145 30 75.0 445 17 US-10-732-923-22131
146 30 75.0 447 16 US-10-437-963-131062
147 30 75.0 455 16 US-10-437-963-154712
148 30 75.0 456 10 US-09-932-227-64
149 30 75.0 456 14 US-10-183-708-64

ALIGNMENTS

Sequence 189250,
Sequence 272422, A
Sequence 47269, A
Sequence 53482, A
Sequence 336817,
Sequence 350581,
Sequence 195944,
Sequence 9926, Ap
Sequence 125228,
Sequence 144994,
Sequence 197846,
Sequence 59691, A
Sequence 263, App
Sequence 62639, A
Sequence 64828, A
Sequence 63922, A
Sequence 10285, A
Sequence 2, Appli
Sequence 9, Appli
Sequence 31385,
Sequence 273751,
Sequence 234254,
Sequence 78128, A
Sequence 123643,
Sequence 51014, A
Sequence 285340,
Sequence 321366,
Sequence 271117,
Sequence 13313, A
Sequence 44256, A
Sequence 38749, A
Sequence 60243, A
Sequence 276719,
Sequence 516, App
Sequence 516, App
Sequence 7691, A
Sequence 73604, A
Sequence 333501,
Sequence 323, App
Sequence 323, App
Sequence 356, App
Sequence 356, App
Sequence 353047,
Sequence 202963,
Sequence 271116,
Sequence 203145,
Sequence 46232, A
Sequence 44044, A
Sequence 145262,
Sequence 279927,
Sequence 59674, A
Sequence 63477, A
Sequence 13098, A
Sequence 13105, A
Sequence 18870, A
Sequence 19169,
Sequence 7931, Ap
Sequence 250438,
Sequence 19778, A
Sequence 22131, A
Sequence 131062,
Sequence 154712,
Sequence 64, Appl
Sequence 64, Appl

Query Match 100.0%; Score 40; DB 11; Length 7;
Best Local Similarity 100.0%; Pred. No. 1.6e+06;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAVP 7
Db 1 YVHDAVP 7
|||||
|||||

RESULT 2
US-09-874-350A-216
Sequence 216, Application US/09874350A
Publication No. US20040096926A1
GENERAL INFORMATION:
APPLICANT: Oncoimmunin, Inc.
APPLICANT: Komoriya, Akira
APPLICANT: Packard, Beverly
TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
FILE REFERENCE: 300-903840US
CURRENT APPLICATION NUMBER: US/09/874,350A
CURRENT FILING DATE: 2001-06-04
PRIOR APPLICATION NUMBER: PCT/US98/00300
PRIOR FILING DATE: 1998-02-20
PRIOR APPLICATION NUMBER: PCT/US00/24882
PRIOR FILING DATE: 2000-09-11
PRIOR APPLICATION NUMBER: US 09/394,019
PRIOR FILING DATE: 1999-09-10
PRIOR APPLICATION NUMBER: US 08/802,981
PRIOR FILING DATE: 1997-02-20
NUMBER OF SEQ ID NOS: 221
SOFTWARE: PatentIn version 3.0
SEQ ID NO 216
LENGTH: 7
TYPE: PRT
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Protease indicator
US-09-874-350A-216

Best Local Similarity 100.0%; Pred. No. 1.6e+06;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
Db 1 YVHDAPV 7

RESULT 3

US-09-874-350A-217
; Sequence 217, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly S.
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 217
; LENGTH: 7
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc feature
; LOCATION: (1)..(1)
; OTHER INFORMATION: Y is "D" form amino acid
US-09-874-350A-217

Query Match 100.0%; Score 40; DB 11; Length 7;
Best Local Similarity 100.0%; Pred. No. 1.6e+06;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
Db 1 YVHDAPV 7

RESULT 4

US-09-572-404B-200
; Sequence 200, Application US/09572404B
; Publication No. US20030078374A1
; GENERAL INFORMATION:
; APPLICANT: Proteom Ltd
; TITLE OF INVENTION: Complementary peptide ligands from the human genome
; FILE REFERENCE: Human patent
; CURRENT APPLICATION NUMBER: US/09/572,404B
; CURRENT FILING DATE: 2000-05-17
; NUMBER OF SEQ ID NOS: 4203
; SOFTWARE: ProtPatent version 1.0
; SEQ ID NO 200
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo Sapiens
; FEATURE:
; OTHER INFORMATION: sequence located in IL1A at 112-121 and may interact with Sequenc
; OTHER INFORMATION: in this patent.
US-09-572-404B-200

Query Match 100.0%; Score 40; DB 10; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.23;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
Db 2 YVHDAPV 8

RESULT 5

US-09-747-287-88
; Sequence 88, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; APPLICANT: PACKARD, BEVERLY S.
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 88
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
US-09-747-287-88

Query Match 100.0%; Score 40; DB 10; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
Db 4 YVHDAPV 10

RESULT 6

US-09-747-287-89
; Sequence 89, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; APPLICANT: PACKARD, BEVERLY S.
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 89
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
US-09-747-287-89

```
Query Match      100.0%; Score 40; DB 10; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY 1 YVHDAVP 7
   |||||
Db 4 YVHDAVP 10

RESULT 7
US-09-747-287-90
; Sequence 90, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 90
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
US-09-747-287-90

Query Match      100.0%; Score 40; DB 10; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY 1 YVHDAVP 7
   |||||
Db 4 YVHDAVP 10

RESULT 8
US-09-874-350A-55
; Sequence 55, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 55
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial Sequence
```

```
; FEATURE:
; OTHER INFORMATION: protease indicator
; NAME/KEY: misc_feature
; LOCATION: (3)..(3)
; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
US-09-874-350A-55

Query Match      100.0%; Score 40; DB 11; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY 1 YVHDAVP 7
   |||||
Db 4 YVHDAVP 10

RESULT 9
US-09-874-350A-56
; Sequence 56, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 56
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: protease indicator
; NAME/KEY: misc_feature
; LOCATION: (3)..(3)
; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
US-09-874-350A-56

Query Match      100.0%; Score 40; DB 11; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY 1 YVHDAVP 7
   |||||
Db 4 YVHDAVP 10

RESULT 10
US-09-874-350A-57
; Sequence 57, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
```

;; PRIOR FILING DATE: 1998-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; PRIOR APPLICATION NUMBER: US 09/394,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US 08/802,981
;; PRIOR FILING DATE: 1997-02-20
;; NUMBER OF SEQ ID NOS: 221
;; SOFTWARE: PatentIn version 3.0
;; SEQ ID NO 57
;; LENGTH: 14
;; TYPE: PRT
;; ORGANISM: Artificial Sequence
;; FEATURE:
;; OTHER INFORMATION: Protease indicator
;; NAME/KEY: misc feature
;; LOCATION: (3)..(3)
;; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
US-09-874-350A-57

Query Match 100.0%; Score 40; DB 11; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 4 YVHDAPV 10

RESULT 11
US-09-874-350A-218
;; Sequence 218, Application US/09874350A
;; Publication No. US20040096926A1
;; GENERAL INFORMATION:
;; APPLICANT: Oncoimmunin, Inc.
;; APPLICANT: Komoriya, Akira
;; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL SAMPLES
;; FILE REFERENCE: 300-903840US
;; CURRENT APPLICATION NUMBER: US/09/874,350A
;; CURRENT FILING DATE: 2001-06-04
;; PRIOR APPLICATION NUMBER: PCT/US98/00300
;; PRIOR FILING DATE: 1998-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; PRIOR APPLICATION NUMBER: US 09/394,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US 08/802,981
;; NUMBER OF SEQ ID NOS: 221
;; SOFTWARE: PatentIn version 3.0
;; SEQ ID NO 218
;; LENGTH: 14
;; TYPE: PRT
;; ORGANISM: Artificial Sequence
;; FEATURE:
;; OTHER INFORMATION: Protease indicator
US-09-874-350A-218

Query Match 100.0%; Score 40; DB 11; Length 14;
Best Local Similarity 100.0%; Pred. No. 0.33;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 4 YVHDAPV 10

RESULT 12
US-09-874-350A-213
;; Sequence 213, Application US/09874350A
;; Publication No. US20040096926A1

;; GENERAL INFORMATION:
;; APPLICANT: Oncoimmunin, Inc.
;; APPLICANT: Komoriya, Akira
;; APPLICANT: Packard, Beverly
;; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL SAMPLES
;; FILE REFERENCE: 300-903840US
;; CURRENT APPLICATION NUMBER: US/09/874,350A
;; CURRENT FILING DATE: 2001-06-04
;; PRIOR APPLICATION NUMBER: PCT/US98/00300
;; PRIOR FILING DATE: 1998-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; PRIOR APPLICATION NUMBER: US 09/394,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US 08/802,981
;; PRIOR FILING DATE: 1997-02-20
;; NUMBER OF SEQ ID NOS: 221
;; SOFTWARE: PatentIn version 3.0
;; SEQ ID NO 213
;; LENGTH: 15
;; TYPE: PRT
;; ORGANISM: Artificial Sequence
;; FEATURE:
;; OTHER INFORMATION: Synthetic peptide substrate
;; NAME/KEY: MOD RES
;; LOCATION: (1)..(1)
;; OTHER INFORMATION: K is blocked with Fmoc
;; NAME/KEY: MOD RES
;; LOCATION: (4)..(4)
;; OTHER INFORMATION: X is epsilon-aminocaproic acid
;; NAME/KEY: MOD RES
;; LOCATION: (14)..(14)
;; OTHER INFORMATION: X is epsilon-aminocaproic acid
;; NAME/KEY: MOD RES
;; LOCATION: (15)..(15)
;; OTHER INFORMATION: K is blocked with amide
US-09-874-350A-213

Query Match 100.0%; Score 40; DB 11; Length 15;
Best Local Similarity 100.0%; Pred. No. 0.35;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 6 YVHDAPV 12

RESULT 13
US-09-747-287-91
;; Sequence 91, Application US/09747287
;; Publication No. US20030207264A1
;; GENERAL INFORMATION:
;; APPLICANT: KOMORIYA, AKIRA
;; APPLICANT: PACKARD, BEVERLY S.
;; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL SAMPLES
;; FILE REFERENCE: 300-948600US
;; CURRENT APPLICATION NUMBER: US/09/747,287
;; CURRENT FILING DATE: 2000-12-22
;; PRIOR APPLICATION NUMBER: US 09/349,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US08/802,981
;; PRIOR FILING DATE: 1997-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; NUMBER OF SEQ ID NOS: 242
;; SOFTWARE: PatentIn version 3.2
;; SEQ ID NO 91
;; LENGTH: 16
;; TYPE: PRT
;; ORGANISM: Artificial
;; FEATURE:

; OTHER INFORMATION: Synthetic peptide.
US-09-747-287-91

Query Match	100.0%	Score 40;	DB 10;	Length 16;
Best Local Similarity	100.0%;	Pred. No. 0.38;		
Matches	7;	Conservative	0;	Mismatches 0;
				Indels

Qy	1	YVHDA	PV	7
Db	5	YVHDA	PV	11

RESULT 14

```

US-09-747-287-92
; Sequence 92, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; APPLICANT: PACKARD, BEVERLY S.
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 92
; LENGTH: 16
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
US-09-747-287-92

```

Query Match 100.0%; Score 40; DB 10; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.38;
Matches 7; Conservative 0; Mismatches 0; Indels

Qy 1 YVHDAPV 7
|||
Db 5 YVHDAPV 11

RESIT.T 15

```

RES001.13
US-09-747-287-93
: Sequence 93, Application US/09747287
: Publication No. US20030207264A1
: GENERAL INFORMATION:
: APPLICANT: KOMORIYA, AKIRA
: APPLICANT: PACKARD, BEVERLY S.
: TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
: TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
: FILE REFERENCE: 300-948600US
: CURRENT APPLICATION NUMBER: US/09/747,287
: CURRENT FILING DATE: 2000-12-22
: PRIOR APPLICATION NUMBER: US 09/349,019
: PRIOR FILING DATE: 1999-09-10
: PRIOR APPLICATION NUMBER: US08/802,981
: PRIOR FILING DATE: 1997-02-20
: PRIOR APPLICATION NUMBER: PCT/US00/24882
: PRIOR FILING DATE: 2000-09-11
: NUMBER OF SEQ ID NOS: 3.2
: SOFTWARE: Patent in version 3.2
: SEQ ID NO 93
: LENGTH: 16
: TYPE: PRT
: ORGANISM: Artificial

```

```

; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
US-09-747-287-93

```

```
Query Match      100.0%; Score 40; DB 10; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.38;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

Qy 1 YVHDAPV 7
|||
Db 5 YVHDAPV 11

RESULT 16

```

US-09-747-287-205
; Sequence 205, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; APPLICANT: PACKARD, BEVERLY S.
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-9486000US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 205
; LENGTH: 16
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa can be any naturally occurring amino acid
; US-09-747-287-205

```

Query Match 100.0%; Score 40; DB 10; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.38;
Matches 7: Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
|||
pb 6 YVHDAPV 12

PREST.T 17

```

RES001 17
US-09-747-287-206
; Sequence 206, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; ACTIVITY IN BIOLOGICAL SAMPLES
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242

```

; SOFTWARE: PatentIn version 3.2

; SEQ ID NO 206

; LENGTH: 16

; TYPE: PRT

; ORGANISM: Artificial

; FEATURE:

; OTHER INFORMATION: Synthetic peptide.

; FEATURE:

; NAME/KEY: misc_feature

; LOCATION: (4)..(4)

; OTHER INFORMATION: Xaa is epison-aminocaproic acid

; NAME/KEY: misc_feature

; LOCATION: (12)..(12)

; OTHER INFORMATION: Xaa is epison-aminocaproic acid

US-09-747-287-206

Query Match 100.0%; Score 40; DB 10; Length 16;

Best Local Similarity 100.0%; Pred. NO. 0.38; Indels 0; Gaps 0;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7

Db 4 YVHDAPV 10

RESULT 18

US-09-874-350A-58

; Sequence 58, Application US/09874350A

; Publication No. US20040096926A1

; GENERAL INFORMATION:

; APPLICANT: Oncoimmunin, Inc.

; APPLICANT: Komoriya, Akira

; APPLICANT: Packard, Beverly

; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL

; FILE OF INVENTION: AND METHODS OF USE THEREOF

; FILE REFERENCE: 300-903840US

; CURRENT APPLICATION NUMBER: US/09/874,350A

; CURRENT FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: PCT/US98/00300

; PRIOR FILING DATE: 1998-02-20

; PRIOR APPLICATION NUMBER: PCT/US00/24882

; PRIOR FILING DATE: 2000-09-11

; PRIOR APPLICATION NUMBER: US 09/394,019

; PRIOR FILING DATE: 1999-09-10

; PRIOR APPLICATION NUMBER: US 08/802,981

; PRIOR FILING DATE: 1997-02-20

; NUMBER OF SEQ ID NOS: 221

; SOFTWARE: PatentIn version 3.0

; SEQ ID NO 58

; LENGTH: 16

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Protease indicator

; NAME/KEY: misc_feature

; LOCATION: (3)..(3)

; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid

US-09-874-350A-58

Query Match 100.0%; Score 40; DB 11; Length 16;

Best Local Similarity 100.0%; Pred. NO. 0.38;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7

Db 5 YVHDAPV 11

RESULT 19

US-09-874-350A-59

; Sequence 59, Application US/09874350A

; Publication No. US20040096926A1

; GENERAL INFORMATION:

; APPLICANT: Oncoimmunin, Inc.

; APPLICANT: Komoriya, Akira

; APPLICANT: Packard, Beverly

; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL

; FILE OF INVENTION: AND METHODS OF USE THEREOF

; FILE REFERENCE: 300-903840US

; CURRENT APPLICATION NUMBER: US/09/874,350A

; CURRENT FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: PCT/US98/00300

; PRIOR FILING DATE: 1998-02-20

; PRIOR APPLICATION NUMBER: PCT/US00/24882

; PRIOR FILING DATE: 2000-09-11

; PRIOR APPLICATION NUMBER: US 09/394,019

; PRIOR FILING DATE: 1999-09-10

; PRIOR APPLICATION NUMBER: US 08/802,981

; PRIOR FILING DATE: 1997-02-20

; NUMBER OF SEQ ID NOS: 221

; SOFTWARE: PatentIn version 3.0

; SEQ ID NO 59

; LENGTH: 16

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Protease indicator

; NAME/KEY: misc_feature

; LOCATION: (3)..(3)

; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid

US-09-874-350A-59

Query Match 100.0%; Score 40; DB 11; Length 16;

Best Local Similarity 100.0%; Pred. NO. 0.38;

Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7

Db 5 YVHDAPV 11

RESULT 20

US-09-874-350A-60

; Sequence 60, Application US/09874350A

; Publication No. US20040096926A1

; GENERAL INFORMATION:

; APPLICANT: Oncoimmunin, Inc.

; APPLICANT: Komoriya, Akira

; APPLICANT: Packard, Beverly

; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL

; FILE OF INVENTION: AND METHODS OF USE THEREOF

; FILE REFERENCE: 300-903840US

; CURRENT APPLICATION NUMBER: US/09/874,350A

; CURRENT FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: PCT/US98/00300

; PRIOR FILING DATE: 1998-02-20

; PRIOR APPLICATION NUMBER: PCT/US00/24882

; PRIOR FILING DATE: 2000-09-11

; PRIOR APPLICATION NUMBER: US 09/394,019

; PRIOR FILING DATE: 1999-09-10

; PRIOR APPLICATION NUMBER: US 08/802,981

; PRIOR FILING DATE: 1997-02-20

; NUMBER OF SEQ ID NOS: 221

; SOFTWARE: PatentIn version 3.0

; SEQ ID NO 60

; LENGTH: 16

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Protease indicator

; NAME/KEY: misc_feature

; LOCATION: (3)..(3)

; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid

US-09-874-350A-60

```
Query Match      100.0%; Score 40; DB 11; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.38; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY      1 YVHDAVP 7
DB      5 YVHDAVP 11

RESULT 21
US-09-874-350A-214
; Sequence 214, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncommunin, Inc.
; APPLICANT: Komoriya, Akira
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 214
; LENGTH: 16
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Synthetic peptide substrate
; NAME/KEY: MOD RES
; LOCATION: (1)..(1)
; OTHER INFORMATION: K is blocked with Fmoc
; NAME/KEY: MOD RES
; LOCATION: (6)..(6)
; OTHER INFORMATION: X is D form tetrahydroisoquinoline-3-carboxylic acid
; NAME/KEY: MOD RES
; LOCATION: (4)..(4)
; OTHER INFORMATION: X is episilon-aminocaproic acid
; NAME/KEY: MOD RES
; LOCATION: (15)..(15)
; OTHER INFORMATION: X is episilon-aminocaproic acid
;
US-09-874-350A-214

Query Match      100.0%; Score 40; DB 11; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.38; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY      1 YVHDAVP 7
DB      4 YVHDAVP 10

RESULT 22
US-09-874-350A-219
; Sequence 219, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncommunin, Inc.
; APPLICANT: Komoriya, Akira
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
```

```
Query Match      100.0%; Score 40; DB 11; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.38; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY      1 YVHDAVP 7
DB      5 YVHDAVP 11

RESULT 23
US-09-874-350A-61
; Sequence 61, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncommunin, Inc.
; APPLICANT: Komoriya, Akira
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 61
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: Protease indicator
; NAME/KEY: misc.feature
; LOCATION: (3)..(3)
; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
; NAME/KEY: misc.feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
;
US-09-874-350A-61

Query Match      100.0%; Score 40; DB 11; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.4; 0; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY      1 YVHDAVP 7
DB      6 YVHDAVP 12
```

```

RES001 25
US-09-874-350A-63
; Sequence 63, Application US/09874350A
; Publication No. US2004009626A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 63
; LENGTH: 17
; TYPE: PRT

```

; AFFILIANT: FAKARU, SEVELY
 ; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
 ; TITLE OF INVENTION: AND METHODS OF USE THEREOF

```

RES001 25
US-09-874-350A-63
; Sequence 63, Application US/09874350A
; Publication No. US2004009626A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 63
; LENGTH: 17
; TYPE: PRT

```

APPLICANT: ONCOIMMUN, INC.
APPLICANT: KOMORIYA AKIRA

APPLICANT: ONCOIMMUN, INC.
APPLICANT: KOMORIYA AKIRA

```
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 65
; LENGTH: 17
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Protease indicator
; NAME/KEY: misc feature
; LOCATION: (3)..(3)
; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
; NAME/KEY: misc feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
; US-09-874-350A-65

Query Match          100.0%; Score 40; DB 11; Length 17;
Best Local Similarity 100.0%; Pred. No. 0.4; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
        |||||
Db       6 YVHDAPV 12

RESULT 28
US-09-747-287-94
; Sequence 94, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 94
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
; NAME/KEY: misc feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
; NAME/KEY: misc feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
; US-09-747-287-95

Query Match          100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
        |||||
Db       6 YVHDAPV 12

RESULT 30
US-09-747-287-96
; Sequence 96, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
```

```
US-09-747-287-94
Query Match          100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
        |||||
Db       6 YVHDAPV 12

RESULT 29
US-09-747-287-95
; Sequence 95, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 95
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
; NAME/KEY: misc feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
; NAME/KEY: misc feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
; US-09-747-287-95

Query Match          100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
        |||||
Db       6 YVHDAPV 12

RESULT 30
US-09-747-287-96
; Sequence 96, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; FILE REFERENCE: 300-948600US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
```


;; PRIOR FILING DATE: 2000-09-11
;; NUMBER OF SEQ ID NOS: 242
;; SOFTWARE: PatentIn version 3.2
;; SEQ ID NO 96
;; LENGTH: 18
;; TYPE: PRT
;; ORGANISM: Artificial
;; FEATURE:
;; OTHER INFORMATION: Synthetic peptide.
;;
;; NAME/KEY: misc feature
;; LOCATION: (4)..(4)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
;; FEATURE:
;; NAME/KEY: misc feature
;; LOCATION: (14)..(14)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
US-09-747-287-96

Query Match 100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 6 YVHDAVP 12

RESULT 31
US-09-747-287-97
;; Sequence 97, Application US/09747287
;; Publication No. US20030207264A1
;; GENERAL INFORMATION:
;; APPLICANT: KOMORIYA, AKIRA
;; APPLICANT: PACKARD, BEVERLY S.
;; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
;; FILE REFERENCE: 300-948600US
;; CURRENT APPLICATION NUMBER: US/09/747,287
;; CURRENT FILING DATE: 2000-12-22
;; PRIOR APPLICATION NUMBER: US 09/349,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US08/802,981
;; PRIOR FILING DATE: 1997-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; NUMBER OF SEQ ID NOS: 242
;; SOFTWARE: PatentIn version 3.2
;; SEQ ID NO 97
;; LENGTH: 18
;; TYPE: PRT
;; ORGANISM: Artificial
;; FEATURE:
;; OTHER INFORMATION: Synthetic peptide.
;;
;; NAME/KEY: misc feature
;; LOCATION: (4)..(4)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
;; FEATURE:
;; NAME/KEY: misc feature
;; LOCATION: (14)..(14)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
US-09-747-287-97

Query Match 100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 6 YVHDAVP 12

RESULT 32
US-09-747-287-98
;; Sequence 98, Application US/09747287
;; Publication No. US20030207264A1
;; GENERAL INFORMATION:
;; APPLICANT: KOMORIYA, AKIRA
;; APPLICANT: PACKARD, BEVERLY S.
;; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
;; FILE REFERENCE: 300-948600US
;; CURRENT APPLICATION NUMBER: US/09/747,287
;; CURRENT FILING DATE: 2000-12-22
;; PRIOR APPLICATION NUMBER: US 09/349,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US08/802,981
;; PRIOR FILING DATE: 1997-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; NUMBER OF SEQ ID NOS: 242
;; SOFTWARE: PatentIn version 3.2
;; SEQ ID NO 98
;; LENGTH: 18
;; TYPE: PRT
;; ORGANISM: Artificial
;; FEATURE:
;; OTHER INFORMATION: Synthetic peptide.
;;
;; NAME/KEY: misc feature
;; LOCATION: (4)..(4)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
;; FEATURE:
;; NAME/KEY: misc feature
;; LOCATION: (14)..(14)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
US-09-747-287-98

Query Match 100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 6 YVHDAVP 12

RESULT 33
US-09-747-287-204
;; Sequence 204, Application US/09747287
;; Publication No. US20030207264A1
;; GENERAL INFORMATION:
;; APPLICANT: KOMORIYA, AKIRA
;; APPLICANT: PACKARD, BEVERLY S.
;; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
;; FILE REFERENCE: 300-948600US
;; CURRENT APPLICATION NUMBER: US/09/747,287
;; CURRENT FILING DATE: 2000-12-22
;; PRIOR APPLICATION NUMBER: US 09/349,019
;; PRIOR FILING DATE: 1999-09-10
;; PRIOR APPLICATION NUMBER: US08/802,981
;; PRIOR FILING DATE: 1997-02-20
;; PRIOR APPLICATION NUMBER: PCT/US00/24882
;; PRIOR FILING DATE: 2000-09-11
;; NUMBER OF SEQ ID NOS: 242
;; SOFTWARE: PatentIn version 3.2
;; SEQ ID NO 204
;; LENGTH: 18
;; TYPE: PRT
;; ORGANISM: Artificial
;; FEATURE:
;; OTHER INFORMATION: Synthetic peptide.
;;
;; NAME/KEY: misc feature
;; LOCATION: (4)..(4)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
;; FEATURE:
;; NAME/KEY: misc feature
;; LOCATION: (14)..(14)
;; OTHER INFORMATION: Xaa is epilson-aminocaproic acid
US-09-747-287-98

Query Match 100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 6 YVHDAVP 12

```
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa can be any naturally occurring amino acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa can be any naturally occurring amino acid
US-09-747-287-204

Query Match      100.0%; Score 40; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 6 YVHDAPV 12

RESULT 34
US-09-874-350A-66
; Sequence 66, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Packard, Beverly
; APPLICANT: Komoriya, Akira
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 66
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (3)..(3)
; OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
; NAME/KEY: misc_feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon-aminocaproic acid
US-09-874-350A-66

Query Match      100.0%; Score 40; DB 11; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 7 YVHDAPV 13

RESULT 35
US-09-874-350A-170
; Sequence 170, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
```

```
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 170
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon aminocaproic acid (Ahx)
; NAME/KEY: misc_feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is episilon aminocaproic acid (Ahx)
US-09-874-350A-170

Query Match      100.0%; Score 40; DB 11; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 6 YVHDAPV 12

RESULT 36
US-09-874-350A-171
; Sequence 171, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 171
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is episilon aminocaproic acid (Ahx)
; NAME/KEY: misc_feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is episilon aminocaproic acid (Ahx)
US-09-874-350A-171
```

```
Query Match      100.0%; Score 40; DB 11; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
    |||||
Db 6 YVHDAVP 12

RESULT 37
US-09-874-350A-212
; Sequence 212, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 212
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide substrate
; NAME/KEY: MOD RES
; LOCATION: (1)..(1)
; OTHER INFORMATION: K is blocked with Fmoc
; NAME/KEY: MOD RES
; LOCATION: (14)..(14)
; OTHER INFORMATION: X is epsilon-aminocaproic acid
; NAME/KEY: MOD RES
; LOCATION: (4)..(4)
; OTHER INFORMATION: X is epsilon-aminocaproic acid
US-09-874-350A-212

Query Match      100.0%; Score 40; DB 11; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
    |||||
Db 6 YVHDAVP 12

RESULT 38
US-09-874-350A-220
; Sequence 220, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL S
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
```

```
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 220
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Protease indicator
; NAME/KEY: misc feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
; NAME/KEY: misc feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
US-09-874-350A-220

Query Match      100.0%; Score 40; DB 11; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
    |||||
Db 6 YVHDAVP 12

RESULT 39
US-09-874-350A-221
; Sequence 221, Application US/09874350A
; Publication No. US20040096926A1
; GENERAL INFORMATION:
; APPLICANT: Oncoimmunin, Inc.
; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly
; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL
; TITLE OF INVENTION: AND METHODS OF USE THEREOF
; FILE REFERENCE: 300-903840US
; CURRENT APPLICATION NUMBER: US/09/874,350A
; CURRENT FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: PCT/US98/00300
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; PRIOR APPLICATION NUMBER: US 09/394,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US 08/802,981
; PRIOR FILING DATE: 1997-02-20
; NUMBER OF SEQ ID NOS: 221
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 221
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Protease indicator
; NAME/KEY: misc feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
; NAME/KEY: misc feature
; LOCATION: (6)..(6)
; OTHER INFORMATION: Y is "D" form amino acid
; NAME/KEY: misc feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
US-09-874-350A-221

Query Match      100.0%; Score 40; DB 11; Length 18;
Best Local Similarity 100.0%; Pred. No. 0.43;
```

```
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
    |||||
Db 6 YVHDAVP 12

RESULT 40
US-10-716-029-198
; Sequence 198, Application US/10716029
; Publication No. US20040171038A1
; GENERAL INFORMATION:
; APPLICANT: Nicklin, Martin
; APPLICANT: Duff, Gordon
; APPLICANT: Kornman, Kenneth
; APPLICANT: Kolpin, Maryam R
; APPLICANT: Hsieh, Chung-Ming
; APPLICANT: Govindaraju, Raju
; APPLICANT: Aziz, Nazneen
; TITLE OF INVENTION: The IL-1 Gene Cluster and Associated Inflammatory Polymorphisms
; TITLE OF INVENTION: and Haplotypes
; FILE REFERENCE: 24299-524 CON
; CURRENT APPLICATION NUMBER: US/10/716,029
; CURRENT FILING DATE: 2003-11-17
; PRIOR APPLICATION NUMBER: 10/351,702
; PRIOR FILING DATE: 2003-01-25
; PRIOR APPLICATION NUMBER: 60/351,951
; PRIOR FILING DATE: 2002-01-25
; NUMBER OF SEQ ID NOS: 277
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 198
; LENGTH: 55
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-716-029-198

Query Match 100.0%; Score 40; DB 16; Length 55;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
    |||||
Db 12 YVHDAVP 18

RESULT 41
US-10-637-313-78
; Sequence 78, Application US/10637313
; Publication No. US20040229779A1
; GENERAL INFORMATION:
; APPLICANT: Ramesh Kekuda
; APPLICANT: Uriel Malyankar
; APPLICANT: Li Li
; APPLICANT: David Anderson
; APPLICANT: Sasha Guo
; APPLICANT: Mei Zhong
; APPLICANT: Muralidhara Padigaru
; APPLICANT: Stacie Casman
; APPLICANT: Ferenc Boldog
; APPLICANT: Charles Miller
; APPLICANT: Nikolai Khramtsov
; APPLICANT: Corine Vernet
; APPLICANT: Meera Patturajan
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-593B
; CURRENT APPLICATION NUMBER: US/10/637,313
; CURRENT FILING DATE: 2003-08-08
; PRIOR APPLICATION NUMBER: 10/162335
; PRIOR FILING DATE: 2002-06-03
; PRIOR APPLICATION NUMBER: 60/295607
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
```

```
; PRIOR APPLICATION NUMBER: 60/296404
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/296418
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/298285
; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraseqList version 0.1
; SEQ ID NO 78
; LENGTH: 219
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-637-313-78

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
    |||||
Db 79 YVHDAVP 85

RESULT 42
US-10-637-313-84
; Sequence 84, Application US/10637313
; Publication No. US20040229779A1
; GENERAL INFORMATION:
; APPLICANT: Ramesh Kekuda
; APPLICANT: Uriel Malyankar
; APPLICANT: Li Li
; APPLICANT: David Anderson
; APPLICANT: Sasha Guo
; APPLICANT: Mei Zhong
; APPLICANT: Muralidhara Padigaru
; APPLICANT: Stacie Casman
; APPLICANT: Ferenc Boldog
; APPLICANT: Charles Miller
; APPLICANT: Nikolai Khramtsov
; APPLICANT: Corine Vernet
; APPLICANT: Meera Patturajan
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-593B
; CURRENT APPLICATION NUMBER: US/10/637,313
; CURRENT FILING DATE: 2003-08-08
; PRIOR APPLICATION NUMBER: 10/162335
; PRIOR FILING DATE: 2002-06-03
; PRIOR APPLICATION NUMBER: 60/295607
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/296404
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/296418
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/298285
; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
```

; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.

; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraseqList version 0.1

; SEQ ID NO 84
; LENGTH: 219

; TYPE: PRT
; ORGANISM: Homo sapiens

US-10-637-313-84

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 79 YVHDAPV 85

RESULT 43

US-10-637-313-86

; Sequence 86, Application US/10637313

; Publication No. US20040229779A1

; GENERAL INFORMATION:

; APPLICANT: Ramesh Kekuda

; APPLICANT: Uriel Malyankar

; APPLICANT: Li Li

; APPLICANT: David Anderson

; APPLICANT: Sasha Guo

; APPLICANT: Mei Zhong

; APPLICANT: Muralidhara Padigar

; APPLICANT: Stacie Casman

; APPLICANT: Ferenc Boldog

; APPLICANT: Charles Miller

; APPLICANT: Nikolai Khrantsov

; APPLICANT: Corine Vernet

; APPLICANT: Meera Patturajan

; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD

; FILE REFERENCE: 21402-593B

; CURRENT APPLICATION NUMBER: US/10/637,313

; CURRENT FILING DATE: 2003-08-08

; PRIOR APPLICATION NUMBER: 10/162335

; PRIOR FILING DATE: 2002-06-03

; PRIOR APPLICATION NUMBER: 60/295607

; PRIOR FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: 60/295661

; PRIOR FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: 60/296404

; PRIOR FILING DATE: 2001-06-06

; PRIOR APPLICATION NUMBER: 60/296418

; PRIOR FILING DATE: 2001-06-06

; PRIOR APPLICATION NUMBER: 60/298285

; PRIOR FILING DATE: 2001-06-14

; PRIOR APPLICATION NUMBER: 60/298556

; PRIOR FILING DATE: 2001-06-15

; PRIOR APPLICATION NUMBER: 60/299949

; PRIOR FILING DATE: 2001-06-21

; PRIOR APPLICATION NUMBER: 60/300883

; PRIOR FILING DATE: 2001-06-26

; PRIOR APPLICATION NUMBER: 60/301550

; PRIOR FILING DATE: 2001-06-28

; Remaining Prior Application data removed - See File Wrapper or PALM.

; NUMBER OF SEQ ID NOS: 255

; SOFTWARE: CuraseqList version 0.1

; SEQ ID NO 85

; LENGTH: 219

; TYPE: PRT

; ORGANISM: Homo sapiens

US-10-637-313-86

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 79 YVHDAPV 85

RESULT 44

US-10-637-313-88

; Sequence 88, Application US/10637313

; Publication No. US20040229779A1

; GENERAL INFORMATION:

; APPLICANT: Ramesh Kekuda

; APPLICANT: Uriel Malyankar

; APPLICANT: Li Li

; APPLICANT: David Anderson

; APPLICANT: Sasha Guo

; APPLICANT: Mei Zhong

; APPLICANT: Muralidhara Padigar

; APPLICANT: Stacie Casman

; APPLICANT: Ferenc Boldog

; APPLICANT: Charles Miller

; APPLICANT: Nikolai Khrantsov

; APPLICANT: Corine Vernet

; APPLICANT: Meera Patturajan

; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD

; FILE REFERENCE: 21402-593B

; CURRENT APPLICATION NUMBER: US/10/637,313

; CURRENT FILING DATE: 2003-08-08

; PRIOR APPLICATION NUMBER: 10/162335

; PRIOR FILING DATE: 2002-06-03

; PRIOR APPLICATION NUMBER: 60/295607

; PRIOR FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: 60/295661

; PRIOR FILING DATE: 2001-06-04

; PRIOR APPLICATION NUMBER: 60/296404

; PRIOR FILING DATE: 2001-06-06

; PRIOR APPLICATION NUMBER: 60/296418

; PRIOR FILING DATE: 2001-06-06

; PRIOR APPLICATION NUMBER: 60/298285

; PRIOR FILING DATE: 2001-06-14

; PRIOR APPLICATION NUMBER: 60/298556

; PRIOR FILING DATE: 2001-06-15

; PRIOR APPLICATION NUMBER: 60/299949

; PRIOR FILING DATE: 2001-06-21

; PRIOR APPLICATION NUMBER: 60/300883

; PRIOR FILING DATE: 2001-06-26

; PRIOR APPLICATION NUMBER: 60/301550

; PRIOR FILING DATE: 2001-06-28

; Remaining Prior Application data removed - See File Wrapper or PALM.

; NUMBER OF SEQ ID NOS: 255

; SOFTWARE: CuraseqList version 0.1

; SEQ ID NO 88

; LENGTH: 219

; TYPE: PRT

; ORGANISM: Homo sapiens

US-10-637-313-88

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 79 YVHDAPV 85

RESULT 45

US-10-637-313-90

; Sequence 90, Application US/10637313

; Publication No. US20040229779A1

; GENERAL INFORMATION:

; APPLICANT: Ramesh Kekuda

; APPLICANT: Uriel Malyankar

```
; APPLICANT: Li Li
; APPLICANT: David Anderson
; APPLICANT: Sasha Guo
; APPLICANT: Mei Zhong
; APPLICANT: Muralidhara Padigaru
; APPLICANT: Stacie Casman
; APPLICANT: Ferenc Boldog
; APPLICANT: Charles Miller
; APPLICANT: Nikolai Khrantsov
; APPLICANT: Corine Vernet
; APPLICANT: Meera Patturajan
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-593B
; CURRENT APPLICATION NUMBER: US/10/637,313
; CURRENT FILING DATE: 2003-08-08
; PRIOR APPLICATION NUMBER: 10/162335
; PRIOR FILING DATE: 2002-06-03
; PRIOR APPLICATION NUMBER: 60/295607
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/296404
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/296418
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/298285
; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraSeqList version 0.1
; SEQ ID NO 90
; LENGTH: 219
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-637-313-90

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 79 YVHDAPV 85

RESULT 46
US-10-637-313-92
; Sequence 92, Application US/10637313
; Publication No. US20040229779A1
; GENERAL INFORMATION:
; APPLICANT: Ramesh Kekuda
; APPLICANT: Uriel Malyankar
; APPLICANT: Li Li
; APPLICANT: David Anderson
; APPLICANT: Sasha Guo
; APPLICANT: Mei Zhong
; APPLICANT: Muralidhara Padigaru
; APPLICANT: Stacie Casman
; APPLICANT: Ferenc Boldog
; APPLICANT: Charles Miller
; APPLICANT: Nikolai Khrantsov
; APPLICANT: Corine Vernet
; APPLICANT: Meera Patturajan
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-593B
; CURRENT APPLICATION NUMBER: US/10/637,313
; CURRENT FILING DATE: 2003-08-08
; PRIOR APPLICATION NUMBER: 10/162335
; PRIOR FILING DATE: 2002-06-03
; PRIOR APPLICATION NUMBER: 60/295607
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/296404
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/296418
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/298285
; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraSeqList version 0.1
; SEQ ID NO 90
; LENGTH: 219
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-637-313-90

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 79 YVHDAPV 85

RESULT 47
US-10-637-313-94
; Sequence 94, Application US/10637313
; Publication No. US20040229779A1
; GENERAL INFORMATION:
; APPLICANT: Ramesh Kekuda
; APPLICANT: Uriel Malyankar
; APPLICANT: Li Li
; APPLICANT: David Anderson
; APPLICANT: Sasha Guo
; APPLICANT: Mei Zhong
; APPLICANT: Muralidhara Padigaru
; APPLICANT: Stacie Casman
; APPLICANT: Ferenc Boldog
; APPLICANT: Charles Miller
; APPLICANT: Nikolai Khrantsov
; APPLICANT: Corine Vernet
; APPLICANT: Meera Patturajan
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-593B
; CURRENT APPLICATION NUMBER: US/10/637,313
; CURRENT FILING DATE: 2003-08-08
; PRIOR APPLICATION NUMBER: 10/162335
; PRIOR FILING DATE: 2002-06-03
; PRIOR APPLICATION NUMBER: 60/295607
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/296404
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/296418
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/298285
; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraSeqList version 0.1
; SEQ ID NO 92
; LENGTH: 219
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-637-313-92

Query Match 100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 79 YVHDAPV 85
```

```

; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraseqList version 0.1
; SEQ ID NO 94
; LENGTH: 219
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-637-313-94

Query Match          100.0%; Score 40; DB 16; Length 219;
Best Local Similarity 100.0%; Pred. No. 5.8;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAVP 7
Db      79 YVHDAVP 85

RESULT 48
US-09-840-707A-2
; Sequence 2, Application US/09840707A
; Patent No. US20020077276A1
; GENERAL INFORMATION:
; APPLICANT: Ignatyev, George M.
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR TREATING HEMORRHAGIC VIRUS
; FILE REFERENCE: 24881-301C
; CURRENT APPLICATION NUMBER: US/09/840,707A
; CURRENT FILING DATE: 2001-04-23
; PRIOR APPLICATION NUMBER: 09/562,979
; PRIOR FILING DATE: 2000-04-27
; PRIOR APPLICATION NUMBER: 60/198,210
; PRIOR FILING DATE: 1999-04-27
; NUMBER OF SEQ ID NOS: 26
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: Interleukin-1 beta (catabolin)
; PUBLICATION INFORMATION:
; DATABASE ACCESSION NUMBER: P01584/Genbank
; DATABASE ENTRY DATE: 2001-08-20
US-09-840-707A-2

Query Match          100.0%; Score 40; DB 9; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAVP 7
Db      113 YVHDAVP 119

RESULT 49
US-09-770-528-10
; Sequence 10, Application US/09770528
; Patent No. US2002016432A1
; GENERAL INFORMATION:
; APPLICANT: Hedrick, Joseph A.
;              Sana, Theodore R.
;              Bazan, Fernando J.

```

```

; Kastelein, Robert A.
; TITLE OF INVENTION: Mammalian Cytokines; Related Reagents
; and Methods
; NUMBER OF SEQUENCES: 15
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DNAX Research Institute
; STREET: 901 California
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304-1104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/770,528
; FILING DATE: 25-Jan-2001
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/130,972
; FILING DATE: <Unknown>
; APPLICATION NUMBER: US 60/055,111
; FILING DATE: 06-AUG-1997
; APPLICATION NUMBER: US 09/062,866
; FILING DATE: 20-APR-1998
; APPLICATION NUMBER: US 09/097,976
; FILING DATE: 16-JUN-1998
; ATTORNEY/AGENT INFORMATION:
; NAME: Ching, Edwin P.
; REGISTRATION NUMBER: 34,090
; REFERENCE/DOCKET NUMBER: DX0725K2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-852-9196
; TELEFAX: 650-496-1200
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; SEQUENCE DESCRIPTION: SEQ ID NO: 10:
US-09-770-528-10

Query Match          100.0%; Score 40; DB 9; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAVP 7
Db      113 YVHDAVP 119

RESULT 50
US-10-139-833-7
; Sequence 7, Application US/10139833
; Publication No. US20030004106A1
; GENERAL INFORMATION:
; APPLICANT: Saris, Christiaan M.
; APPLICANT: Giles, Jennifer
; APPLICANT: Mu, Sharon X.
; APPLICANT: Xia, Min
; APPLICANT: Bass, Michael B.
; APPLICANT: Craveiro, Roger
; TITLE OF INVENTION: Interleukin-1 Receptor Antagonist-Related Molecules and
; Uses Thereof
; FILE REFERENCE: 00-1213-E
; CURRENT APPLICATION NUMBER: US/10/139,833
; CURRENT FILING DATE: 2002-05-06
; PRIOR APPLICATION NUMBER: 60/170,191
; PRIOR FILING DATE: 1999-12-10

```

; PRIOR APPLICATION NUMBER: 60/188,053
; PRIOR FILING DATE: 2000-03-09
; PRIOR APPLICATION NUMBER: 60/194,521
; PRIOR FILING DATE: 2000-04-04
; PRIOR APPLICATION NUMBER: 60/195,910
; PRIOR FILING DATE: 2000-04-10
; PRIOR APPLICATION NUMBER: 09/724,583
; PRIOR FILING DATE: 2000-11-28
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-139-833-7

Query Match 100.0%; Score 40; DB 14; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119
|||||

RESULT 51
US-10-011-931-2
; Sequence 2, Application US/10011931
; Publication No. US20030026806A1
; GENERAL INFORMATION:
; APPLICANT: WITTE, ALISON
; APPLICANT: VARNUM, BRIAN C.
; APPLICANT: QIAN, ZUENING
; APPLICANT: VEZINA, CHRIS
; TITLE OF INVENTION: ANTIBODIES AND OTHER SELECTIVE IL-1 BINDING AGENTS THAT ALLOW BINDING OF IL-1 RECEPTOR BUT NOT ACTIVATION THEREOF
; TITLE OF INVENTION: IL-1 RECEPTOR BUT NOT ACTIVATION THEREOF
; FILE REFERENCE: A-731
; CURRENT APPLICATION NUMBER: US/10/011,931
; CURRENT FILING DATE: 2002-04-01
; PRIOR APPLICATION NUMBER: US 60/244,118
; PRIOR FILING DATE: 2000-10-27
; NUMBER OF SEQ ID NOS: 78
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-011-931-2

Query Match 100.0%; Score 40; DB 14; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119
|||||

RESULT 52
US-10-038-557A-2
; Sequence 2, Application US/10038557A
; Publication No. US2003002684A1
; GENERAL INFORMATION:
; APPLICANT: Fredeking, Terry M.
; APPLICANT: Ignatyev, George M.
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR TREATING HEMORRHAGIC VIRUS INFECTIONS AND OTHER DISORDERS
; TITLE OF INVENTION: INFECTIONS AND OTHER DISORDERS
; FILE REFERENCE: 24881-301D
; CURRENT APPLICATION NUMBER: US/10/038,557A
; CURRENT FILING DATE: 2002-06-05
; PRIOR APPLICATION NUMBER: 09/840,707
; PRIOR FILING DATE: 2001-04-23
; PRIOR APPLICATION NUMBER: 09/562,979

; PRIOR FILING DATE: 2000-04-27
; PRIOR APPLICATION NUMBER: 60/198,210
; PRIOR FILING DATE: 1999-04-27
; NUMBER OF SEQ ID NOS: 26
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: Interleukin-1 beta (catabolin)
; PUBLICATION INFORMATION:
; DATABASE ACCESSION NUMBER: P01584/Genbank
; DATABASE ENTRY DATE: 1986-07-21
US-10-038-557A-2

Query Match 100.0%; Score 40; DB 14; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119
|||||

RESULT 53
US-10-167-127-4
; Sequence 4, Application US/10167127
; Publication No. US20030100031A1
; GENERAL INFORMATION:
; APPLICANT: DOWER, STEVEN
; APPLICANT: DUFF, GORDON W.
; TITLE OF INVENTION: INTEGRATIVE ASSAYS FOR MONITORING MOLECULAR ASSEMBLY
; TITLE OF INVENTION: EVENTS
; FILE REFERENCE: MSA-026.01 (20974-2601)
; CURRENT APPLICATION NUMBER: US/10/167,127
; CURRENT FILING DATE: 2002-06-11
; PRIOR APPLICATION NUMBER: 60/297,305
; PRIOR FILING DATE: 2001-06-11
; NUMBER OF SEQ ID NOS: 32
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-167-127-4

Query Match 100.0%; Score 40; DB 14; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 113 YVHDAPV 119
|||||

RESULT 54
US-10-440-464-53
; Sequence 53, Application US/10440464
; Publication No. US20040018528A1
; GENERAL INFORMATION:
; APPLICANT: DEPRIMO, SAMUEL
; APPLICANT: O'FARRELL, ANNE-MARIE
; APPLICANT: MORIMOTO, ALYSSA
; APPLICANT: SMOLICH, BEVERLY
; APPLICANT: MANNING, WILLIAM
; APPLICANT: WALTER, SARAH
; APPLICANT: CHERRINGTON, JULIE
; APPLICANT: SCHILLING, JIM
; TITLE OF INVENTION: NOVEL BIOMARKERS OF TYROSINE KINASE INHIBITOR EXPOSURE
; TITLE OF INVENTION: NOVEL BIOMARKERS OF TYROSINE KINASE INHIBITOR EXPOSURE
; FILE REFERENCE: 038602/1592
; CURRENT APPLICATION NUMBER: US/10/440,464


```
; CURRENT FILING DATE: 2003-05-19
; PRIOR APPLICATION NUMBER: 60/380,872
; PRIOR FILING DATE: 2002-05-17
; PRIOR APPLICATION NUMBER: 60/448,922
; PRIOR FILING DATE: 2003-02-24
; PRIOR APPLICATION NUMBER: 60/448,874
; PRIOR FILING DATE: 2003-02-24
; NUMBER OF SEQ ID NOS: 185
; SOFTWARE: Patent in Ver. 2.1
; SEQ ID NO 53
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-440-464-53

Query Match      100.0%; Score 40; DB 15; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAVP 7
DB      113 YVHDAVP 119

RESULT 55
US-10-447-315-13
; Sequence 13, Application US/10447315
; Publication No. US20040071687A1
; GENERAL INFORMATION:
; APPLICANT: Rafii, Shahin
; APPLICANT: Heissig, Beate
; APPLICANT: Hattori, Koichi
; APPLICANT: Cornell Research Foundation, Inc.
; TITLE OF INVENTION: Adult Stem Cell Recruitment
; FILE REFERENCE: 1676.006US1
; CURRENT APPLICATION NUMBER: US/10/447,315
; CURRENT FILING DATE: 2003-05-28
; PRIOR APPLICATION NUMBER: US 60/383,658
; PRIOR FILING DATE: 2002-05-28
; NUMBER OF SEQ ID NOS: 28
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 13
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-447-315-13

Query Match      100.0%; Score 40; DB 15; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAVP 7
DB      113 YVHDAVP 119

RESULT 56
US-10-637-313-82
; Sequence 82, Application US/10637313
; Publication No. US20040229779A1
; GENERAL INFORMATION:
; APPLICANT: Ramesh Kekuda
; APPLICANT: Uriel Malyankar
; APPLICANT: Li Li
; APPLICANT: David Anderson
; APPLICANT: Sasha Guo
; APPLICANT: Mei Zhong
; APPLICANT: Muralidhara Padigaru
; APPLICANT: Stacie Casman
; APPLICANT: Ferenc Boldog
; APPLICANT: Charles Miller
; APPLICANT: Nikolai Khrantsov
; APPLICANT: Corine Vernet
```

```
; APPLICANT: Meera Patturajan
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-593B
; CURRENT APPLICATION NUMBER: US/10/637,313
; CURRENT FILING DATE: 2003-08-08
; PRIOR APPLICATION NUMBER: 10/162335
; PRIOR FILING DATE: 2002-06-03
; PRIOR APPLICATION NUMBER: 60/295607
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/295661
; PRIOR FILING DATE: 2001-06-04
; PRIOR APPLICATION NUMBER: 60/296404
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/296418
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: 60/298285
; PRIOR FILING DATE: 2001-06-14
; PRIOR APPLICATION NUMBER: 60/298556
; PRIOR FILING DATE: 2001-06-15
; PRIOR APPLICATION NUMBER: 60/299949
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: 60/300883
; PRIOR FILING DATE: 2001-06-26
; PRIOR APPLICATION NUMBER: 60/301550
; PRIOR FILING DATE: 2001-06-28
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 255
; SOFTWARE: CuraSeqList version 0.1
; SEQ ID NO 82
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-637-313-82

Query Match      100.0%; Score 40; DB 16; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAVP 7
DB      113 YVHDAVP 119

RESULT 57
US-10-985-299-2
; Sequence 2, Application US/10985299
; Publication No. US20050084493A1
; GENERAL INFORMATION:
; APPLICANT: WITTE, ALISON
; APPLICANT: VARNUM, BRIAN C.
; APPLICANT: QIAN, ZUEMING
; APPLICANT: VEZINA, CHRIS
; TITLE OF INVENTION: SCREENING METHOD FOR ANTIBODIES AND OTHER SELECTIVE IL-1 BINDING
; TITLE OF INVENTION: AGENTS THAT ALLOW BINDING TO IL-1 RECEPTOR BUT NOT ACTIVATION
; FILE REFERENCE: A-731A
; FILE REFERENCE: THEREOF (as amended)
; CURRENT APPLICATION NUMBER: US/10/985,299
; CURRENT FILING DATE: 2004-11-09
; PRIOR APPLICATION NUMBER: US 10/011,931
; PRIOR FILING DATE: 2001-10-29
; PRIOR APPLICATION NUMBER: US 60/244,118
; PRIOR FILING DATE: 2000-10-27
; NUMBER OF SEQ ID NOS: 78
; SOFTWARE: Patent in version 3.2
; SEQ ID NO 2
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-985-299-2

Query Match      100.0%; Score 40; DB 17; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY      1 YVHDAPV 7
DB      113 YVHDAPV 119

RESULT 58
US-10-491-997-84
; Sequence 84, Application US/10491997
; Publication No. US20050089957A1
; GENERAL INFORMATION:
; APPLICANT: Goddard, Audrey
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE DIAGNOSIS AND
; TITLE OF INVENTION: TREATMENT OF INFLAMMATORY BOWEL DISORDERS
; FILE REFERENCE: P1915R1 US
; CURRENT APPLICATION NUMBER: US/10/491,997
; PRIOR FILING DATE: 2004-04-07
; PRIOR APPLICATION NUMBER: PCT/US02/33070
; PRIOR FILING DATE: 2002-10-15
; PRIOR APPLICATION NUMBER: US 60/340,083
; PRIOR FILING DATE: 2001-10-19
; NUMBER OF SEQ ID NOS: 162
; SEQ ID NO 84
; LENGTH: 269
; TYPE: PRT
; ORGANISM: Homo sapien
US-10-491-997-84

Query Match      100.0%; Score 40; DB 17; Length 269;
Best Local Similarity 100.0%; Pred. No. 7.2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 0;

QY      1 YVHDAPV 7
DB      113 YVHDAPV 119

RESULT 59
US-10-437-963-178722
; Sequence 178722, Application US/10437963
; Publication No. US20040123343A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; APPLICANT: Wu, Wei
; APPLICANT: Boukharov, Andrey A.
; APPLICANT: Barbazuk, Brad
; APPLICANT: Li, Ping
; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated with
; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement
; FILE REFERENCE: 38-21(53221)B
; CURRENT APPLICATION NUMBER: US/10/437,963
; CURRENT FILING DATE: 2003-05-14
; NUMBER OF SEQ ID NOS: 204966
; SEQ ID NO 178722
; LENGTH: 67
; TYPE: PRT
; ORGANISM: Oryza sativa
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
US-10-437-963-178722

Query Match      92.5%; Score 37; DB 16; Length 67;
Best Local Similarity 85.7%; Pred. No. 6.8; Indels 0; Gaps 0;
Matches 6; Conservative 1; Mismatches 0;

QY      1 YVHDAPV 7
DB      40 YVHDAPV 46

RESULT 60
US-09-747-287-207
; Sequence 207, Application US/09747287
; Publication No. US20030207264A1
; GENERAL INFORMATION:
; APPLICANT: KOMORIYA, AKIRA
; APPLICANT: PACKARD, BEVERLY S.
; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES
; FILE REFERENCE: 300-9486000US
; CURRENT APPLICATION NUMBER: US/09/747,287
; CURRENT FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: US 09/349,019
; PRIOR FILING DATE: 1999-09-10
; PRIOR APPLICATION NUMBER: US08/802,981
; PRIOR FILING DATE: 1997-02-20
; PRIOR APPLICATION NUMBER: PCT/US00/24882
; PRIOR FILING DATE: 2000-09-11
; NUMBER OF SEQ ID NOS: 242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 207
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
; NAME/KEY: misc feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
US-09-747-287-207

Query Match      90.0%; Score 36; DB 10; Length 14;
Best Local Similarity 100.0%; Pred. No. 2.1; Indels 0; Gaps 0;
Matches 6; Conservative 0; Mismatches 0;

QY      1 YVHDAP 6
DB      6 YVHDAP 11

RESULT 61
US-09-780-575-4
; Sequence 4, Application US/09780575
; Publication No. US20010029024A1
; GENERAL INFORMATION:
; APPLICANT: KODADEK, THOMAS J.
; TITLE OF INVENTION: SELECTION OF PEPTIDES WITH ANTIBODY-LIKE PROPERTIES
; FILE REFERENCE: UTSD:566US
; CURRENT APPLICATION NUMBER: US/09/780,575
; CURRENT FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/182,060
; PRIOR FILING DATE: 2000-02-11
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 20
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
US-09-780-575-4

Query Match      90.0%; Score 36; DB 9; Length 20;
Best Local Similarity 85.7%; Pred. No. 3.1; Indels 0; Gaps 0;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
DB      7 YVHDGPV 13
```

RESULT 62

US-10-437-963-127296
; Sequence 127296, Application US/10437963
; Publication No. US20040123343A1

GENERAL INFORMATION:

APPLICANT: La Rosa, Thomas J.
APPLICANT: Kovalic, David K.
APPLICANT: Zhou, Yihua
APPLICANT: Cao, Yongwei
APPLICANT: Wu, Wei
APPLICANT: Boukharov, Andrey A.
APPLICANT: Barbazuk, Brad
APPLICANT: Li, Ping

; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated with
; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement

FILE REFERENCE: 38-21(53221)B

CURRENT APPLICATION NUMBER: US/10/437,963

CURRENT FILING DATE: 2003-05-14

NUMBER OF SEQ ID NOS: 204966

SEQ ID NO 127296

LENGTH: 1566

TYPE: PRT

ORGANISM: Oryza sativa

FEATURE:

NAME/KEY: unsure

LOCATION: (1)..(1566)

OTHER INFORMATION: unsure at all xaa locations

FEATURE:

OTHER INFORMATION: Clone ID: PAT_MRT4530_29761C.1.pap

US-10-437-963-127296

Query Match

Best Local Similarity 90.0%; Score 36; DB 16; Length 1566;

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

DB 1537 FVHDAPV 1543

RESULT 63

US-10-437-963-132031

; Sequence 132031, Application US/10437963

; Publication No. US20040123343A1

GENERAL INFORMATION:

APPLICANT: La Rosa, Thomas J.

APPLICANT: Kovalic, David K.

APPLICANT: Zhou, Yihua

APPLICANT: Cao, Yongwei

APPLICANT: Wu, Wei

APPLICANT: Boukharov, Andrey A.

APPLICANT: Barbazuk, Brad

APPLICANT: Li, Ping

; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated with

; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement

FILE REFERENCE: 38-21(53221)B

CURRENT APPLICATION NUMBER: US/10/437,963

CURRENT FILING DATE: 2003-05-14

NUMBER OF SEQ ID NOS: 204966

SEQ ID NO 132031

LENGTH: 1566

TYPE: PRT

ORGANISM: Oryza sativa

FEATURE:

OTHER INFORMATION: Clone ID: PAT_MRT4530_34039C.1.pap

US-10-437-963-132031

Query Match

Best Local Similarity 85.0%; Score 34; DB 16; Length 156;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

DB 103 YTHREV 109

RESULT 64

US-09-874-350A-172

; Sequence 172, Application US/09874350A

; Publication No. US20040096926A1

GENERAL INFORMATION:

APPLICANT: Oncoimmunin, Inc.

APPLICANT: Komoriya, Akira

APPLICANT: Packard, Beverly

APPLICANT: Packard, Beverly

; TITLE OF INVENTION: COMPOSITIONS FOR THE DETECTION OF ENZYME ACTIVITY IN BIOLOGICAL

; TITLE OF INVENTION: AND METHODS OF USE THEREOF

FILE REFERENCE: 300-903840US

CURRENT APPLICATION NUMBER: US/09/874,350A

CURRENT FILING DATE: 2001-06-04

PRIOR APPLICATION NUMBER: PCT/US98/00300

PRIOR FILING DATE: 1998-02-20

PRIOR APPLICATION NUMBER: PCT/US00/24882

PRIOR FILING DATE: 2000-09-11

PRIOR APPLICATION NUMBER: US 09/394,019

PRIOR FILING DATE: 1999-09-10

PRIOR APPLICATION NUMBER: US 08/802,981

PRIOR FILING DATE: 1997-02-20

NUMBER OF SEQ ID NOS: 221

SOFTWARE: PatentIn version 3.0

SEQ ID NO 172

LENGTH: 16

TYPE: PRT

ORGANISM: Artificial Sequence

FEATURE:

OTHER INFORMATION: Protease indicator

NAME/KEY: misc.feature

LOCATION: (4)..(4)

OTHER INFORMATION: Xaa is epsilon aminocaproic acid (Abx)

NAME/KEY: misc.feature

LOCATION: (12)..(12)

OTHER INFORMATION: Xaa is epsilon aminocaproic acid (Abx)

US-09-874-350A-172

Query Match

Best Local Similarity 82.5%; Score 33; DB 11; Length 16;

Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7

DB 5 VHDAPV 10

RESULT 65

US-09-747-287-99

; Sequence 99, Application US/09747287

; Publication No. US20030207264A1

GENERAL INFORMATION:

APPLICANT: KOMORIYA, AKIRA

APPLICANT: PACKARD, BEVERLY S.

APPLICANT: PACKARD, BEVERLY S.

; TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME

; TITLE OF INVENTION: ACTIVITY IN BIOLOGICAL SAMPLES

FILE REFERENCE: 300-948600US

CURRENT APPLICATION NUMBER: US/09/747,287

CURRENT FILING DATE: 2000-12-22

PRIOR APPLICATION NUMBER: US 09/349,019

PRIOR FILING DATE: 1999-09-10

PRIOR APPLICATION NUMBER: US08/802,981

PRIOR FILING DATE: 1997-02-20

PRIOR APPLICATION NUMBER: PCT/US00/24882

NUMBER OF SEQ ID NOS: 242

SOFTWARE: PatentIn version 3.2

SEQ ID NO 99

LENGTH: 18

TYPE: PRT

; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic peptide.
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (4)..(4)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (6)..(6)
; OTHER INFORMATION: Xaa is D form Tyr
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: Xaa is epsilon-aminocaproic acid
US-09-747-287-99

Query Match 82.5%; Score 33; DB 10; Length 18;
Best Local Similarity 100.0%; Pred. No. 11;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|:||||
Db 7 VHDAPV 12

RESULT 66
US-10-425-115-229242
; Sequence 229242, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 229242
; LENGTH: 58
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_140660C.1.pap
US-10-425-115-229242

Query Match 82.5%; Score 33; DB 16; Length 58;
Best Local Similarity 71.4%; Pred. No. 37;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:||||
Db 45 YHQAPV 51

RESULT 67
US-10-425-115-274088
; Sequence 274088, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326

; SEQ ID NO 274088
; LENGTH: 78
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_181557C.1.pap
US-10-425-115-274088

Query Match 82.5%; Score 33; DB 16; Length 78;
Best Local Similarity 83.3%; Pred. No. 51;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:||||
Db 37 YLHDAP 42

RESULT 68
US-10-425-115-247918
; Sequence 247918, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 247918
; LENGTH: 120
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_157689C.1.pap
US-10-425-115-247918

Query Match 82.5%; Score 33; DB 16; Length 120;
Best Local Similarity 83.3%; Pred. No. 79;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:||||
Db 79 YLHDAP 84

RESULT 69
US-10-320-797-3074
; Sequence 3074, Application US/10320797
; Publication No. US20040014955A1
; GENERAL INFORMATION:
; APPLICANT: Eroshkin, Alexey M.
; APPLICANT: Zamudio, Carlos
; TITLE OF INVENTION: IDENTIFICATION OF ESSENTIAL GENES OF CRYPTOCOCCUS NEOFORMANS AND
; FILE REFERENCE: 10182-021-999
; CURRENT APPLICATION NUMBER: US/10/320,797
; CURRENT FILING DATE: 2002-12-16
; PRIOR APPLICATION NUMBER: 60/341,261
; PRIOR FILING DATE: 2001-12-17
; NUMBER OF SEQ ID NOS: 3361
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 3074
; LENGTH: 272
; TYPE: PRT
; ORGANISM: Cryptococcus neoformans
US-10-320-797-3074

Query Match 82.5%; Score 33; DB 15; Length 272;
Best Local Similarity 71.4%; Pred. No. 1.9e+02;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 77 YLHDCPV 83

RESULT 70

US-10-275-026A-56
; Sequence 56, Application US/10275026A
; Publication No. US20040087770A1

; GENERAL INFORMATION:

; APPLICANT: Tang, Christoph
; TITLE OF INVENTION: Virulence Genes, Proteins, and Their Use

; FILE REFERENCE: GJE-6436
; CURRENT APPLICATION NUMBER: US/10/275,026A

; CURRENT FILING DATE: 2003-10-31

; PRIOR APPLICATION NUMBER: PCT/GB01/02003

; PRIOR FILING DATE: 2001-05-08

; PRIOR APPLICATION NUMBER: GB 0011108.8

; PRIOR FILING DATE: 2000-05-08

; NUMBER OF SEQ ID NOS: 214

; SOFTWARE: PatentIn version 3.2

; SEQ ID NO 56

; LENGTH: 419

; TYPE: PRT

; ORGANISM: Neisseria meningitidis

US-10-275-026A-56

Query Match 82.5%; Score 33; DB 15; Length 419;

Best Local Similarity 71.4%; Pred. No. 2.9e+02;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 315 YVHDVPL 321

RESULT 71

US-10-275-026A-110

; Sequence 110, Application US/10275026A

; Publication No. US20040087770A1

; GENERAL INFORMATION:

; APPLICANT: Tang, Christoph

; TITLE OF INVENTION: Virulence Genes, Proteins, and Their Use

; FILE REFERENCE: GJE-6436

; CURRENT APPLICATION NUMBER: US/10/275,026A

; CURRENT FILING DATE: 2003-10-31

; PRIOR APPLICATION NUMBER: PCT/GB01/02003

; PRIOR FILING DATE: 2001-05-08

; PRIOR APPLICATION NUMBER: GB 0011108.8

; PRIOR FILING DATE: 2000-05-08

; NUMBER OF SEQ ID NOS: 214

; SOFTWARE: PatentIn version 3.2

; SEQ ID NO 110

; LENGTH: 419

; TYPE: PRT

; ORGANISM: Neisseria meningitidis

US-10-275-026A-110

Query Match 82.5%; Score 33; DB 15; Length 419;

Best Local Similarity 71.4%; Pred. No. 2.9e+02;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 315 YVHDVPL 321

RESULT 72

US-10-437-963-152111

; Sequence 152111, Application US/10437963

; Publication No. US20040123343A1

; GENERAL INFORMATION:

; APPLICANT: La Rosa, Thomas J.

; APPLICANT: Kovalic, David K.

; APPLICANT: Zhou, Yihua

; APPLICANT: Cao, Yongwei

; APPLICANT: Wu, Wei

; APPLICANT: Boukharov, Andrey A.

; APPLICANT: Barbazuk, Brad

; APPLICANT: Li, Ping

; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated With

; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement

; FILE REFERENCE: 38-21(53221)B

; CURRENT APPLICATION NUMBER: US/10/437,963

; CURRENT FILING DATE: 2003-05-14

; NUMBER OF SEQ ID NOS: 204966

; SEQ ID NO 152111

; LENGTH: 45

; TYPE: PRT

; ORGANISM: Oryza sativa

; FEATURE:

; OTHER INFORMATION: Clone ID: PAT_MRT4530_52194C.1.pep

US-10-437-963-152111

Query Match 80.0%; Score 32; DB 16; Length 45;

Best Local Similarity 83.3%; Pred. No. 45;

Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|:|:|:|
Db 31 IHDAPV 36

RESULT 73

US-10-425-114-41734

; Sequence 41734, Application US/10425114

; Publication No. US20040034888A1

; GENERAL INFORMATION:

; APPLICANT: Liu, Jingdong

; APPLICANT: Zhou, Yihua

; APPLICANT: Kovalic, David K.

; APPLICANT: Screen, Steven E

; APPLICANT: Tabaska, Jack E

; APPLICANT: Cao, Yongwei

; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With

; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement

; FILE REFERENCE: 38-21(53131)B

; CURRENT APPLICATION NUMBER: US/10/425,114

; CURRENT FILING DATE: 2003-04-28

; NUMBER OF SEQ ID NOS: 73128

; SEQ ID NO 41734

; LENGTH: 162

; TYPE: PRT

; ORGANISM: Zea mays

; FEATURE:

; OTHER INFORMATION: Clone ID: UC-ZMFLM017290D08_FLI.pep

US-10-425-114-41734

Query Match 80.0%; Score 32; DB 15; Length 162;

Best Local Similarity 83.3%; Pred. No. 1.7e+02;

Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|:|
Db 37 YVHEAP 42

RESULT 74

US-10-732-923-21825

; Sequence 21825, Application US/10732923

; Publication No. US20050108791A1

; GENERAL INFORMATION:

; APPLICANT: Edgerton, Michael D

; TITLE OF INVENTION: TRANSGENIC PLANTS WITH IMPROVED PHENOTYPES

; FILE REFERENCE: 38-15(52796)C
; CURRENT APPLICATION NUMBER: US/10/732,923
; CURRENT FILING DATE: 2003-12-10
; PRIOR APPLICATION NUMBER: 10/310,154
; PRIOR FILING DATE: 2002-12-04
; NUMBER OF SEQ ID NOS: 24149
; SEQ ID NO 21825
; LENGTH: 203
; TYPE: PRT
; ORGANISM: Lilium longiflorum
US-10-732-923-21825

Query Match 80.0%; Score 32; DB 17; Length 203;
Best Local Similarity 83.3%; Pred. No. 2.2e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
Db 69 YAHADP 74

RESULT 75
US-10-282-122A-71089
; Sequence 71089, Application US/10282122A
; Publication No. US20040029129A1
; GENERAL INFORMATION:
; APPLICANT: Wang, Liangsu
; APPLICANT: Zamudio, Carlos
; APPLICANT: Malone, Cheryl
; APPLICANT: Haselbeck, Robert
; APPLICANT: Ohlsen, Kari
; APPLICANT: Zyskind, Judith
; APPLICANT: Wall, Daniel
; APPLICANT: Trawick, John
; APPLICANT: Carr, Grant
; APPLICANT: Yamamoto, Robert
; APPLICANT: Forsyth, R.
; APPLICANT: Xu, H.

; TITLE OF INVENTION: Identification of Essential Genes in Microorganisms
; FILE REFERENCE: ELITRA.034A
; CURRENT APPLICATION NUMBER: US/10/282,122A
; CURRENT FILING DATE: 2003-02-20
; PRIOR APPLICATION NUMBER: 60/191,078
; PRIOR FILING DATE: 2000-03-21
; PRIOR APPLICATION NUMBER: 60/206,848
; PRIOR FILING DATE: 2000-05-23
; PRIOR APPLICATION NUMBER: 60/207,727
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: 60/230,335
; PRIOR FILING DATE: 2000-09-06
; PRIOR APPLICATION NUMBER: 60/230,347
; PRIOR FILING DATE: 2000-09-09
; PRIOR APPLICATION NUMBER: 60/242,578
; PRIOR FILING DATE: 2000-10-23
; PRIOR APPLICATION NUMBER: 60/253,625
; PRIOR FILING DATE: 2000-11-27
; PRIOR APPLICATION NUMBER: 60/257,931
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: 60/267,636
; PRIOR FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/269,308
; PRIOR FILING DATE: 2001-02-16
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 78614
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 71089
; LENGTH: 213
; TYPE: PRT
; ORGANISM: Staphylococcus epidermidis
US-10-282-122A-71089

Query Match 80.0%; Score 32; DB 15; Length 213;
Best Local Similarity 57.1%; Pred. No. 2.3e+02;

Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
Db 161 YIHDFFPI 167

RESULT 76
US-10-424-599-248882
; Sequence 248882, Application US/10424599
; Publication No. US20040031072A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa Thomas J
; APPLICANT: Kovalic David K
; APPLICANT: Zhou Yihua
; APPLICANT: Cao Yongwei
; TITLE OF INVENTION: Soy Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53223)B
; CURRENT APPLICATION NUMBER: US/10/424,599
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 285684
; SEQ ID NO 248882
; LENGTH: 344
; TYPE: PRT
; ORGANISM: Glycine max
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(344)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT3847_66771C.1.pap
US-10-424-599-248882

Query Match 80.0%; Score 32; DB 15; Length 344;
Best Local Similarity 66.7%; Pred. No. 3.8e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
Db 257 YIHDSP 262

RESULT 77
US-10-437-963-199932
; Sequence 199932, Application US/10437963
; Publication No. US20040123343A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; APPLICANT: Wu, Wei
; APPLICANT: Boukharov, Andrey A.
; APPLICANT: Barbazuk, Brad
; APPLICANT: Li, Ping
; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53221)B
; CURRENT APPLICATION NUMBER: US/10/437,963
; CURRENT FILING DATE: 2003-05-14
; NUMBER OF SEQ ID NOS: 204966
; SEQ ID NO 199932
; LENGTH: 676
; TYPE: PRT
; ORGANISM: Oryza sativa
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(676)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT4530_95451C.1.pap
US-10-437-963-199932

Query Match 80.0%; Score 32; DB 16; Length 676;
Best Local Similarity 57.1%; Pred. No. 7.7e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:
Db 497 YIHSAPI 503

RESULT 78
US-10-437-963-160601
; Sequence 160601, Application US/10437963
; Publication No. US20040123343A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; APPLICANT: Wu, Wei
; APPLICANT: Boukharov, Andrey A.
; APPLICANT: Barbazuk, Brad
; APPLICANT: Li, Ping
; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated With
; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement
; FILE REFERENCE: 38-21(53221)B
; CURRENT APPLICATION NUMBER: US/10/437,963
; CURRENT FILING DATE: 2003-05-14
; NUMBER OF SEQ ID NOS: 204966
; SEQ ID NO 160601
; LENGTH: 32
; TYPE: PRT
; ORGANISM: Oryza sativa
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT4530_59867C.1.pap
US-10-437-963-160601

Query Match 77.5%; Score 31; DB 16; Length 32;
Best Local Similarity 83.3%; Pred. No. 51;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|:
Db 12 YVHDRP 17

RESULT 79
US-10-179-784-20
; Sequence 20, Application US/10179784
; Publication No. US20030036647A1
; GENERAL INFORMATION:
; APPLICANT: Shuman, Stewart
; APPLICANT: Sriskanda, Verl
; TITLE OF INVENTION: Pharmacological Targeting of Bacterial DNA Ligase
; TITLE OF INVENTION: For Treatment And Prevention of Bacterial Infections
; FILE REFERENCE: D6468
; CURRENT APPLICATION NUMBER: US/10/179,784
; CURRENT FILING DATE: 2002-06-24
; PRIOR APPLICATION NUMBER: US 60/300,727
; PRIOR FILING DATE: 2001-06-24
; NUMBER OF SEQ ID NOS: 41
; SEQ ID NO 20
; LENGTH: 60
; TYPE: PRT
; ORGANISM: Mycobacterium leprae
; FEATURE:
; NAME/KEY: DOMAIN
; OTHER INFORMATION: domain Ia of NAD+-dependent DNA ligase
US-10-179-784-20

Query Match 77.5%; Score 31; DB 14; Length 60;
Best Local Similarity 71.4%; Pred. No. 97;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:
Db 15 YVRDAP1 21

RESULT 80
US-10-179-784-22
; Sequence 22, Application US/10179784
; Publication No. US20030036647A1
; GENERAL INFORMATION:
; APPLICANT: Shuman, Stewart
; APPLICANT: Sriskanda, Verl
; TITLE OF INVENTION: Pharmacological Targeting of Bacterial DNA Ligase
; TITLE OF INVENTION: For Treatment And Prevention of Bacterial Infections
; FILE REFERENCE: D6468
; CURRENT APPLICATION NUMBER: US/10/179,784
; CURRENT FILING DATE: 2002-06-24
; PRIOR APPLICATION NUMBER: US 60/300,727
; PRIOR FILING DATE: 2001-06-24
; NUMBER OF SEQ ID NOS: 41
; SEQ ID NO 22
; LENGTH: 60
; TYPE: PRT
; ORGANISM: Mycobacterium tuberculosis
; FEATURE:
; NAME/KEY: DOMAIN
; OTHER INFORMATION: domain Ia of NAD+-dependent DNA ligase
US-10-179-784-22

Query Match 77.5%; Score 31; DB 14; Length 60;
Best Local Similarity 71.4%; Pred. No. 97;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:
Db 15 YVRDAP1 21

RESULT 81
US-10-424-599-218015
; Sequence 218015, Application US/10424599
; Publication No. US20040031072A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J
; APPLICANT: Kovalic, David K
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Soy Nucleic Acid Molecules and Other Molecules Associated With
; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement
; FILE REFERENCE: 38-21(53223)B
; CURRENT APPLICATION NUMBER: US/10/424,599
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 285684
; SEQ ID NO 218015
; LENGTH: 66
; TYPE: PRT
; ORGANISM: Glycine max
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT3847_38895C.1.pap
US-10-424-599-218015

Query Match 77.5%; Score 31; DB 15; Length 66;
Best Local Similarity 57.1%; Pred. No. 1.1e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:
Db 17 YIHTAPI 23

RESULT 82
US-10-425-115-302375

; Sequence 302375, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 302375
; LENGTH: 67
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_38841C.1.pep
US-10-425-115-302375

Query Match 77.5%; Score 31; DB 16; Length 67;
Best Local Similarity 71.4%; Pred. No. 1.1e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:| |||
DB 20 YTHAAPV 26

RESULT 83
US-10-425-115-330170
; Sequence 330170, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 330170
; LENGTH: 92
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(92)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_64215C.1.pep
US-10-425-115-330170

Query Match 77.5%; Score 31; DB 16; Length 92;
Best Local Similarity 71.4%; Pred. No. 1.5e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:| |||
DB 72 YPHDAPM 78

RESULT 84
US-10-424-599-191361
; Sequence 191361, Application US/10424599
; Publication No. US20040031072A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa Thomas J
; APPLICANT: Kovalic David K

; APPLICANT: Zhou Yihua
; APPLICANT: Cao Yongwei
; TITLE OF INVENTION: Soy Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53223)B
; CURRENT APPLICATION NUMBER: US/10/424,599
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 285684
; SEQ ID NO 191361
; LENGTH: 150
; TYPE: PRT
; ORGANISM: Glycine max
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(150)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT3847_14819C.1.pep
US-10-424-599-191361

Query Match 77.5%; Score 31; DB 15; Length 150;
Best Local Similarity 66.7%; Pred. No. 2.5e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:| |||
DB 144 YIHEAP 149

RESULT 85
US-10-425-115-189250
; Sequence 189250, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 189250
; LENGTH: 167
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_104182C.1.pep
US-10-425-115-189250

Query Match 77.5%; Score 31; DB 16; Length 167;
Best Local Similarity 83.3%; Pred. No. 2.8e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:| |||
DB 60 YVHDLF 65

RESULT 86
US-10-425-115-272422
; Sequence 272422, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B

;; CURRENT APPLICATION NUMBER: US/10/425,115
;; CURRENT FILING DATE: 2003-04-28
;; NUMBER OF SEQ ID NOS: 369326
;; SEQ ID NO 272422
;; LENGTH: 223
;; TYPE: PRT
;; ORGANISM: Zea mays
;; FEATURE:
;; OTHER INFORMATION: Clone ID: MRT4577_180034C.1.pep
US-10-425-115-272422

Query Match 77.5%; Score 31; DB 16; Length 223;
Best Local Similarity 71.4%; Pred. No. 3.8e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|||||
Db 94 YLYDAPV 100

RESULT 87

US-10-425-114-47269
;; Sequence 47269, Application US/10425114
;; Publication No. US20040034888A1
;; GENERAL INFORMATION:

;; APPLICANT: Liu, Jingdong
;; APPLICANT: Zhou, Yihua
;; APPLICANT: Kovalic, David K.
;; APPLICANT: Screen, Steven E.
;; APPLICANT: Tabaska, Jack E.
;; APPLICANT: Cao, Yongwei

;; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
;; FILE OF INVENTION: Plants and Uses Thereof for Plant Improvement
;; FILE REFERENCE: 38-21(5313)B
;; CURRENT APPLICATION NUMBER: US/10/425,114

;; CURRENT FILING DATE: 2003-04-28
;; NUMBER OF SEQ ID NOS: 73128

;; SEQ ID NO 47269
;; LENGTH: 232
;; TYPE: PRT

;; ORGANISM: Zea mays

;; FEATURE:

;; OTHER INFORMATION: Clone ID: 701172318_FLI.pep
US-10-425-114-47269

Query Match 77.5%; Score 31; DB 15; Length 232;
Best Local Similarity 66.7%; Pred. No. 4e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|:|||||
Db 28 IHDAPV 33

RESULT 88

US-10-282-122A-53482
;; Sequence 53482, Application US/10282122A
;; Publication No. US20040029129A1
;; GENERAL INFORMATION:

;; APPLICANT: Wang, Liangsu
;; APPLICANT: Zamudio, Carlos
;; APPLICANT: Malone, Cheryl
;; APPLICANT: Haselbeck, Robert
;; APPLICANT: Ohlsen, Kari
;; APPLICANT: Zyskind, Judith
;; APPLICANT: Wall, Daniel
;; APPLICANT: Trawick, John
;; APPLICANT: Carr, Grant
;; APPLICANT: Yamamoto, Robert
;; APPLICANT: Forsyth, R.
;; APPLICANT: Xu, H.

;; TITLE OF INVENTION: Identification of Essential Genes in Microorganisms
;; FILE REFERENCE: ELITRA.034A

;; CURRENT APPLICATION NUMBER: US/10/282,122A
;; CURRENT FILING DATE: 2003-02-20
;; PRIOR APPLICATION NUMBER: 60/191,078
;; PRIOR FILING DATE: 2000-03-21
;; PRIOR APPLICATION NUMBER: 60/206,848
;; PRIOR FILING DATE: 2000-05-23
;; PRIOR APPLICATION NUMBER: 60/207,727
;; PRIOR FILING DATE: 2000-05-26
;; PRIOR APPLICATION NUMBER: 60/230,335
;; PRIOR FILING DATE: 2000-09-06
;; PRIOR APPLICATION NUMBER: 60/230,347
;; PRIOR FILING DATE: 2000-09-09
;; PRIOR APPLICATION NUMBER: 60/242,578
;; PRIOR FILING DATE: 2000-10-23
;; PRIOR APPLICATION NUMBER: 60/253,625
;; PRIOR FILING DATE: 2000-11-27
;; PRIOR APPLICATION NUMBER: 60/257,931
;; PRIOR FILING DATE: 2000-12-22
;; PRIOR APPLICATION NUMBER: 60/267,636
;; PRIOR FILING DATE: 2001-02-09
;; PRIOR APPLICATION NUMBER: 60/269,308
;; PRIOR FILING DATE: 2001-02-16
;; Remaining Prior Application data removed - See File Wrapper or PALM.
;; NUMBER OF SEQ ID NOS: 78614
;; SOFTWARE: PatentIn version 3.1
;; SEQ ID NO 53482
;; LENGTH: 259
;; TYPE: PRT
;; ORGANISM: Clostridium difficile
US-10-282-122A-53482

Query Match 77.5%; Score 31; DB 15; Length 259;
Best Local Similarity 57.1%; Pred. No. 4.5e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|||||
Db 76 YIHDPL 82

RESULT 89

US-10-425-115-336817
;; Sequence 336817, Application US/10425115
;; Publication No. US20040214272A1
;; GENERAL INFORMATION:

;; APPLICANT: La Rosa, Thomas J.
;; APPLICANT: Kovalic, David K.
;; APPLICANT: Zhou, Yihua
;; APPLICANT: Cao, Yongwei

;; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
;; FILE OF INVENTION: Plants
;; FILE REFERENCE: 38-21(53222)B
;; CURRENT APPLICATION NUMBER: US/10/425,115

;; CURRENT FILING DATE: 2003-04-28
;; NUMBER OF SEQ ID NOS: 369326

;; SEQ ID NO 336817
;; LENGTH: 267

;; TYPE: PRT

;; ORGANISM: Zea mays

;; FEATURE:

;; OTHER INFORMATION: Clone ID: MRT4577_70336C.1.pep
US-10-425-115-336817

Query Match 77.5%; Score 31; DB 16; Length 267;
Best Local Similarity 83.3%; Pred. No. 4.6e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|||||
Db 64 HVHDAP 69

RESULT 90

```
US-10-425-115-350581
; Sequence 350581, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 350561
; LENGTH: 288
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(288)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_82900C.1.pep
US-10-425-115-350581

Query Match          77.5%; Score 31; DB 16; Length 288;
Best Local Similarity 66.7%; Pred. No. 5e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY      2 VHDAPV 7
        :||||:
Db      43 IHDAPV 48

RESULT 91
US-10-424-599-195944
; Sequence 195944, Application US/10424599
; Publication No. US20040031072A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J
; APPLICANT: Kovalic, David K
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Soy Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53223)B
; CURRENT APPLICATION NUMBER: US/10/424,599
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 285684
; SEQ ID NO 195944
; LENGTH: 295
; TYPE: PRT
; ORGANISM: Glycine max
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(295)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT3847_18964C.1.pep
US-10-424-599-195944

Query Match          77.5%; Score 31; DB 15; Length 295;
Best Local Similarity 83.3%; Pred. No. 5.1e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAP 6
        :||||
Db     108 YVHDLF 113

RESULT 92
US-10-739-930-9926
```

```
; Sequence 9926, Application US/10739930
; Publication No. US20040216190A1
; GENERAL INFORMATION:
; APPLICANT: Kovalic, David K.
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES AND OTHER MOLECULES ASSOCIATED WITH
; FILE REFERENCE: 38-21(53377)B
; CURRENT APPLICATION NUMBER: US/10/739,930
; CURRENT FILING DATE: 2003-12-18
; NUMBER OF SEQ ID NOS: 11088
; SEQ ID NO 9926
; LENGTH: 355
; TYPE: PRT
; ORGANISM: Triticum aestivum
; FEATURE:
; OTHER INFORMATION: Clone ID: TRIAB-23APR03-C21747_1.p
US-10-739-930-9926

Query Match          77.5%; Score 31; DB 16; Length 355;
Best Local Similarity 71.4%; Pred. No. 6.2e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
        :||||
Db      94 YLYDAPV 100

RESULT 93
US-10-437-963-125228
; Sequence 125228, Application US/10437963
; Publication No. US20040123343A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; APPLICANT: Wu, Wei
; APPLICANT: Boukharov, Andrey A.
; APPLICANT: Barbazuk, Brad
; APPLICANT: Li, Ping
; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53221)B
; CURRENT APPLICATION NUMBER: US/10/437,963
; CURRENT FILING DATE: 2003-05-14
; NUMBER OF SEQ ID NOS: 204966
; SEQ ID NO 125228
; LENGTH: 363
; TYPE: PRT
; ORGANISM: Oryza sativa
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT4530_27893C.1.pep
US-10-437-963-125228

Query Match          77.5%; Score 31; DB 16; Length 363;
Best Local Similarity 66.7%; Pred. No. 6.4e+02;
Matches 4; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAP 6
        :||||
Db     336 YIHDCP 341

RESULT 94
US-10-437-963-144994
; Sequence 144994, Application US/10437963
; Publication No. US20040123343A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; APPLICANT: Wu, Wei
```

```
; APPLICANT: Boukharov, Andrey A.
; APPLICANT: Barbazuk, Brad
; APPLICANT: Li, Ping
; TITLE OF INVENTION: Rice Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53221)B
; CURRENT FILING DATE: 2003-05-14
; CURRENT APPLICATION NUMBER: US/10/437,963
; NUMBER OF SEQ ID NOS: 204966
; SEQ ID NO 144994
; LENGTH: 557
; TYPE: PRT
; ORGANISM: Oryza sativa
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT4530_45756C.1.pep
US-10-437-963-144994

Query Match      77.5%; Score 31; DB 16; Length 557;
Best Local Similarity 83.3%; Pred. No. 9.9e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAP 6
Db      235 YVHDLP 240

RESULT 95
US-10-425-115-197846
; Sequence 197846, Application US/10425115
; Publication No. US20040214272A1
; GENERAL INFORMATION:
; APPLICANT: La Rosa, Thomas J.
; APPLICANT: Kovalic, David K.
; APPLICANT: Zhou, Yihua
; APPLICANT: Cao, Yongwei
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53222)B
; CURRENT APPLICATION NUMBER: US/10/425,115
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 369326
; SEQ ID NO 197846
; LENGTH: 602
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (1)..(602)
; OTHER INFORMATION: unsure at all Xaa locations
; FEATURE:
; OTHER INFORMATION: Clone ID: MRT4577_112016C.1.pep
US-10-425-115-197846

Query Match      77.5%; Score 31; DB 16; Length 602;
Best Local Similarity 83.3%; Pred. No. 1.1e+03;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAP 6
Db      148 YVHDLP 153

RESULT 96
US-10-425-114-59691
; Sequence 59691, Application US/10425114
; Publication No. US2004003488A1
; GENERAL INFORMATION:
; APPLICANT: Liu, Jingdong
; APPLICANT: Zhou, Yihua
; APPLICANT: Kovalic, David K.
; APPLICANT: Screen, Steven E.
; APPLICANT: Tabaska, Jack E
; APPLICANT: Cao, Yongwei
```

```
; TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
; FILE REFERENCE: 38-21(53313)B
; CURRENT APPLICATION NUMBER: US/10/425,114
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 73128
; SEQ ID NO 59691
; LENGTH: 619
; TYPE: PRT
; ORGANISM: Zea mays
; FEATURE:
; OTHER INFORMATION: Clone ID: LIB3689-211-P3_FLI.pep
US-10-425-114-59691

Query Match      77.5%; Score 31; DB 15; Length 619;
Best Local Similarity 83.3%; Pred. No. 1.1e+03;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAP 6
Db      165 YVHDLP 170

RESULT 97
US-09-712-363-263
; Sequence 263, Application US/09712363
; Patent No. US20020164588A1
; GENERAL INFORMATION:
; APPLICANT: Eisenberg, David
; APPLICANT: Rotstein, Sergio H.
; APPLICANT: Marcotte, Edward M.
; TITLE OF INVENTION: DETERMINING THE FUNCTIONS AND
; FILE REFERENCE: 07419-032001
; CURRENT APPLICATION NUMBER: US/09/712,363
; CURRENT FILING DATE: 2000-11-13
; PRIOR APPLICATION NUMBER: PCT/US00/02246
; PRIOR FILING DATE: 2000-01-28
; PRIOR APPLICATION NUMBER: 60/179,531
; PRIOR FILING DATE: 2000-02-01
; PRIOR APPLICATION NUMBER: 60/117,844
; PRIOR FILING DATE: 1999-01-29
; PRIOR APPLICATION NUMBER: 60/118,206,
; PRIOR FILING DATE: 1999-02-01
; PRIOR APPLICATION NUMBER: 60/126,593
; PRIOR FILING DATE: 1999-03-26
; PRIOR APPLICATION NUMBER: 60/134,093
; PRIOR FILING DATE: 1999-05-14
; PRIOR APPLICATION NUMBER: 60/134,092
; PRIOR FILING DATE: 1999-05-14
; PRIOR APPLICATION NUMBER: 60/165,124
; PRIOR FILING DATE: 1999-11-12
; PRIOR APPLICATION NUMBER: 60/165,086
; PRIOR FILING DATE: 1999-11-12
; NUMBER OF SEQ ID NOS: 292
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 263
; LENGTH: 691
; TYPE: PRT
; ORGANISM: Mycobacterium tuberculosis
US-09-712-363-263

Query Match      77.5%; Score 31; DB 9; Length 691;
Best Local Similarity 71.4%; Pred. No. 1.2e+03;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
Db      32 YVRDAPV 38

RESULT 98
US-10-282-122A-62639
```

; Sequence 62639, Application US/10282122A
; Publication No. US20040029129A1
; GENERAL INFORMATION:
; APPLICANT: Wang, Liangseu
; APPLICANT: Zamudio, Carlos
; APPLICANT: Malone, Cheryl
; APPLICANT: Haselbeck, Robert
; APPLICANT: Ohlsen, Kari
; APPLICANT: Zyskind, Judith
; APPLICANT: Wall, Daniel
; APPLICANT: Trawick, John
; APPLICANT: Carr, Grant
; APPLICANT: Yamamoto, Robert
; APPLICANT: Forsyth, R.
; APPLICANT: Xu, H.
; TITLE OF INVENTION: Identification of Essential Genes in Microorganisms
; FILE REFERENCE: ELITRA.034A
; CURRENT APPLICATION NUMBER: US/10/282,122A
; CURRENT FILING DATE: 2003-02-20
; PRIOR APPLICATION NUMBER: 60/191,078
; PRIOR FILING DATE: 2000-03-21
; PRIOR APPLICATION NUMBER: 60/206,848
; PRIOR FILING DATE: 2000-05-23
; PRIOR APPLICATION NUMBER: 60/207,727
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: 60/230,335
; PRIOR FILING DATE: 2000-09-06
; PRIOR APPLICATION NUMBER: 60/230,347
; PRIOR FILING DATE: 2000-09-09
; PRIOR APPLICATION NUMBER: 60/242,578
; PRIOR FILING DATE: 2000-10-23
; PRIOR APPLICATION NUMBER: 60/253,625
; PRIOR FILING DATE: 2000-11-27
; PRIOR APPLICATION NUMBER: 60/257,931
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: 60/267,636
; PRIOR FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/269,308
; PRIOR FILING DATE: 2001-02-16
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 78614
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 62639
; LENGTH: 691
; TYPE: PRT
; ORGANISM: Mycobacterium bovis
US-10-282-122A-62639

Query Match 77.5%; Score 31; DB 15; Length 691;
Best Local Similarity 71.4%; Pred. No. 1.2e+03;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 32 YVRDAPV 38

RESULT 99
US-10-282-122A-64828
; Sequence 64828, Application US/10282122A
; Publication No. US20040029129A1
; GENERAL INFORMATION:
; APPLICANT: Wang, Liangseu
; APPLICANT: Zamudio, Carlos
; APPLICANT: Malone, Cheryl
; APPLICANT: Haselbeck, Robert
; APPLICANT: Ohlsen, Kari
; APPLICANT: Zyskind, Judith
; APPLICANT: Wall, Daniel
; APPLICANT: Trawick, John
; APPLICANT: Carr, Grant
; APPLICANT: Yamamoto, Robert
; APPLICANT: Forsyth, R.

; APPLICANT: Xu, H.
; TITLE OF INVENTION: Identification of Essential Genes in Microorganisms
; FILE REFERENCE: ELITRA.034A
; CURRENT APPLICATION NUMBER: US/10/282,122A
; CURRENT FILING DATE: 2003-02-20
; PRIOR APPLICATION NUMBER: 60/191,078
; PRIOR FILING DATE: 2000-03-21
; PRIOR APPLICATION NUMBER: 60/206,848
; PRIOR FILING DATE: 2000-05-23
; PRIOR APPLICATION NUMBER: 60/207,727
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: 60/230,335
; PRIOR FILING DATE: 2000-09-06
; PRIOR APPLICATION NUMBER: 60/230,347
; PRIOR FILING DATE: 2000-09-09
; PRIOR APPLICATION NUMBER: 60/242,578
; PRIOR FILING DATE: 2000-10-23
; PRIOR APPLICATION NUMBER: 60/253,625
; PRIOR FILING DATE: 2000-11-27
; PRIOR APPLICATION NUMBER: 60/257,931
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: 60/267,636
; PRIOR FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/269,308
; PRIOR FILING DATE: 2001-02-16
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 78614
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 64828
; LENGTH: 691
; TYPE: PRT
; ORGANISM: Mycobacterium tuberculosis
US-10-282-122A-64828

Query Match 77.5%; Score 31; DB 15; Length 691;
Best Local Similarity 71.4%; Pred. No. 1.2e+03;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 32 YVRDAPV 38

RESULT 100
US-10-282-122A-63922
; Sequence 63922, Application US/10282122A
; Publication No. US20040029129A1
; GENERAL INFORMATION:
; APPLICANT: Wang, Liangseu
; APPLICANT: Zamudio, Carlos
; APPLICANT: Malone, Cheryl
; APPLICANT: Haselbeck, Robert
; APPLICANT: Ohlsen, Kari
; APPLICANT: Zyskind, Judith
; APPLICANT: Wall, Daniel
; APPLICANT: Trawick, John
; APPLICANT: Carr, Grant
; APPLICANT: Yamamoto, Robert
; APPLICANT: Forsyth, R.
; APPLICANT: Xu, H.
; TITLE OF INVENTION: Identification of Essential Genes in Microorganisms
; FILE REFERENCE: ELITRA.034A
; CURRENT APPLICATION NUMBER: US/10/282,122A
; CURRENT FILING DATE: 2003-02-20
; PRIOR APPLICATION NUMBER: 60/191,078
; PRIOR FILING DATE: 2000-03-21
; PRIOR APPLICATION NUMBER: 60/206,848
; PRIOR FILING DATE: 2000-05-23
; PRIOR APPLICATION NUMBER: 60/207,727
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: 60/230,335
; PRIOR FILING DATE: 2000-09-06
; PRIOR APPLICATION NUMBER: 60/230,347

```
; PRIOR FILING DATE: 2000-09-09
; PRIOR APPLICATION NUMBER: 60/242,578
; PRIOR FILING DATE: 2000-10-23
; PRIOR APPLICATION NUMBER: 60/253,625
; PRIOR FILING DATE: 2000-11-27
; PRIOR APPLICATION NUMBER: 60/257,931
; PRIOR FILING DATE: 2000-12-22
; PRIOR APPLICATION NUMBER: 60/267,636
; PRIOR FILING DATE: 2001-02-09
; PRIOR APPLICATION NUMBER: 60/269,308
; PRIOR FILING DATE: 2001-02-16
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 78614
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 63922
; LENGTH: 694
; TYPE: PRT
; ORGANISM: Mycobacterium leprae
US-10-282-122A-63922

Query Match      77.5%; Score 31; DB 15; Length 694;
Best Local Similarity 71.4%; Pred. No. 1.3e+03;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      1 YVHDAPV 7
Db      32 YVRDAPF 38
```

Search completed: June 30, 2005, 22:35:50
Job time : 165 secs

This Page Blank (uspto)

GenCore version 5.1.6
Copyright (c) 1993 - 2005 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: June 30, 2005, 22:13:54 ; Search time 39 Seconds
(without alignments)
17.270 Million cell updates/sec

Title: US-09-874-350C-210

Perfect score: 40

Sequence: 1 YVHDAPV 7

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 150 summaries

Database :

PIR 79:**

1: piri:**

2: pir2:**

3: pir3:**

4: pir4:**

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	100.0	269	1 ICHU1B	interleukin-1 beta
2	35	87.5	321	2 D91037	glucokinase [impor
3	35	87.5	321	2 A65013	glucokinase [impor
4	35	87.5	321	2 F85881	glucokinase [impor
5	33	82.5	361	2 C65132	hypothetical prote
6	33	82.5	419	1 S32880	lipB protein - Nei
7	33	82.5	419	2 G82012	capsule polysaccha
8	33	82.5	419	2 E81240	capsule polysaccha
9	33	82.5	730	2 T49736	hypothetical prote
10	33	82.5	735	2 T35810	probable DNA ligas
11	32	80.0	203	2 JC2207	hypothetical prote
12	32	80.0	206	2 T41232	hypothetical prote
13	32	80.0	228	2 B54676	antiquitin - rat (
14	32	80.0	295	2 C75054	methionyl aminopep
15	32	80.0	295	2 C71107	probable methionyl
16	32	80.0	306	2 AF1142	ABC transporter (b
17	32	80.0	306	2 A11500	ABC transporter (b
18	32	80.0	389	1 S36653	kpsD protein - Esc
19	32	80.0	454	2 AE1970	hypothetical prote
20	32	80.0	1871	2 D96698	probable DNA polym
21	32	80.0	1894	2 T02155	DNA-directed DNA p
22	32	80.0	3131	2 T39553	vacuolar protein s
23	31	77.5	169	2 B82757	transcription regu
24	31	77.5	242	2 C95296	hypothetical prote
25	31	77.5	321	2 T27521	hypothetical prote
26	31	77.5	388	2 B36792	hypothetical prote
27	31	77.5	496	2 C85789	hypothetical prote
28	31	77.5	496	2 F87423	ferredoxin, probab
29	31	77.5	556	2 B64939	hypothetical prote

30	31	77.5	556	2 G90940	hypothetical prote
31	31	77.5	560	2 H83206	probable decarboxy
32	31	77.5	634	2 AE2558	hypothetical prote
33	31	77.5	691	2 T40857	probable ligA - My
34	31	77.5	694	2 T45403	DNA ligase [impor
35	31	77.5	1171	2 F83110	exodeoxyribonuclea
36	31	77.5	1293	1 A46350	RNA-directed RNA p
37	31	77.5	1294	2 S01085	hypothetical prote
38	30	75.0	83	2 D69153	hypothetical prote
39	30	75.0	101	2 AH0070	probable membrane
40	30	75.0	131	1 IMECN4	colicin N immunity
41	30	75.0	162	2 T38904	conserved hypotet
42	30	75.0	164	2 T11215	hypothetical prote
43	30	75.0	239	1 A41892	hydrogenase (EC 1.
44	30	75.0	244	1 C43255	hydrogenase (EC 1.
45	30	75.0	244	1 S39400	hydrogenase (EC 1.
46	30	75.0	251	2 F87242	probable secreted
47	30	75.0	251	2 D70840	hypothetical prote
48	30	75.0	271	2 D70915	hypothetical prote
49	30	75.0	311	2 D69881	yabc protein homol
50	30	75.0	336	2 E90063	conserved hypotet
51	30	75.0	367	2 AG0634	probable oxidoredu
52	30	75.0	374	2 E82168	probable alpha-1.6
53	30	75.0	453	2 B83242	hypothetical prote
54	30	75.0	474	2 S16727	coenzyme F420 hydr
55	30	75.0	480	2 AF2206	glutamyl-tRNA synt
56	30	75.0	515	2 G70941	hypothetical prote
57	30	75.0	548	2 AD1216	ABC transporters,
58	30	75.0	548	2 A11569	ABC transporters,
59	30	75.0	598	2 I51368	gamma-aminobutyric
60	30	75.0	628	2 T20714	hypothetical prote
61	30	75.0	677	2 AG2020	DNA ligase [impor
62	30	75.0	803	2 B56277	DNA-directed DNA p
63	30	75.0	833	2 S62136	CWH41 protein - ye
64	30	75.0	838	2 A38172	adenylate cyclase
65	30	75.0	843	2 AB0539	Rhs-family protein
66	30	75.0	874	2 T00491	capsid protein pre
67	30	75.0	965	2 AE0418	valine-tRNA ligase
68	30	75.0	1329	2 A64828	cell division prot
69	30	75.0	1342	2 E85614	cell division prot
70	30	75.0	1342	2 G90750	cell division prot
71	29	72.5	61	1 UPECX	D-Xylose uptake pr
72	29	72.5	66	2 E69464	hypothetical prote
73	29	72.5	84	2 T09540	proline rich prote
74	29	72.5	117	2 G87460	hypothetical prote
75	29	72.5	161	2 F83297	hypothetical prote
76	29	72.5	180	2 S56944	probable membrane
77	29	72.5	180	2 A84347	hypothetical prote
78	29	72.5	182	2 F97499	hypothetical prote
79	29	72.5	196	2 H70726	probable holliday
80	29	72.5	210	2 T22344	hypothetical prote
81	29	72.5	214	2 A47581	septal cell wall d
82	29	72.5	217	2 T16559	hypothetical prote
83	29	72.5	218	2 T30415	host range factor
84	29	72.5	219	2 F83131	conserved hypotet
85	29	72.5	238	2 E70039	glycolate oxidase
86	29	72.5	242	2 AC0676	Ni/Fe-hydrogenase
87	29	72.5	252	2 JC5237	osmotin-like prote
88	29	72.5	261	1 PWYCA6	H+-transporting tw
89	29	72.5	264	2 AE3545	dipeptide transpor
90	29	72.5	271	2 S72782	Bi496 F2.81 protei
91	29	72.5	273	2 T17629	hypothetical prote
92	29	72.5	281	2 F83923	manganese-containi
93	29	72.5	289	1 PSECA1	phospholipase A1 (
94	29	72.5	289	2 A10917	detergent-resistan
95	29	72.5	289	2 E86069	outer membrane pho
96	29	72.5	289	2 G91222	outer membrane pho
97	29	72.5	289	2 A36971	phosphoribulokinas
98	29	72.5	291	1 K10XPR	formamidopyrimidin
99	29	72.5	291	2 H75512	hypothetical prote
100	29	72.5	303	2 S45461	hypothetical prote
101	29	72.5	324	2 E84972	hypothetical prote
102	29	72.5	326	2 T36497	probable branched-

103 29 72.5 340 2 T46112 hypothetical prote
104 29 72.5 343 2 E88957 protein ZK697.11 [l
105 29 72.5 349 2 I39535 Probable L-lactate
106 29 72.5 356 2 F95357 Probable fatty aci
107 29 72.5 359 2 A69057 conserved hypothet
108 29 72.5 359 2 E87447 sulfate ABC transp
109 29 72.5 366 2 S51363 actin modulator pr
110 29 72.5 375 2 S3587 E2 protein - human
111 29 72.5 376 2 A82676 conserved hypothet
112 29 72.5 400 2 AC3401 cell wall degradat
113 29 72.5 403 1 VCB8BL coat protein precu
114 29 72.5 405 2 AE0990 probable membrane
115 29 72.5 414 2 T49916 hypothetical prote
116 29 72.5 415 2 B70898 probable exonuclea
117 29 72.5 429 2 B96833 hypothetical prote
118 29 72.5 427 2 T06191 probable endo-1,4-
119 29 72.5 432 2 AC3720 conserved hypothet
120 29 72.5 443 2 G97501 probable amidase (
121 29 72.5 446 2 AI0401 probable membrane
122 29 72.5 468 2 C95405 probable sulfite o
123 29 72.5 471 2 F72257 lipopolysaccharide
124 29 72.5 482 2 F96778 hypothetical prote
125 29 72.5 488 2 E82161 succinate-semialde
126 29 72.5 489 2 G64039 hypothetical prote
127 29 72.5 494 2 T16658 hypothetical prote
128 29 72.5 502 2 F87436 peptidoglycan bind
129 29 72.5 514 1 A47692 fumarate hydratase
130 29 72.5 515 2 E72474 hypothetical prote
131 29 72.5 516 2 S52815 probable membrane
132 29 72.5 522 2 B75289 hypothetical prote
133 29 72.5 524 2 D82220 conserved hypothet
134 29 72.5 531 2 AH3378 cell wall degradat
135 29 72.5 549 1 S34874 glucan 1,4-alpha-g
136 29 72.5 549 1 S19095 transcription fact
137 29 72.5 553 2 T52362 hypothetical prote
138 29 72.5 570 2 AC2356 hypothetical prote
139 29 72.5 582 2 T46822 phytoene desaturas
140 29 72.5 590 2 A26638 homeotic protein D
141 29 72.5 613 2 JS0763 triacylglycerol li
142 29 72.5 615 2 AI0615 probable exported
143 29 72.5 615 2 H90754 probable amidase (
144 29 72.5 615 2 F85618 probable amidase
145 29 72.5 615 2 D64832 ycbB protein precu
146 29 72.5 618 2 AI0171 probable exported
147 29 72.5 621 2 H87662 feruloyl-CoA synth
148 29 72.5 622 2 T23541 hypothetical prote
149 29 72.5 642 2 A97555 probable amidase (
150 29 72.5 642 2 AC2775 conserved hypothet

ALIGNMENTS

RESULT 1
ICHU1B
interleukin-1 beta precursor [validated] - human
N;Alternate names: hematoipoietin-1; IL-1 beta
C;Species: Homo sapiens (man)
C;Date: 28-Feb-1986 #sequence revision 15-May-1998 #text change 09-Jul-2004
C;Accession: A25542; A94023; A93361; I51852; I65200; I38132; B27616; A01848; S19
R;Clark, B.D.; Collins, K.L.; Gandy, M.S.; Webb, A.C.; Auron, P.E.
Nucleic Acids Res. 14, 7897-7914, 1986
A;Title: Genomic sequence for human prointerleukin 1 beta: possible evolution from a rev
A;Reference number: A25542; MUID:87040762; PMID:3490654
A;Accession: A25542
A;Molecule type: DNA; mRNA
A;Residues: 1-5, 'K', 7-269 <CLA>
A;Cross-references: UNIPROT:P01584; GB:X04500; NID:g33788
A;Note: the mRNA sequence had codon AAG for 6-Lys, the DNA sequence had GAG for 6-Glu
R;Bensi, G.; Raugeli, G.; Palla, E.; Carinci, V.; Buonamassa, D.T.; Meili, M.
Gene 52, 95-101, 1987
A;Title: Human interleukin-1 beta gene.
A;Reference number: A29019; MUID:87248099; PMID:2954882

A;Accession: A29019
A;Molecule type: DNA
A;Residues: 1-269 <BEN>
A;Cross-references: GB:M15840; NID:g186281; PIDN:AAA74137.1; PID:g386816
R;Auron, P.E.; Webb, A.C.; Rosenwasser, L.J.; Mucci, S.F.; Rich, A.; Wolff, S.M.; Dinare
Proc. Natl. Acad. Sci. U.S.A. 81, 7907-7911, 1984
A;Title: Nucleotide sequence of human monocyte interleukin 1 precursor cDNA.
A;Reference number: A94023; MUID:85088517; PMID:6083565
A;Accession: A94023
A;Molecule type: mRNA
A;Residues: 1-5, 'K', 7-269 <AUR>
A;Cross-references: GB:K02770; NID:g186268; PIDN:AAA36106.1; PID:g307043
R;March, C.J.; Mosley, B.; Larsen, A.; Cerretti, D.P.; Braedt, G.; Price, V.; Gillis, S.
Nature 315, 641-647, 1985
A;Title: Cloning, sequence and expression of two distinct human interleukin-1 complement
A;Reference number: A93361; MUID:85240547; PMID:2989698
A;Accession: A93361
A;Molecule type: mRNA
A;Residues: 1-269 <MAR>
A;Cross-references: GB:X02532; NID:g33789; PIDN:CAA26372.1; PID:g33790
A;Note: parts of this sequence, including the amino end of the mature form, were confirm
R;Webb, A.C.; Dinarello, C.A.; Rosenwasser, L.J.; Mucci, S.F.; Rich, A.; Wolff, S.M.; A
Adv. Gene Technol. 22, 339-340, 1985
A;Title: Nucleotide sequence of human monocyte interleukin 1 precursor cDNA.
A;Reference number: I51852
A;Accession: I51852
A;Status: translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-5, 'K', 7-19, 'H', 21-110, 'Q', 112-176, 'A', 178-213, 'P', 215-269 <WEB>
A;Cross-references: GB:M54933; NID:g186287; PIDN:AAA59136.1; PID:g186288
R;Nishida, T.; Nishino, N.; Takano, M.; Kawai, K.; Bando, K.; Masui, Y.; Nakai, S.; Hira
Biochem. Biophys. Res. Commun. 143, 345-352, 1987
A;Title: cDNA cloning of IL-1 alpha and IL-1 beta from mRNA of U937 cell line.
A;Reference number: I52217; MUID:87156769; PMID:3493774
A;Accession: I52217
A;Status: preliminary; translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-269 <NIS>
A;Cross-references: GB:M15330; NID:g186283; PIDN:AAA59135.1; PID:g307045
R;Kotenko, S.V.; Buleonkov, M.T.; Veiko, V.P.; Epishin, S.M.; Lomakin, I.B.; Emel'yanov,
Dokl. Akad. Nauk SSSR 309, 1005-1008, 1989
A;Title: [Cloning of the cDNA coding for human prointerleukin-1 alpha and prointerleukin
A;Reference number: I38131; MUID:90249285; PMID:2635664
A;Accession: I38132
A;Status: translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-269 <KOT>
A;Cross-references: EMBL:X56087; NID:g35662; PIDN:CAA39567.1; PID:g35663
R;Zsebo, K.M.; Wypych, J.; Yuschekoff, V.N.; Lu, H.; Hunt, P.; Dukes, P.P.; Langley, K.
Blood 71, 962-968, 1988
A;Title: Effects of hematoipoietin-1 and interleukin 1 activities on early hematopoietic
A;Reference number: A90732; MUID:88184226; PMID:3281727
A;Accession: B27616
A;Molecule type: protein
A;Residues: 117-123, 'X', 125-126, 'X', 128 <ZSE>
R;Stevenson, F.T.; Bursten, S.L.; Pantou, C.; Locksley, R.M.; Lovett, D.H.
Proc. Natl. Acad. Sci. U.S.A. 90, 7245-7249, 1993
A;Title: The 31-kDa precursor of interleukin 1alpha is myristoylated on specific lysine
A;Reference number: A48293; MUID:93348250; PMID:8346241
A;Contents: annotation; myristylation of lysines
R;Nanduri, V.B.; Hulmes, J.D.; Pan, Y.C.E.; Kilian, P.L.; Stern, A.S.
Biochim. Biophys. Acta 1118, 25-35, 1991
A;Title: The role of arginine residues in interleukin 1 receptor binding.
A;Reference number: S19608; MUID:92110334; PMID:1837236
A;Contents: annotation; type 1 IL-1 receptor interaction site
A;Note: modification of Arg-120 by phenylglyoxal blocks receptor binding
R;Clare, G.M.; Gronenborn, A.M.
submitted to the Brookhaven Protein Data Bank, January 1991
A;Reference number: A50049; PDB:1E1B
A;Contents: annotation; conformation by (13)C- and (1)H-NMR, residues 117-269
R;Clare, G.M.; Wingfield, P.T.; Gronenborn, A.M.
Biochemistry 30, 2315-2323, 1991

A;Title: High-resolution three-dimensional structure of interleukin beta in solution by
A;Reference number: A44675; MUID:91159409; PMID:2001363
A;Contents: annotation; (1)H-NMR structural determination
R;Hazuda, D.J.; Strickler, J.; Simon, P.; Young, P.R.
J. Biol. Chem. 266, 7081-7086, 1991
A;Title: Structure-function mapping of interleukin 1 precursors. Cleavage leads to a con
A;Reference number: A39774; MUID:91201363; PMID:2016316
A;Contents: annotation
R;Finzel, B.C.; Watenpugh, K.D.; Einspahr, H.M.
submitted to the Biochemical Protein Data Bank, December 1989
A;Reference number: A50016; PMID:11118
A;Contents: annotation; X-ray crystallography, 2.0 angstroms, residues 119-269
R;Finzel, B.C.; Clancy, L.B.; Holland, D.R.; Muchmore, S.W.; Watenpugh, K.D.; Einspahr,
J. Mol. Biol. 209, 779-791, 1989
A;Title: Crystal structure of recombinant human interleukin-lbeta at 2.0 angstrom resolu
A;Reference number: A44666; MUID:90064532; PMID:2585509
A;Contents: annotation; X-ray crystallography, 2.0 angstroms
C;Comment: This protein lacks a conventional signal sequence for protein export. Cleavag
ved form of interleukin-lbeta, unlike interleukin 1-alpha, is inactive.
C;Comment: Interleukin-lbeta precursor is less heavily myristoylated than interleukin-la
C;Genetics:
A;Gene: GDB:IL1B
A;Cross-references: GDB:120094; OMIM:147720
A;Map position: 2q13-2q21
A;Introns: 16/2; 33/3; 101/1; 156/1; 199/3
C;Superfamily: interleukin-1
C;Keywords: cytokine; immunoregulation; inflammation; lipoprotein; lymphokine; macrophag
F;117-269/Product: interleukin-1 beta #status experimental <ILI>
F;76/Binding site: myristate (lys) (partial) #status experimental
F;123/Binding site: carbohydrate (Asn) (covalent) #status absent

Query Match 100.0%; Score 40; DB 1; Length 269;
Best Local Similarity 100.0%; Pred. No. 0.92;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||||
DB 113 YVHDAPV 119

RESULT 2
D91037
glucokinase [imported] - Escherichia coli (strain O157:H7, substrain RIMD 0509952)
C;Species: Escherichia coli
C;Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 09-Jul-2004
C;Accession: D91037
R;Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Iehi, K.; Yokoyama, K.; Han, C.G.
gasawara, N.; Yasunaga, T.; Kuhara, S.; Shiba, T.; Hattori, M.; Shingawa, H.
DNA Res. 8, 11-22, 2001
A;Title: Complete genome sequence of enterohemorrhagic Escherichia coli O157:H7 and genc
A;Reference number: A99629; MUID:21156231; PMID:11258796
A;Accession: D91037
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-321 <HAY>
A;Cross-references: UNIPROT:P46880; GB:BA000007; PIDN:BA036691.1; PID:gl3362738; GSPDB:G
A;Experimental source: strain O157:H7, substrain RIMD 0509952
C;Genetics:
A;Gene: ECs3268
C;Superfamily: glucokinase

Query Match 87.5%; Score 35; DB 2; Length 321;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||||
DB 290 YVHDIPV 296

RESULT 3
A65013
glucokinase (EC 2.7.1.2) - Escherichia coli (strain K-12)

C;Species: Escherichia coli
C;Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 09-Jul-2004
C;Accession: A65013
R;Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; C
.A.; Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A;Title: The complete genome sequence of Escherichia coli K-12.
A;Reference number: A64720; MUID:97426617; PMID:9278503
A;Accession: A65013
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-321 <BLAT>
A;Cross-references: UNIPROT:P46880; GB:AE000327; GB:U00096; NID:gl1788731; PIDN:AAC75447
A;Experimental source: strain K-12, substrain MG1655
C;Genetics:
A;Gene: glk
C;Superfamily: glucokinase
C;Keywords: phosphotransferase

Query Match 87.5%; Score 35; DB 2; Length 321;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||||
DB 290 YVHDIPV 296

RESULT 4
F85881
glucokinase [imported] - Escherichia coli (strain O157:H7, substrain EDL933)
C;Species: Escherichia coli
C;Date: 16-Feb-2001 #sequence_revision 16-Feb-2001 #text_change 09-Jul-2004
C;Accession: F85881
R;Perna, N.T.; Plunkett III, G.; Burland, V.; Mau, B.; Glasner, J.D.; Rose, D.J.; Mayhe
iller, L.; Grotbeck, E.J.; Davis, N.W.; Lim, A.; Dimalanta, E.; Potamousis, K.; Apodaca
Nature 409, 529-533, 2001
A;Title: Genome sequence of enterohemorrhagic Escherichia coli O157:H7.
A;Reference number: A85480; MUID:21074935; PMID:11206551
A;Accession: F85881
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-321 <STO>
A;Cross-references: UNIPROT:P46880; GB:AE005174; NID:gl12516765; PIDN:AAG57514.1; GSPDB:B
A;Experimental source: strain O157:H7, substrain EDL933
C;Genetics:
A;Gene: glk
C;Superfamily: glucokinase

Query Match 87.5%; Score 35; DB 2; Length 321;
Best Local Similarity 85.7%; Pred. No. 12;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||||
DB 290 YVHDIPV 296

RESULT 5
C65132
hypothetical 38.6 kD protein in cysG-trpS intergenic region - Escherichia coli (strain
C;Species: Escherichia coli
C;Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 09-Jul-2004
C;Accession: C65132
R;Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; C
.A.; Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A;Title: The complete genome sequence of Escherichia coli K-12.
A;Reference number: A64720; MUID:97426617; PMID:9278503
A;Accession: C65132
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-361 <BLAT>

A;Cross-references: UNIPROT:P45545; GB:AE000413; GB:U00096; NID:g2367215; PIDN:AACT6401.
 A;Experimental source: strain K-12, substrain MG1655
 C;Genetics:
 A;Gene: ynfS

Query Match 82.5%; Score 33; DB 2; Length 361;
 Best Local Similarity 100.0%; Pred. NO. 37;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 Db 95 VHDAPV 100
 |||||
 |||||

RESULT 6
 S32880
 lipB protein - Neisseria meningitidis
 C;Species: Neisseria meningitidis
 C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 09-Jul-2004
 C;Accession: S32880; S28078
 R;Frosch, M.; Mueller, A.
 Mol. Microbiol. 8, 483-493, 1993
 A;Title: Phospholipid substitution of capsular polysaccharides and mechanisms of capsule
 A;Reference number: S32879; MUID:93316845; PMID:8326861
 A;Accession: S32880
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-419 <PRO>
 A;Cross-references: UNIPROT:Q93JUT0; EMBL:Z13995
 C;Genetics:
 A;Gene: lipB
 C;Superfamily: kpsD protein

Query Match 82.5%; Score 33; DB 1; Length 419;
 Best Local Similarity 71.4%; Pred. NO. 43;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 315 YVHDVPL 321
 |||||
 |||||

RESULT 7
 G82012
 capsule polysaccharide modification protein NWA0185 [imported] - Neisseria meningitidis
 C;Species: Neisseria meningitidis
 C;Date: 05-May-2000 #sequence_revision 05-May-2000 #text_change 09-Jul-2004
 C;Accession: G82012
 R;Parkhill, J.; Achtman, M.; James, K.D.; Bentley, S.D.; Churcher, C.; Klee, S.R.; Morel
 ; Holroyd, S.; Jagels, K.; Leather, S.; Moule, S.; Mungall, K.; Quail, M.A.; Rajandream,
 Nature 404, 502-506, 2000
 A;Title: Complete DNA sequence of a serogroup A strain of Neisseria meningitidis Z2491.
 A;Reference number: A81775; MUID:20222556; PMID:10761919
 A;Accession: G82012
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-419 <PAR>
 A;Cross-references: UNIPROT:P57038; GB:AL162752; GB:AL157959; NID:g7378778; PIDN:CAB8350
 A;Experimental source: serogroup A, strain Z2491
 C;Genetics:
 A;Gene: lipB; NWA0185
 C;Superfamily: kpsD protein

Query Match 82.5%; Score 33; DB 2; Length 419;
 Best Local Similarity 71.4%; Pred. NO. 43;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 315 YVHDVPL 321
 |||||
 |||||

RESULT 8

E81240
 capsule polysaccharide modification protein LipB NMB0083 [imported] - Neisseria meningitidis
 C;Species: Neisseria meningitidis
 C;Date: 31-Mar-2000 #sequence_revision 31-Mar-2000 #text_change 09-Jul-2004
 C;Accession: E81240
 R;Tetelin, H.; Saunders, N.J.; Heidelberg, J.; Jeffries, A.C.; Nelson, K.E.; Eisen, J.A.; Hickey, E.K.; Haft, D.H.; Salzberg, S.L.; White, O.; Fleischmann, R.D.; Dougherty, B.A.; ri, H.; Qin, H.; Vamathevan, J.; Gill, J.; Scarlato, V.; Masignani, V.; Pizza, M. Science 287, 1809-1815, 2000
 A;Authors: Grandi, G.; Sun, L.; Smith, H.O.; Fraser, C.M.; Moxon, E.R.; Rappuoli, R.; Ve
 A;Title: Complete genome sequence of Neisseria meningitidis serogroup B strain MC58.
 A;Reference number: A81000; MUID:20175755; PMID:10710307
 A;Accession: E81240
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-419 <TET>
 A;Cross-references: UNIPROT:Q05014; GB:AE002368; GB:AE002098; NID:g7225303; PIDN:AAF4054
 A;Experimental source: serogroup B, strain MC58
 C;Genetics:
 A;Gene: NMB0083
 C;Superfamily: kpsD protein

Query Match 82.5%; Score 33; DB 2; Length 419;
 Best Local Similarity 71.4%; Pred. NO. 43;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 Db 315 YVHDVPL 321
 |||||
 |||||

RESULT 9
 T49736
 hypothetical protein B24B19.80 [imported] - Neurospora crassa
 C;Species: Neurospora crassa
 C;Date: 02-Jun-2000 #sequence_revision 02-Jun-2000 #text_change 15-Mar-2004
 C;Accession: T49736
 R;Schulte, U.; Aign, V.; Hoheisel, J.; Brandt, P.; Fartmann, B.; Holland, R.; Nyakatura,
 submitted to the Protein Sequence Database, May 2000
 A;Reference number: Z25022
 A;Accession: T49736
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-730 <SCH>
 A;Cross-references: EMBL:AL356192; GSPDB:GN00116; NCSP:B24B19.80
 A;Experimental source: BAC clone B24B19; strain OR74A
 C;Genetics:
 A;Gene: NCSP:B24B19.80
 A;Map position: 6
 A;Introns: 86/1
 F;70-108/Domain: GAL4 zinc binuclear cluster homology <GL4>

Query Match 82.5%; Score 33; DB 2; Length 730;
 Best Local Similarity 83.3%; Pred. NO. 79;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
 Db 113 YLHDAP 118
 |||||
 |||||

RESULT 10
 T35810
 probable DNA ligase - Streptomyces coelicolor
 C;Species: Streptomyces coelicolor
 C;Date: 05-Nov-1999 #sequence_revision 05-Nov-1999 #text_change 12-Jul-2004
 C;Accession: T35810
 R;Murphy, L.; Harris, D.; Bentley, S.D.; Parkhill, J.; Barrell, B.G.; Rajandream, M.A.
 submitted to the EMBL Data Library, February 1999
 A;Reference number: Z21589
 A;Accession: T35810
 A;Status: preliminary; translated from GB/EMBL/DBJ
 A;Molecule type: DNA

A;Residues: 1-735 <MUR>
A;Cross-references: UNIPROT:Q9Z585; EMBL:AL035569; PIDN:CAB37570.1; GSPDB:GNO00070; SCOPB:
A;Experimental source: strain A3(2)
C;Genetics:
A;Gene: liga; SCOPDB:SCBD9.06
C;Superfamily: NAD+dependent DNA ligase, Liga type

Query Match 82.5%; Score 33; DB 2; Length 735;
Best Local Similarity 85.7%; Pred. No. 80;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
||:||||
39 YNDAPV 45

Db

RESULT 11
JC2207
Lil1 protein - trumpet lily
C;Species: Lilium longiflorum (trumpet lily)
C;Date: 19-Jul-1994 #sequence_revision 05-Apr-1995 #text_change 09-Jul-2004
C;Accession: JC2207
R; Kobayashi, T.; Kobayashi, E.; Sato, S.; Hotta, Y.; Miyajima, N.; Tanaka, A.; Tabata, S.
DNA Res. 1, 15-26, 1994
A;Title: Characterization of cDNAs induced in meiotic prophase in lily microsporocytes.
A;Reference number: JC2207
A;Accession: JC2207
A;Molecule type: mRNA
A;Residues: 1-203 <KOB>
A;Cross-references: UNIPROT:Q43544; DBJ:D21817; NID:g431171; PIDN:BAA04841.1; PID:g4311
A;Experimental source: Floral bud, meiotic prophase
A;Note: The authors translated the codon CAG for residue 40 as His
C;Genetics:
A;Gene: LIM11

Query Match 80.0%; Score 32; DB 2; Length 203;
Best Local Similarity 83.3%; Pred. No. 31;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|||
69 YADAP 74

Db

RESULT 12
T41232
hypothetical protein SPCC1919.07 - fission yeast (Schizosaccharomyces pombe)
C;Species: Schizosaccharomyces pombe
C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 09-Jul-2004
C;Accession: T41232
R;Lyne, M.; Harris, D.E.; Murphey, L.D.; Rajandream, M.A.; Barrell, B.G.
submitted to the EMBL Data Library, January 1999
A;Reference number: Z21979
A;Accession: T41232
A;Status: preliminary; translated from GB/EMBL/DDJ
A;Molecule type: DNA
A;Residues: 1-206 <LYN>
A;Cross-references: UNIPROT:Q94475; EMBL:AL035075; PIDN:CAA22638.1; GSPDB:GNO00068; SPDB:
A;Experimental source: strain 972h-; cosmid c1919
C;Genetics:
A;Gene: SPDB:SPCC1919.07
A;Map position: 3

Query Match 80.0%; Score 32; DB 2; Length 206;
Best Local Similarity 83.3%; Pred. No. 32;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
:||||
21 IHDAPV 26

Db

RESULT 13

B54676
antiqutin - rat (fragment)
C;Species: Rattus norvegicus (Norway rat)
C;Date: 18-Aug-1995 #sequence_revision 18-Aug-1995 #text_change 09-Jul-2004
C;Accession: B54676
R;Lee, P.; Kuhl, W.; Gelbart, T.; Kamimura, T.; West, C.; Beutler, E.
Genomics 21, 371-378, 1994
A;Title: Homology between a human protein and a protein of the green garden pea.
A;Reference number: A54676; MUID:94375061; PMID:8088832
A;Accession: B54676
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-228 <LEE>
A;Cross-references: UNIPROT:Q64057; GB:S75019
C;Superfamily: NAD-dependent aldehyde dehydrogenase; aldehyde dehydrogenase homology

Query Match 80.0%; Score 32; DB 2; Length 228;
Best Local Similarity 83.3%; Pred. No. 36;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|||
107 VHDAPV 112

Db

RESULT 14
C75054
methionyl aminopeptidase (EC 3.4.11.18) map PAB1434 - Pyrococcus abyssi (strain Orsay)
C;Species: Pyrococcus abyssi
C;Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 09-Jul-2004
C;Accession: C75054
R;anonymous, Genoscope
A;Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome str
submitted to the EMBL Data Library, July 1999
A;Reference number: A75001
A;Accession: C75054
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-295 <KAW>
A;Cross-references: UNIPROT:Q9UYT4; GB:AJ248287; GB:AL096836; NID:g5458657; PIDN:CAB503
A;Experimental source: strain Orsay
C;Genetics:
A;Gene: PAB1434
C;Superfamily: Escherichia coli methionyl aminopeptidase
C;Keywords: aminopeptidase

Query Match 80.0%; Score 32; DB 2; Length 295;
Best Local Similarity 85.7%; Pred. No. 47;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
208 YVRDAPV 214

Db

RESULT 15
C71107
probable methionyl aminopeptidase - Pyrococcus horikoshii
C;Species: Pyrococcus horikoshii
C;Date: 14-Aug-1998 #sequence_revision 14-Aug-1998 #text_change 12-Jul-2004
C;Accession: C71107
R;Kawarabayashi, Y.; Sawada, M.; Horikawa, H.; Haikawa, Y.; Hino, Y.; Yamamoto, S.; Seki,
M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.; Kushida, N.; Oguch
DNA Res. 5, 55-76, 1998
A;Title: Complete sequence and gene organization of the genome of a hyper-thermophilic
A;Reference number: A71000; MUID:98344137; PMID:9679194
A;Accession: C71107
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-295 <KAW>
A;Cross-references: UNIPROT:O58362; GB:AP000003; NID:g3236130; PIDN:BAA29717.1; PID:g32
A;Experimental source: strain OT3
A;Note: this accession replaces an interim accession for a sequence replaced by GenBank

```
C:Genetics:
A:Gene: PH0628

Query Match      80.0%; Score 32; DB 2; Length 295;
Best Local Similarity 85.7%; Pred. No. 47;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 208 YVRDAPV 214
|||||
|

RESULT 16
AF1142
ABC transporter (binding protein) homolog lmo0541 [imported] - Listeria monocytogenes (s
C:Species: Listeria monocytogenes
C:Date: 27-Nov-2001 #sequence_revision 27-Nov-2001 #text_change 09-Jul-2004
C:Accession: AF1142
R:Glaser, P.; Frangeul, L.; Buchrieser, C.; Amend, A.; Baquero, F.; Berche, P.; Bloeker
.; Dominguez-Bernal, G.; Duchaud, E.; Durand, L.; Dussurget, O.; Entian, K.D.; Fsihi, H.
D.; Jones, L.M.; Karst, U.
Science 294, 849-852, 2001
A:Authors: Krefte, J.; Kuhn, M.; Kunat, F.; Kurapkat, G.; Madueno, E.; Maitournam, A.; Ma
ok, C.; Schluter, T.; Simoes, N.; Tierrez, A.; Vazquez-Boland, J.A.; Voss, H.; Wehland,
A:Title: Comparative genomics of Listeria species.
A:Reference number: AB1077; MUID:21537279; PMID:11679669
A:Accession: AF1142
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-306 <GLA>
A:Cross-references: UNIPROT:Q8Y917; GB:NC_003210; PIDN:CAC98620.1; PID:gl6409917; GSPDB:
A:Experimental source: strain EGD-e
C:Genetics:
A:Gene: lmo0541
C:Superfamily: Bacillus subtilis ferrichrome ABC transporter fhud

Query Match      80.0%; Score 32; DB 2; Length 306;
Best Local Similarity 85.7%; Pred. No. 49;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 198 YVHDAKV 204
|||||
|

RESULT 17
AI1500
ABC transporter (binding protein) homolog lin0545 [imported] - Listeria innocua (strain
C:Species: Listeria innocua
C:Date: 27-Nov-2001 #sequence_revision 27-Nov-2001 #text_change 09-Jul-2004
R:Glaser, P.; Frangeul, L.; Buchrieser, C.; Amend, A.; Baquero, F.; Berche, P.; Bloeker
.; Dominguez-Bernal, G.; Duchaud, E.; Durand, L.; Dussurget, O.; Entian, K.D.; Fsihi, H.
D.; Jones, L.M.; Karst, U.
Science 294, 849-852, 2001
A:Authors: Krefte, J.; Kuhn, M.; Kunat, F.; Kurapkat, G.; Madueno, E.; Maitournam, A.; Ma
ok, C.; Schluter, T.; Simoes, N.; Tierrez, A.; Vazquez-Boland, J.A.; Voss, H.; Wehland,
A:Title: Comparative genomics of Listeria species.
A:Reference number: AB1077; MUID:21537279; PMID:11679669
A:Accession: AI1500
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-306 <GLA>
A:Cross-references: UNIPROT:Q92EB5; GB:AL592022; PIDN:CAC95777.1; PID:gl6412985; GSPDB:G
A:Experimental source: strain Clp11262
C:Genetics:
A:Gene: lin0545

Query Match      80.0%; Score 32; DB 2; Length 306;
Best Local Similarity 85.7%; Pred. No. 49;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
```

```
Db 198 YVHDAKV 204
|||||
|

RESULT 18
S36653
kpsD protein - Escherichia coli
C:Species: Escherichia coli
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 09-Jul-2004
C:Accession: S36653; E48492; C42644
R:Roberts, I.S.
submitted to the EMBL Data Library, August 1993
A:Reference number: S36649
A:Accession: S36653
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-389 <ROB>
A:Cross-references: UNIPROT:P42218; EMBL:X74567; NID:g997404; PIDN:CAAS2659.1; PID:g93974
R:Pazzani, C.; Rosenow, C.; Boulinois, G.J.; Bronner, D.; Jann, K.; Roberts, I.S.
J. Bacteriol. 175, 5978-5983, 1993
A:Title: Molecular analysis of region 1 of the Escherichia coli K5 antigen gene cluster
A:Reference number: A48492; MUID:93388530; PMID:8397187
A:Accession: E48492
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 22-389 <PAZ>
A:Cross-references: GB:X74567
R:Steenbergen, S.M.; Wrona, T.J.; Vimr, E.R.
J. Bacteriol. 174, 1099-1108, 1992
A:Title: Functional analysis of the sialyltransferase complexes in Escherichia coli K1 a
A:Reference number: A42644; MUID:92138601; PMID:1735705
A:Accession: C42644
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 106-125, 'D', 127-244, 'N', 246-297, 'S', 299-300, 'VI', 303-379, 'M', 381-385, 'W', 387
A:Cross-references: GB:M76370; NID:g146947; PIDN:AAA24214.1; PID:g146950
A:Experimental source: KL, strain EV1
A:Note: sequence extracted from NCBI backbone (NCBIN:79370, NCBIIP:79381)
C:Genetics:
A:Gene: kpsD
C:Superfamily: kpsD protein

Query Match      80.0%; Score 32; DB 1; Length 389;
Best Local Similarity 71.4%; Pred. No. 64;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 303 YVHDLPM 309
|||||
|

RESULT 19
AE1970
hypothetical protein alr1312 [imported] - Nostoc sp. (strain PCC 7120)
C:Species: Nostoc sp. PCC 7120
A:Note: Nostoc sp. strain PCC 7120 is a synonym of Anabaena sp. strain PCC 7120
C:Date: 14-Dec-2001 #sequence_revision 14-Dec-2001 #text_change 09-Jul-2004
R:Kaneko, T.; Nakamura, Y.; Wolk, C.P.; Kuritz, T.; Sasamoto, S.; Watanabe, A.; Iriguchi
Nakazaki, N.; Shimpo, S.; Sugimoto, M.; Takazawa, M.; Yamada, M.; Yasuda, M.; Tabata, I.
DNA Res. 8, 205-213, 2001
A:Title: Complete Genomic Sequence of the Filamentous Nitrogen-fixing Cyanobacterium An-
A:Reference number: AB1807; MUID:21595285; PMID:11759840
A:Accession: AE1970
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-454 <KUR>
A:Cross-references: UNIPROT:Q8YXA3; GB:BA000019; PIDN:BAW73269.1; PID:gl7130659; GSPDB:G
A:Experimental source: strain PCC 7120
C:Genetics:
A:Gene: alr1312
C:Superfamily: conserved hypothetical protein b0835
```

Query Match 80.0%; Score 32; DB 2; Length 454;
 Best Local Similarity 83.3%; Pred. No. 76;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
 |||||
 Db 229 YVHDVP 234

RESULT 20
 D96698
 probable DNA polymerase zeta catalytic subunit F12B7.5 [imported] - Arabidopsis thaliana
 C;Species: Arabidopsis thaliana (mouse-ear cress)
 C;Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 09-Jul-2004
 C;Accession: D96698
 R;Theologias, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alonso, R.; Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Conway, A.R.; Creasy, T.H.; Dewar, K.; angen, N.F.; Hughes, B.; Huizar, L.
 Nature 408, 816-820, 2000
 A;Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim, C.C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Maiti, R.; Marziali, Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
 A;Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallon, ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
 A;Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
 A;Reference number: A86141; MUID:21016719; PMID:11130712
 A;Accession: D96698
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-1871 <STO>
 A;Cross-references: UNIPROT:Q9CAG6; GB:AE005173; NID:96382521; PIDN:AAF07803.1; GSPDB:GN
 C;Genetics:
 A;Gene: F12B7.5
 A;Map position: 1

Query Match 80.0%; Score 32; DB 2; Length 1871;
 Best Local Similarity 83.3%; Pred. No. 3.8e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 |||||
 Db 329 VHDAP1 334

RESULT 21
 T02155
 DNA-directed DNA polymerase homolog TlF15.3 - Arabidopsis thaliana
 C;Species: Arabidopsis thaliana (mouse-ear cress)
 C;Date: 05-Mar-1999 #sequence_revision 05-Mar-1999 #text_change 09-Jul-2004
 C;Accession: T02155
 R;Vysotskaia, V.S.; Schwartz, J.R.; Toriumi, M.; Yu, G.; Oji, O.; Kwan, A.; Liu, S.; Li, rtz, D.; Li, Y.; Palm, C.J.; Shinn, P.; Sun, H.; Davis, R.W.; Ecker, J.R.; Federspiel, N submitted to the EMBL Data Library, June 1998
 A;Description: Arabidopsis thaliana chromosome 1 BAC TlF15 sequence.
 A;Reference number: Z14591
 A;Accession: T02155
 A;Status: translated from GB/EMBL/DBJ
 A;Molecule type: DNA
 A;Residues: 1-1894 <VVS>
 A;Cross-references: UNIPROT:O64795; EMBL:AC004393; NID:g3108024; PID:g3176661; GSPDB:GNC
 A;Experimental source: cultivar Columbia
 C;Genetics:
 A;Gene: ATSP:TlF15.3
 A;Map position: 1
 A;Introns: 38/1; 65/3; 85/1; 101/3; 141/3; 158/3; 181/3; 229/3; 291/1; 321/3; 862/1; 926

Query Match 80.0%; Score 32; DB 2; Length 1894;
 Best Local Similarity 83.3%; Pred. No. 3.7e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 |||||
 Db 329 VHDAP1 334

RESULT 22

T39553
 vacuolar protein sorting-associated protein - fission yeast (Schizosaccharomyces pombe)
 C;Species: Schizosaccharomyces pombe
 C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 09-Jul-2004
 C;Accession: T39553
 R;Purnelle, B.; Goffeau, A.; Wood, V.; Lyne, M.; Barrell, B.G.; Rajandream, M.A. submitted to the EMBL Data Library, February 1998
 A;Reference number: Z21863
 A;Accession: T39553
 A;Status: preliminary; translated from GB/EMBL/DBJ
 A;Molecule type: DNA
 A;Residues: 1-3131 <PUR>
 A;Cross-references: UNIPROT:O42926; EMBL:AL021767; PIDN:CAA16910.1; GSPDB:GN00067; SPDB
 A;Experimental source: strain 972h; cosmid c16C6
 C;Genetics:
 A;Gene: SPDB:SPBC16C6.02c
 A;Map position: 2
 A;Introns: 8/1; 45/3; 96/3; 2958/3

Query Match 80.0%; Score 32; DB 2; Length 3131;
 Best Local Similarity 83.3%; Pred. No. 6.4e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 |||||
 Db 2650 IHDAPV 2655

RESULT 23

B82757
 transcription regulator Fur family XF0821 [imported] - Xylella fastidiosa (strain 985c)
 C;Species: Xylella fastidiosa
 C;Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 09-Jul-2004
 C;Accession: B82757
 R;anonymous, The Xylella fastidiosa Consortium of the Organization for Nucleotide Sequ Nature 406, 151-157, 2000
 A;Title: The genome sequence of the plant pathogen Xylella fastidiosa.
 A;Reference number: A82515; MUID:20365717; PMID:10910347
 A;Note: for a complete list of authors see reference number A59328 below
 A;Accession: B82757
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-169 <SIM>
 A;Cross-references: UNIPROT:Q9PE57; GB:AE003849; NID:g9105722; PIDN:AAF836
 A;Experimental source: strain 985c
 R;Simpson, A.J.G.; Reinach, F.C.; Arruda, P.; Abreu, F.A.; Acencio, M.; Alvarenga, R.; Briones, M.R.S.; Bueno, M.R.P.; Camargo, A.A.; Camargo, L.E.A.; Carraro, D.M.; Carter, as-Neto, E.; Docena, C.; El-Dorri, H.; Facincani, A.P.; Ferreira, A.J.S. submitted to GenBank, June 2000
 A;Authors: Ferreira, V.C.A.; Ferro, J.A.; Fraga, J.S.; Franca, S.C.; Franco, M.C.; Froh J.D.; Junqueira, M.B.; Kemper, E.L.; Kitajima, J.P.; Krieger, J.E.; Kuramae, E.E.; Laig chado, M.A.; Madeira, A.M.B.N.; Madeira, H.M.F.; Marino, C.D.; Marques, M.V.; Martins, A;Authors: Martins, E.M.F.; Matsukuma, A.Y.; Menck, C.F.M.; Miracca, E.C.; Miyaki, C.Y. , F.G.; Nunes, L.R.; Oliveira, M.A.; de Oliveira, M.C.; de Oliveira, R.C.; Palmieri, D. Rodrigues, V.; Rosa, A.J. de M.; de Rosa Jr., V.E.; de Sa, R.G.; Santelli, R.V.; Sawasa A;Authors: da Silva, A.C.R.; da Silva, P.R.; da Silva, A.M.; Silva Jr., W.A.; da Silva M.; Tshako, M.H.; Vallada, H.; Van Sluys, M.A.; Verjovski-Almeida, S.; Vettore, A.L.;

Query Match 77.5%; Score 31; DB 2; Length 169;
 Best Local Similarity 83.3%; Pred. No. 41;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
 |||||
 Db 13 HVHDAP 18

RESULT 24
C95296
hypothetical protein Sma0522 [imported] - Sinorhizobium meliloti (strain 1021) magaplasmi
C:Species: Sinorhizobium meliloti
C:Date: 24-Aug-2001 #sequence_revision 24-Aug-2001 #text_change 09-Jul-2004
C:Accession: C95296
R:Barnett, M.J.; Fisher, R.F.; Jones, T.; Komp, C.; Abola, A.P.; Barloy-Hubler, F.; Bowe
; Kalman, S.; Keating, D.H.; Palm, C.; Peck, M.C.; Surzycki, R.; Wells, D.H.; Yeh, K.C.
Proc. Natl. Acad. Sci. U.S.A. 98, 9883-9886, 2001
A:Title: Nucleotide sequence and predicted functions of the entire Sinorhizobium meliloti
A:Reference number: A95262; MUID:21396509; PMID:11481432
A:Accession: C95296
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-242 <KUR>
A:Cross-references: UNIPROT:Q930C3; GB:AE006469; PIDN:AAK64933.1; PID:g14523355; GSPDB:G
A:Experimental source: strain 1021, megaplasmiid pSymA
R:Galibert, F.; Finan, T.M.; Long, S.R.; Puhler, A.; Abola, P.; Ampe, F.; Barloy-Hubler,
Pela, D.; Chain, P.; Cowie, A.; Davis, R.W.; Dreano, S.; Federspiel, N.A.; Fisher, R.F.;
L.; Hyman, R.W.; Jones, T.
Science 293, 668-672, 2001
A:Authors: Kahn, D.; Kahn, M.L.; Kalman, S.; Keating, D.H.; Kiss, E.; Komp, C.; Lelaure,
hebaull, P.; Vandenbol, M.; Vorholter, F.J.; Weidner, S.; Wells, D.H.; Wong, K.; Yeh, K.
A:Title: The composite genome of the legume symbiont Sinorhizobium meliloti.
A:Reference number: A96039; MUID:21368234; PMID:11474104
A:Contents: annotation
C:Genetics:
A:Gene: Sma0522
A:Genome: plasmid

Query Match 77.5%; Score 31; DB 2; Length 242;
Best Local Similarity 85.7%; Pred. No. 61;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
95 YVSDAPV 101

RESULT 25
T27521
hypothetical protein ZC373.3 - Caenorhabditis elegans
C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 09-Jul-2004
C:Accession: T27521
R:Kershaw, J.
submitted to the EMBL Data Library, April 1995
A:Reference number: Z20382
A:Accession: T27521
A:Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: DNA
A:Residues: 1-321 <WIL>
A:Cross-references: UNIPROT:Q23259; EMBL:Z49131; PIDN:CAA88975.1; GSPDB:GN00028; CBSP:ZC
A:Experimental source: clone ZC373
C:Genetics:
A:Gene: CBSP:ZC373.3
A:Map position: X
A:Introns: 114/1; 174/3; 257/3

Query Match 77.5%; Score 31; DB 2; Length 321;
Best Local Similarity 83.3%; Pred. No. 84;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|||
91 YCHDAP 96

RESULT 26
B36792
hypothetical protein 55 - ictalurid herpesvirus 1 (strain auburn 1)
C:Species: ictalurid herpesvirus 1

A:Note: host Ictalurus punctatus (Channel catfish)
C:Date: 17-Aug-1992 #sequence_revision 17-Aug-1992 #text_change 09-Jul-2004
C:Accession: B36792
R:Davidson, A.J.

submitted to GenBank, January 1992
A:Description: Channel catfish virus: a new type of herpesvirus.
A:Reference number: A36804
A:Accession: B36792
A:Molecule type: DNA
A:Residues: 1-388 <DAV>
A:Cross-references: UNIPROT:Q00153; GB:M75136; NID:g331209; PIDN:AAA88158.1; PID:g331265
R:Davidson, A.J.
Virology 186, 9-14, 1992
A:Title: Channel catfish virus: a new type of herpesvirus.
A:Reference number: A39447; MUID:92087490; PMID:1727613
A:Contents: annotation
A:Note: neither protein nor nucleic acid sequence is given
C:Genetics:
A:Gene: 55
C:Superfamily: ictalurid herpesvirus 1 hypothetical protein 55

Query Match 77.5%; Score 31; DB 2; Length 388;
Best Local Similarity 85.7%; Pred. No. 1e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
364 YVKDAPV 370

RESULT 27
C85789
hypothetical protein 'yeaJ' [imported] - Escherichia coli (strain O157:H7, substrain EDL5
C:Species: Escherichia coli
C:Date: 16-Feb-2001 #sequence_revision 16-Feb-2001 #text_change 09-Jul-2004
C:Accession: C85789
R:Perna, N.T.; Plunkett III, G.; Burland, V.; Mau, B.; Glasner, J.D.; Rose, D.J.; Mayhew
iller, L.; Grotbeck, E.J.; Davis, N.W.; Lim, A.; Dimalanta, E.; Potamousis, K.; Apodaca,
Nature 409, 529-533, 2001
A:Title: Genome sequence of enterohemorrhagic Escherichia coli O157:H7.
A:Reference number: A85480; MUID:21074935; PMID:11206551
A:Accession: C85789
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-496 <STO>
A:Cross-references: UNIPROT:Q8XDT6; GB:AE005174; NID:g12515823; PIDN:AAG56775.1; GSPDB:G
A:Experimental source: strain O157:H7, substrain EDL933
C:Genetics:
A:Gene: 'yeaJ'
C:Superfamily: hypothetical protein b1786

Query Match 77.5%; Score 31; DB 2; Length 496;
Best Local Similarity 83.3%; Pred. No. 1.4e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|||
289 YVHDLF 294

RESULT 28
F87423
ferredoxin, probable [imported] - Caulobacter crescentus
C:Species: Caulobacter crescentus
C:Date: 20-Apr-2001 #sequence_revision 20-Apr-2001 #text_change 09-Jul-2004
C:Accession: F87423
R:Nierman, W.C.; Feldblyum, T.V.; Paulsen, I.T.; Nelson, K.E.; Eisen, J.; Heidelberg, J
B.; Laub, M.T.; DeBoy, R.T.; Dodson, R.J.; Durkin, A.S.; Gwinn, M.L.; Haft, D.H.; Kolo
n, J.; Ermolaeva, M.; White, O.; Salzberg, S.L.; Shapiro, L.; Venter, J.C.; Fraser, C.M
Proc. Natl. Acad. Sci. U.S.A. 98, 4136-4141, 2001
A:Title: Complete Genome Sequence of Caulobacter crescentus.
A:Reference number: A87249; MUID:21173698; PMID:11259647
A:Accession: F87423

A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-496 <STO>
A;Cross-references: UNIPROT:Q9ABE9; GB:AE005673; NID:g13422764; PIDN:AAK23386.1; GSPDB:G
C;Genetics:
A;Gene: CC1405
C;Superfamily: nitrogen fixation protein fixG; ferredoxin 2[4Fe-4S] homology

Query Match 77.5%; Score 31; DB 2; Length 496;
Best Local Similarity 83.3%; Pred. No. 1.4e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
| | | | |
DB 194 YFHDAP 199

RESULT 29
B64939
hypothetical protein b1786 - Escherichia coli (strain K-12)
C;Species: Escherichia coli
C;Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 01-Mar-2002
C;Accession: B64939
R;Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; Co
A.; Rose, D.J.; Mau, B.; Shao, Y.
Science 277, 1453-1462, 1997
A;Title: The complete genome sequence of Escherichia coli K-12.
A;Reference number: A64720; MUID:97426617; PMID:9278503
A;Accession: B64939
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-556 <BLAT>
A;Cross-references: GB:AE000273; GB:U00096; NID:g1788078; PIDN:AACT4856.1; PID:g1788086;
A;Experimental source: strain K-12, substrain MG1655
C;Superfamily: hypothetical protein b1786

Query Match 77.5%; Score 31; DB 2; Length 556;
Best Local Similarity 83.3%; Pred. No. 1.5e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
| | | | |
DB 349 YVHDLDP 354

RESULT 30
G90940
hypothetical protein ECs2495 [imported] - Escherichia coli (strain O157:H7, substrain R
C;Species: Escherichia coli
C;Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 09-Jul-2004
C;Accession: G90940
R;Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Ishii, K.; Yokoyama, K.; Han, C.G.
gasaawara, N.; Yasunaga, T.; Kuhara, S.; Shiba, T.; Hattori, M.; Shinagawa, H.
DNA Res. 8, 11-22, 2001
A;Title: Complete genome sequence of enterohemorrhagic Escherichia coli O157:H7 and gene
A;Reference number: A99629; MUID:21156231; PMID:11258796
A;Accession: G90940
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-556 <HAY>
A;Cross-references: UNIPROT:Q8XDT6; GB:BA000007; PIDN:BA035918.1; PID:g13361962; GSPDB:G
A;Experimental source: strain O157:H7, substrain RIMD 0509952
C;Genetics:
A;Gene: ECs2495
C;Superfamily: hypothetical protein b1786

Query Match 77.5%; Score 31; DB 2; Length 556;
Best Local Similarity 83.3%; Pred. No. 1.5e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
| | | | |
DB 349 YVHDLDP 354

RESULT 31

H83206
probable decarboxylase PA3506 [imported] - Pseudomonas aeruginosa (strain PA01)
C;Species: Pseudomonas aeruginosa
C;Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 12-Jul-2004
C;Accession: H83206
R;Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warrenner, P.; Hickey, M.J.; B
adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; Lim
.; Lory, S.; Olson, M.V.
Nature 406, 959-964, 2000
A;Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic path
A;Reference number: A82950; MUID:20437337; PMID:10984043
A;Accession: H83206
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-560 <STO>
A;Cross-references: UNIPROT:Q9HYA3; GB:AE004771; GB:AE004091; NID:g9949650; PIDN:AA0606
A;Experimental source: strain PA01
C;Genetics:
A;Gene: PA3506
C;Superfamily: acetolactate synthase, large subunit/pyruvate oxidase

Query Match 77.5%; Score 31; DB 2; Length 560;
Best Local Similarity 66.7%; Pred. No. 1.6e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
| | | | |
DB 117 YIHEAP 122

RESULT 32

AE2558
hypothetical protein alr8060 [imported] - Nostoc sp. (strain PCC 7120) plasmid pCC71209
C;Species: Nostoc sp. PCC 7120
A;Note: Nostoc sp. strain PCC 7120 is a synonym of Anabaena sp. strain PCC 7120
C;Date: 14-Dec-2001 #sequence_revision 14-Dec-2001 #text_change 09-Jul-2004
C;Accession: AE2558
R;Kaneko, T.; Nakamura, Y.; Wolk, C.P.; Kuritz, T.; Sasamoto, S.; Watanabe, A.; Iriquch
Nakazaki, N.; Shimpou, S.; Sugimoto, M.; Takazawa, M.; Yamada, M.; Yasuda, M.; Tabata,
DNA Res. 8, 205-213, 2001
A;Title: Complete Genomic Sequence of the Filamentous Nitrogen-fixing Cyanobacterium An
A;Reference number: AB1807; MUID:21595285; PMID:11759840
A;Accession: AE2558
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-634 <KUR>
A;Cross-references: UNIPROT:Q8YK57; GB:AP003603; PIDN:BA077390.1; PID:g17134833; GSPDB:G
A;Experimental source: strain PCC 7120
C;Genetics:
A;Gene: alr8060
A;Genome: plasmid

Query Match 77.5%; Score 31; DB 2; Length 634;
Best Local Similarity 66.7%; Pred. No. 1.8e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
| | | | |
DB 59 IHDAPV 64

RESULT 33

A70857
probable ligA - Mycobacterium tuberculosis (strain H37RV)
C;Species: Mycobacterium tuberculosis
C;Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 12-Jul-2004
C;Accession: A70857
R;Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S.
; Connor, R.; Davies, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.
Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.

Query Match 77.5%; Score 31; DB 2; Length 634;
Best Local Similarity 66.7%; Pred. No. 1.8e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
| | | | |
DB 59 IHDAPV 64

Nature 393, 537-544, 1998
A:Authors: Sgares, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.
A>Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome
A:Reference number: A70500; MUID:98295987; PMID:9634230
A:Accession: A70857
A>Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-691 <COL>
A:Cross-references: UNIPROT:053261; GB:AL021287; GB:AL123456; NID:G3261508; PIDN:CAAL609
A:Experimental source: strain H37Rv
C:Genetics:
A:Gene: ligA
C:Superfamily: NAD+-dependent DNA ligase, LigA type

Query Match 77.5%; Score 31; DB 2; Length 691;
Best Local Similarity 71.4%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
||| |||
Db 32 YVRDAP1 38

RESULT 34
T45403
DNA ligase [imported] - Mycobacterium leprae
C:Species: Mycobacterium leprae
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 12-Jul-2004
C:Accession: T45403
R:Parkhill, J.; Barrell, B.G.; Rajandream, M.A.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z16918
A:Accession: T45403
A>Status: preliminary; translated from GB/EMBL/DD9J
A:Molecule type: DNA
A:Residues: 1-694 <PAR>
A:Cross-references: UNIPROT:O33102; EMBL:Z99263; PIDN:CAB16425.1
A:Experimental source: cosmid B637
C:Genetics:
A:Note: lig
C:Superfamily: NAD+-dependent DNA ligase, LigA type

Query Match 77.5%; Score 31; DB 2; Length 694;
Best Local Similarity 71.4%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
||| |||
Db 32 YVRDAP1 38

RESULT 35
F83110
exodeoxyribonuclease V gamma chain PA4285 [imported] - Pseudomonas aeruginosa (strain PA
C:Species: Pseudomonas aeruginosa
C:Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 09-Jul-2004
C:Accession: F83110
R:Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warrenner, P.; Hickey, M.J.; Br
adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; Lim,
.; Lory, S.; Olson, M.V.
Nature 406, 959-964, 2000
A>Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic patho
A:Reference number: A82950; MUID:20437337; PMID:10984043
A:Accession: F83110
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-1171 <STO>
A:Cross-references: UNIPROT:Q9HWB5; GB:AE004844; GB:AE004091; NID:G9950500; PIDN:AAG0767
A:Experimental source: strain PA01
C:Genetics:
A:Gene: recC; PA4285
C:Superfamily: exodeoxyribonuclease V 125K chain

Query Match 77.5%; Score 31; DB 2; Length 1171;
Best Local Similarity 83.3%; Pred. No. 3.5e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
||| |||
Db 810 YFHDAP 815

RESULT 36
A46350
RNA-directed RNA polymerase (EC 2.7.7.48) - white clover mosaic virus (strain O)
N:Alternate names: RNA nucleotidyltransferase (RNA-directed); RNA replicase
C:Species: white clover mosaic virus
C:Date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 09-Jul-2004
A:Accession: A46350
R:Beck, D.L.; Forster, R.L.S.; Bevan, M.W.; Boxen, K.A.; Lowe, S.C.
Virology 177, 152-158, 1990
A>Title: Infectious transcripts and nucleotide sequence of cloned cDNA of the potexvirus
A:Reference number: A46350; MUID:90281578; PMID:2353451
A:Accession: A46350
A>Status: translation not shown
A:Molecule type: genomic RNA
A:Residues: 1-1293 <BEC>
A:Cross-references: UNIPROT:P15402; GB:X16636
C:Superfamily: eggplant mosaic virus RNA-directed RNA polymerase
C:Keywords: ATP; nucleotide binding; nucleotidyltransferase; P-loop; RNA biosynthesis; F
570-577/Region: nucleotide-binding motif A (P-loop)
F:633-638/Region: nucleotide-binding motif B
F:576/Binding site: ATP (lys) #status predicted

Query Match 77.5%; Score 31; DB 1; Length 1293;
Best Local Similarity 83.3%; Pred. No. 3.9e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
||| |||
Db 861 YVHDLP 866

RESULT 37
S01085
hypothetical protein 1 - white clover mosaic virus
C:Species: white clover mosaic virus
C:Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 09-Jul-2004
C:Accession: S01085
R:Forster, R.L.S.; Bevan, M.W.; Harbison, S.A.; Gardner, R.C.
Nucleic Acids Res. 16, 291-303, 1988
A>Title: The complete nucleotide sequence of the potexvirus white clover mosaic virus.
A:Reference number: S01085; MUID:88124202; PMID:3340527
A:Accession: S01085
A:Molecule type: mRNA
A:Residues: 1-1294 <FOR>
A:Cross-references: UNIPROT:P09498; EMBL:X06728; NID:G61317; PIDN:CAA29904.1; PID:G6131
A:Note: 1147-Ala was also found
C:Superfamily: eggplant mosaic virus RNA-directed RNA polymerase
C:Keywords: ATP

Query Match 77.5%; Score 31; DB 2; Length 1294;
Best Local Similarity 83.3%; Pred. No. 3.9e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
||| |||
Db 861 YVHDLP 866

RESULT 38
D69153
hypothetical protein MTH410 - Methanobacterium thermoautotrophicum (strain Delta H)
C:Species: Methanobacterium thermoautotrophicum
C:Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 09-Jul-2004
C:Accession: D69153

R;Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.; Aldredge, T.; Qiu, D.; Spadafora, R.; Vicaire, R.; Wang, Y.; Wierbowski, J.; Gibson, R.; Jiواني, N. Ki, S.; Church, G.M.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.; Reeve, J.N. J. Bacteriol. 179, 7135-7155, 1997

A;Title: Complete genome sequence of *Methanobacterium thermoautotrophicum* Delta H: funcb A;Reference number: A69000; MUID:98037514; PMID:9371463

A;Accession: D69153

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-83 <MTH>

A;Cross-references: UNIPROT:O26510; GB:AE000825; GB:AE000666; NID:92621465; PIDN:AA8491

A;Experimental source: strain Delta H

C;Genetics:

A;Gene: MTH410

Query Match 75.0%; Score 30; DB 2; Length 83;
Best Local Similarity 83.3%; Pred. No. 30;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
Db 32 VHDSPV 37
|||||

RESULT 39

AH0070

probable membrane protein YPO0570 [imported] - *Yersinia pestis* (strain CO92)

C;Species: *Yersinia pestis*

C;Date: 02-Nov-2001 #sequence_revision 02-Nov-2001 #text_change 09-Jul-2004

C;Accession: AH0070

R;Parkhill, J.; Wren, B.W.; Thomson, N.R.; Titball, R.W.; Holden, M.T.G.; Prentice, M.B.; deno-Tarraga, A.M.; Chillingworth, T.; Cronin, A.; Davies, R.M.; Davis, P.; Dougan, G.; il, M.; Rutherford, K.; Simmonds, M.; Skelton, J.; Stevens, K.; Whitehead, S.; Barrell, Nature 413, 523-527, 2001

A;Title: Genome sequence of *Yersinia pestis*, the causative agent of plague.

A;Reference number: AB0001; MUID:21470413; PMID:11586360

A;Accession: AH0070

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-101 <KUR>

A;Cross-references: UNIPROT:Q8ZID5; GB:AL590842; PIDN:CAC89427.1; PID:G15978663; GSPDB:G

C;Genetics:

A;Gene: YPO0570

C;Superfamily: conserved hypothetical protein b2672

Query Match 75.0%; Score 30; DB 2; Length 101;
Best Local Similarity 83.3%; Pred. No. 38;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
Db 75 YVHDNP 80
|||||

RESULT 40

IMECNA

colicin N immunity protein - *Escherichia coli* plasmid pCHAP4

C;Species: *Escherichia coli*

C;Date: 31-Mar-1991 #sequence_revision 31-Mar-1991 #text_change 09-Jul-2004

C;Accession: S01761

R;Fugate, A.P.

Mol. Gen. Genet. 211, 335-341, 1988

A;Title: The immunity and lysis genes of ColN plasmid pCHAP4.

A;Reference number: S01760; MUID:88174431; PMID:3280946

A;Accession: S01761

A;Molecule type: DNA

A;Residues: 1-131 <PUG>

A;Cross-references: UNIPROT:P09182; EMBL:X06933; NID:941117; PIDN:CAA30020.1; PID:941119

A;Note: The authors translated the codon ACC for residue 42 as Ile and GTT for residue 1

C;Genetics:

A;Gene: cni

A;Genome: plasmid

C;Superfamily: colicin N immunity protein

C;Keywords: transmembrane protein
F;66-84/Domain: transmembrane #status predicted <TM1>

Query Match 75.0%; Score 30; DB 1; Length 131;
Best Local Similarity 71.4%; Pred. No. 50;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 33 YVHTAPL 39
|||||

RESULT 41

T38904

conserved hypothetical protein SPAC56E4.02c - fission yeast (*Schizosaccharomyces pombe*)

C;Species: *Schizosaccharomyces pombe*

C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 09-Jul-2004

C;Accession: T38904

R;Connor, R.; Churcher, C.M.; Barrell, B.G.; Rajandream, M.A.; Wood, V. submitted to the EMBL Data Library, September 1997

A;Reference number: Z21813

A;Accession: T38904

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-162 <CON>

A;Cross-references: UNIPROT:O14190; EMBL:Z99261; PIDN:CAB16393.1; GSPDB:GN00066; SPDB: S

A;Experimental source: strain 972h-; cosmid c56E4

C;Genetics:

A;Gene: SPDB:SPAC56E4.02c

A;Map position: 1

Query Match 75.0%; Score 30; DB 2; Length 162;
Best Local Similarity 57.1%; Pred. No. 64;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 70 YIHDASI 76
|||||

RESULT 42

T11215

hypothetical protein 5 - *Streptomyces glaucescens*

C;Species: *Streptomyces glaucescens*

C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 09-Jul-2004

C;Accession: T11215

R;Summers, R.G.; Ali, A.; Shen, B.; Wessel, W.A.; Hutchinson, C.R. Biochemistry 34, 9389-9402, 1995

A;Title: Malonyl-coenzyme A:acyl carrier protein acyltransferase of *Streptomyces glauc*

A;Reference number: Z17254; MUID:95352622; PMID:7626609

A;Accession: T11215

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-164 <SUM>

A;Cross-references: UNIPROT:Q54209; EMBL:L43074; NID:9870805; PID:9870810

Query Match 75.0%; Score 30; DB 2; Length 164;
Best Local Similarity 83.3%; Pred. No. 65;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
Db 8 YVHSAP 13
|||||

RESULT 43

A41892

hydrogenase (EC 1.18.99.1) (Nife) b-type cytochrome chain - *Rhizobium leguminosarum*

C;Species: *Rhizobium leguminosarum*

C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 09-Jul-2004

C;Accession: A41892

R;Hidalgo, E.; Palacios, J.M.; Murillo, J.; Ruiz-Argueso, T. J. Bacteriol. 174, 4130-4139, 1992

A:Title: Nucleotide sequence and characterization of four additional genes of the hydrog
A:Reference number: A41892; MUID:92283771; PMID:1597428
A:Accession: A41892
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-239 <HID>
A:Cross-references: UNIPROT:P27648; GB:X52974; NID:gl167855; PIDN:CAA37150.1; PID:g48723
A:Experimental source: bv. viciae, UPM791
A>Note: sequence extracted from NCBI backbone (NCBIN:106282, NCBIP:106285)
C:Genetics:
A:Gene: hupC
C:Superfamily: hycA protein
C:Keywords: hydrolase; metalloprotein; nickel; oxidoreductase; transmembrane protein
F:73-89/Domain: transmembrane #status predicted <TM1>
F:146-162/Domain: transmembrane #status predicted <TM2>
F:197-213/Domain: transmembrane #status predicted <TM3>

Query Match 75.0%; Score 30; DB 1; Length 239;
Best Local Similarity 71.4%; Pred. No. 98;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 23 YVYEAPV 29

RESULT 44
C43255
hydrogenase (EC 1.18.99.1) (NiFe) b-type cytochrome chain - Alcaligenes eutrophus
N/Alternate names: hox2 protein
C:Species: Alcaligenes eutrophus
C>Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 09-Jul-2004
C:Accession: C43255
R:Kortluke, C.; Horstmann, K.; Schwartz, E.; Rohde, M.; Binsack, R.; Friedrich, B.
J. Bacteriol. 174, 6277-6289, 1992
A:Title: A gene complex coding for the membrane-bound hydrogenase of Alcaligenes eutroph
A:Reference number: A43255; MUID:93015670; PMID:1383192
A:Accession: C43255
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: DNA
A:Residues: 1-244 <KOR>
A:Cross-references: UNIPROT:P31898; GB:M96433; NID:gl141932; PIDN:AAA16463.1; PID:gl141935
A:Experimental source: strain H16, megaplasmid pHG1
A>Note: sequence extracted from NCBI backbone (NCBIP:115452)
C:Genetics:
A:Gene: hox2
C:Superfamily: hycA protein
C:Keywords: hydrolase; metalloprotein; nickel; oxidoreductase; transmembrane protein
F:43-59/Domain: transmembrane #status predicted <TM1>
F:78-94/Domain: transmembrane #status predicted <TM2>
F:150-166/Domain: transmembrane #status predicted <TM3>
F:205-221/Domain: transmembrane #status predicted <TM4>

Query Match 75.0%; Score 30; DB 1; Length 244;
Best Local Similarity 71.4%; Pred. No. 1e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 31 YVYEAPV 37

RESULT 45
S39400
hydrogenase (EC 1.18.99.1) (NiFe) b-type cytochrome chain - Bradyrhizobium japonicum
N/Alternate names: hupC protein
C:Species: Bradyrhizobium japonicum
C>Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 09-Jul-2004
C:Accession: S39400
R:Van Soom, C.; Browaeys, J.; Verreth, C.; Vanderleyden, J.
J. Mol. Biol. 234, 508-512, 1993
A:Title: Nucleotide sequence analysis of four genes, hupC, hupD, hupF and hupG, downstre
A:Reference number: S39400; MUID:94047099; PMID:8230232

A:Accession: S39400
A:Molecule type: DNA
A:Residues: 1-244 <VAN>
A:Cross-references: UNIPROT:P21960; EMBL:Z21948; NID:g311536; PIDN:CAA79943.1; PID:g31153
C:Genetics:
A:Gene: hupC
C:Superfamily: hycA protein
C:Keywords: hydrolase; metalloprotein; nickel; oxidoreductase; transmembrane protein
F:44-60/Domain: transmembrane #status predicted <TM1>
F:87-103/Domain: transmembrane #status predicted <TM2>
F:155-171/Domain: transmembrane #status predicted <TM3>
F:205-221/Domain: transmembrane #status predicted <TM4>

Query Match 75.0%; Score 30; DB 1; Length 244;
Best Local Similarity 71.4%; Pred. No. 1e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 32 YVYEAPV 38

RESULT 46
F87242
probable secreted protein [imported] - Mycobacterium leprae
C:Species: Mycobacterium leprae
C>Date: 20-Apr-2001 #sequence_revision 20-Apr-2001 #text_change 09-Jul-2004
C:Accession: F87242
R:Cole, S.T.; Eigmeier, K.; Parkhill, J.; James, K.D.; Thomson, N.R.; Wheeler, P.R.; Holroyd,
R.; Davies, R.M.; Devlin, K.; Duthoy, S.; Feltwell, T.; Fraser, A.; Hamlin, N.; Holroyd,
eam, M.A.; Rutherford, K.M.
Nature 409, 1007-1011, 2001
A:Authors: Rutter, S.; Seeger, K.; Simon, S.; Simmonds, M.; Skelton, J.; Squares, R.; S
A:Title: Massive gene decay in the leprosy bacillus.
A:Reference number: A86909; MUID:21128732; PMID:11234002
A:Accession: F87242
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-251 <STO>
A:Cross-references: UNIPROT:Q9ZBE6; GB:AL450380; NID:gl3093866; PIDN:CAC32196.1; GSPDB:
C:Genetics:
A:Gene: ML2664

Query Match 75.0%; Score 30; DB 2; Length 251;
Best Local Similarity 83.3%; Pred. No. 1e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
DB 206 YVHSAP 211

RESULT 47
G70840
hypothetical protein Rv0116c - Mycobacterium tuberculosis (strain H37RV)
C:Species: Mycobacterium tuberculosis
C>Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 09-Jul-2004
C:Accession: G70840
R:Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S
; Connor, R.; Davies, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S
; Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.
Nature 393, 537-544, 1998
A:Authors: Squares, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.
A:Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome
A:Reference number: A70500; MUID:98295987; PMID:9634230
A:Accession: G70840
A:Molecule type: DNA
A:Residues: 1-251 <COL>
A:Cross-references: UNIPROT:O53638; GB:AL021926; GB:AL123456; NID:g3261520; PIDN:CAA1731
A:Experimental source: strain H37RV
C:Genetics:
A:Gene: Rv0116c

Query Match 75.0%; Score 30; DB 2; Length 251;
Best Local Similarity 83.3%; Pred. No. 1.e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
||| |||
Db 206 YVHSAP 211

RESULT 48
D70915
hypothetical protein Rv1433 - Mycobacterium tuberculosis (strain H37RV)
C:Species: Mycobacterium tuberculosis
C:Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 09-Jul-2004
C:Accession: D70915
R:Colle, S.T.; Davies, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S.; Connor, R.; Byles, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.; Rajadream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.
Nature 393, 537-544, 1998
A:Authors: Squares, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.
A:Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome
A:Reference number: A70500; MUID:98295987; PMID:9634230
A:Accession: D70915
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-271 <COL>
A:Cross-references: UNIPROT:Q06825; GB:Z95844; GB:AL123456; NID:g3250713; PIDN:CAB09251.
A:Experimental source: strain H37RV
C:Genetics:
A:Gene: Rv1433

Query Match 75.0%; Score 30; DB 2; Length 271;
Best Local Similarity 83.3%; Pred. No. 1.e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
||| |||
Db 226 YVHSAP 231

RESULT 49
D69881
yabC protein homolog ylxA - Bacillus subtilis
N:Alternate names: pbpB 5'-region hypothetical protein B
C:Species: Bacillus subtilis
C:Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 09-Jul-2004
C:Accession: D69881; A53292
R:Kunst, F.; Ogasawara, N.; Moszer, I.; Albertini, A.M.; Alloni, G.; Azevedo, V.; Berter
C.; Bron, S.; Broutelle, S.; Brusch, C.V.; Caldwell, B.; Capuano, V.; Carter, N.M.; Ch
A.; Ehrlich, S.D.; Emmeron, P.T.; Entian, K.D.; Errington, J.; Fabret, C.; Ferrari, E.
Nature 390, 249-256, 1997
A:Authors: Foulger, D.; Fritz, C.; Fujita, M.; Fujita, Y.; Fuma, S.; Galizzi, A.; Gall
iech, J.; Harwood, C.R.; Henaut, A.; Hilbert, H.; Holsappel, S.; Hosono, S.; Hullo, M.F.
Koetter, P.; Koningsstein, G.; Krogh, S.; Kumano, M.; Kurita, K.; Lapidus, A.; Lardin
A:Authors: Lauber, J.; Lazarevic, V.; Lee, S.M.; Levine, A.; Liu, H.; Masuda, S.; Mauel
Y, M.; Ogawa, K.; Ogiwara, A.; Oudega, B.; Park, S.H.; Parro, V.; Pohl, T.M.; Portet
Rieger, M.; Rivolta, C.; Rocha, E.; Roche, B.; Rose, M.; Sadaie, Y.; Sato, T.; Scanlon
A:Authors: Schleif, S.; Schroeter, R.; Scoffone, F.; Sekiguchi, J.; Sekowska, A.; Seron
akeuchi, M.; Tamakoshi, A.; Tanaka, T.; Terpetra, P.; Tognoni, A.; Tosato, V.; Uchiyama
T.; Winters, P.; Wipat, A.; Yamamoto, H.; Yamane, K.; Yasumoto, K.; Yata, K.; Yoshida, M.
A:Authors: Yoshikawa, H.F.; Zumstein, E.; Yoshikawa, H.; Danchin, A.
A:Title: The complete genome sequence of the Gram-positive bacterium Bacillus subtilis.
A:Reference number: A69580; MUID:98044033; PMID:9384377
A:Accession: D69881
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-311 <KUN>
A:Cross-references: UNIPROT:Q07876; GB:Z99111; GB:AL009126; NID:g2633699; PIDN:CAB13387.
A:Experimental source: strain 168
R:Yanouri, A.; Daniel, R.A.; Errington, J.; Buchanan, C.E.
J. Bacteriol. 175, 7604-7616, 1993
A:Title: Cloning and sequencing of the cell division gene pbpB, which encodes penicillin

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|
Db 71 YLHKAPV 77

RESULT 52
E82168
probable alpha-1,6-galactosidase VC1690 [imported] - Vibrio cholerae (strain Ni6961 sero
C;Species: Vibrio cholerae
C;Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 09-Jul-2004
C;Accession: E82168
R;Heidelberg, J.F.; Eisen, J.A.; Nelson, W.C.; Clayton, R.A.; Gwinn, M.L.; Dodson, R.J.;
chardson, D.; Ermolaeva, M.D.; Vamathevan, J.; Bass, S.; Qin, H.; Dragoi, I.; Sellers, F
1, R.R.; Mekalanos, J.J.; Venter, J.C.; Fraser, C.M.
Nature 406, 477-483, 2000
A;Title: DNA Sequence of both chromosomes of the cholera pathogen Vibrio cholerae.
A;Reference number: A82035; MUID:20406833; PMID:10952301
A;Accession: E82168
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-374 <HEI>
A;Cross-references: UNIPROT:Q9KRF2; GB:AE004247; GB:AE003852; NID:g9656204; PIDN:AAF9484
A;Experimental source: serogroup O1; strain Ni6961; biotype El Tor
C;Genetics:
A;Gene: VC1690
A;Map position: 1

Query Match 75.0%; Score 30; DB 2; Length 374;
Best Local Similarity 83.3%; Pred. No. 1.6e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|
Db 93 YPHDAP 98

RESULT 53
B83242
hypothetical protein PA3238 [imported] - Pseudomonas aeruginosa (strain PA01)
C;Species: Pseudomonas aeruginosa
C;Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 09-Jul-2004
C;Accession: B83242
R;Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warrenner, P.; Hickey, M.J.; B
adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; Lam,
.; Lory, S.; Olson, M.V.
Nature 406, 959-964, 2000
A;Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic patho
A;Reference number: A82950; MUID:20437337; PMID:10984043
A;Accession: B83242
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-453 <STO>
A;Cross-references: UNIPROT:Q9HZ02; GB:AE004746; GB:AE004091; NID:g9949350; PIDN:AAG0662
A;Experimental source: strain PA01
C;Genetics:
A;Gene: PA3238

Query Match 75.0%; Score 30; DB 2; Length 453;
Best Local Similarity 66.7%; Pred. No. 2e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|
Db 373 YLHDSP 378

RESULT 54
S16727
coenzyme F420 hydrogenase (EC 1.12.99.1) alpha chain vhcA [similarity] - Methanococcus v
C;Species: Methanococcus voltae
C;Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 09-Jul-2004

C;Accession: S16727; S32835
R;Halboth, S.; Klein, A.
Submitted to the EMBL Data Library, August 1991
A;Description: Methanococcus voltae harbors two gene groups each of homologous (Nife) - a
A;Reference number: S16721
A;Accession: S16727
A;Molecule type: DNA
A;Residues: 1-474 <HAL>
A;Cross-references: UNIPROT:Q00404; EMBL:X61203; NID:g2966114; PIDN:CAA43506.1; PID:g4479
A;Experimental source: strain PS (DSM1537)
R;Halboth, S.; Klein, A.
Mol. Gen. Genet. 233, 217-224, 1992
A;Title: Methanococcus voltae harbors four gene clusters potentially encoding two [Nife]
A;Reference number: A59304; MUID:92293118; PMID:1603063
A;Contents: annotation
C;Genetics:
A;Gene: vhcA
C;Superfamily: methyl viologen-reducing hydrogenase alpha chain
C;Keywords: oxidoreductase

Query Match 75.0%; Score 30; DB 2; Length 474;
Best Local Similarity 57.1%; Pred. No. 2.1e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|
Db 49 YIEDAPI 55

RESULT 55
AF2206
Glutaryl-tRNA synthetase [imported] - Nostoc sp. (strain PCC 7120)
C;Species: Nostoc sp. PCC 7120
A;Note: Nostoc sp. strain PCC 7120 is a synonym of Anabaena sp. strain PCC 7120
C;Date: 14-Dec-2001 #sequence_revision 14-Dec-2001 #text_change 09-Jul-2004
C;Accession: AF2206
R;Kaneko, T.; Nakamura, Y.; Wolk, C.P.; Kuritz, T.; Sasamoto, S.; Watanabe, A.; Iriiguchi
Nakazaki, N.; Shimpou, S.; Sugimoto, M.; Takazawa, M.; Yamada, M.; Tabata, S.
DNA Res. 8, 205-213, 2001
A;Title: Complete genomic sequence of the Filamentous Nitrogen-fixing Cyanobacterium An
A;Reference number: AB1807; MUID:21595285; PMID:11759840
A;Accession: AF2206
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-480 <KUR>
A;Cross-references: UNIPROT:Q8YS86; GB:BA000019; PIDN:BAE74904.1; PID:gl7132300; GSPDB:
A;Experimental source: strain PCC 7120
C;Genetics:
A;Gene: gltX
C;Superfamily: glutamate-CRNa ligase; glutamine-tRNA ligase homology

Query Match 75.0%; Score 30; DB 2; Length 480;
Best Local Similarity 57.1%; Pred. No. 2.1e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|
Db 322 YIHNTPV 328

RESULT 56
G70941
hypothetical protein RV2024c - Mycobacterium tuberculosis (strain H37RV)
C;Species: Mycobacterium tuberculosis
C;Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 09-Jul-2004
C;Accession: G70941
R;Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S.
; Connor, R.; Davies, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.
Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.
Nature 393, 537-544, 1998
A;Authors: Sgarbes, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrall, B.G.
A;Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome
A;Reference number: A70500; MUID:98295987; PMID:9634230

A;Accession: G70941
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-515 <COL>
A;Cross-references: UNIPROT:O53470; GB:AL021899; GB:AL123456; NID:G3242282; PIDN:CAA1723
A;Experimental source: strain H37RV
C;Genetics:
A;Gene: RV2024C

Query Match 75.0%; Score 30; DB 2; Length 515;
Best Local Similarity 57.1%; Pred. No. 2.3e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
:|||||:
Db 265 HVHDVPI 271

RESULT 57
AD1216
ABC transporters, ATP-binding proteins homolog lmo1132 [imported] - *Listeria monocytogenes*
C;Species: *Listeria monocytogenes*
C;Date: 27-Nov-2001 #sequence_revision 27-Nov-2001 #text_change 09-Jul-2004
C;Accession: AD1216
R;Glaser, P.; Frangeul, L.; Buchrieser, C.; Amend, A.; Baquero, F.; Berche, P.; Bloecker, D.; Dominguez-Bernal, G.; Duchaud, E.; Durand, L.; Dussurget, O.; Entian, K.D.; Fsihi, H.; Jones, L.M.; Karst, U.
Science 294, 849-852, 2001
A;Authors: Krest, J.; Kuhn, M.; Kunst, F.; Kurapkat, G.; Madueno, E.; Maitournam, A.; Mok, C.; Schluter, T.; Simoes, N.; Tierrez, A.; Vazquez-Boland, J.A.; Voss, H.; Wehland, A.; Title: Comparative genomics of *Listeria* species.
A;Reference number: AB1077; MUID:21537279; PMID:11679669
A;Accession: AD1216
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-548 <GLA>
A;Cross-references: UNIPROT:Q8V7Y7; GB:NC_003210; PIDN:CAC99210.1; PID:gl6410548; GSPDB: A;Experimental source: strain EGD-e
C;Genetics:
A;Gene: lmo1132
C;Superfamily: Mycobacterium tuberculosis probable ABC transporter cydC; ATP-binding cas

Query Match 75.0%; Score 30; DB 2; Length 548;
Best Local Similarity 57.1%; Pred. No. 2.4e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
:|||||:
Db 482 FLHDAPL 488

RESULT 58
A11569
ABC transporters, ATP-binding protein homolog lin1098 [imported] - *Listeria innocua* (strain A11569)
C;Species: *Listeria innocua*
C;Date: 27-Nov-2001 #sequence_revision 27-Nov-2001 #text_change 09-Jul-2004
C;Accession: A11569
R;Glaser, P.; Frangeul, L.; Buchrieser, C.; Amend, A.; Baquero, F.; Berche, P.; Bloecker, D.; Dominguez-Bernal, G.; Duchaud, E.; Durand, L.; Dussurget, O.; Entian, K.D.; Fsihi, H.; Jones, L.M.; Karst, U.
Science 294, 849-852, 2001
A;Authors: Krest, J.; Kuhn, M.; Kunst, F.; Kurapkat, G.; Madueno, E.; Maitournam, A.; Mok, C.; Schluter, T.; Simoes, N.; Tierrez, A.; Vazquez-Boland, J.A.; Voss, H.; Wehland, A.; Title: Comparative genomics of *Listeria* species.
A;Reference number: AB1077; MUID:21537279; PMID:11679669
A;Accession: A11569
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-548 <GLA>
A;Cross-references: UNIPROT:Q92CS3; GB:AL592022; PIDN:CAC96329.1; PID:gl6413557; GSPDB: A;Experimental source: strain Clp11262
C;Genetics:
A;Gene: lin1098

Query Match 75.0%; Score 30; DB 2; Length 548;
Best Local Similarity 57.1%; Pred. No. 2.4e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
:|||||:
Db 482 FLHDAPL 488

RESULT 59

I51368
gamma-aminobutyric acid transport protein GAT-1 - Pacific electric ray
C;Species: *Torpedo californica* (Pacific electric ray)
C;Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 09-Jul-2004
C;Accession: I51368; S42808
R;Swanson, G.T.; Umbach, J.A.; Gundersen, C.B.
J. Neurochem. 63, 1-12, 1994
A;Title: Glia of the cholinergic electromotor nucleus of Torpedo are the source of the

A;Reference number: I51368; MUID:94267441; PMID:8207419
A;Accession: I51368
A;Status: preliminary; translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-598 <SWA>
A;Cross-references: UNIPROT:Q91494; EMBL:X77139; NID:G444009; PIDN:CAA54394.1; PID:G444
C;Genetics:
A;Gene: TGAT-1
C;Superfamily: gamma-aminobutyric acid transporter

Query Match 75.0%; Score 30; DB 2; Length 598;
Best Local Similarity 83.3%; Pred. No. 2.7e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
:|||||:
Db 17 LHDAPV 22

RESULT 60

T20714
hypothetical protein F10F2.7 - *Caenorhabditis elegans*
C;Species: *Caenorhabditis elegans*
C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 09-Jul-2004
C;Accession: T20714
R;Coles, L.
submitted to the EMBL Data Library, August 1994

A;Reference number: Z19313
A;Accession: T20714
A;Status: preliminary; translated from GB/EMBL/DBJ
A;Molecule type: DNA
A;Residues: 1-628 <WIL>
A;Cross-references: UNIPROT:Q19313; EMBL:Z35598; PIDN:CAA84652.1; GSPDB:GNO0021; CESP: F
C;Genetics:
A;Gene: CESP:F10F2.7
A;Map position: 3
A;Introns: 82/3; 100/3; 187/1; 368/3; 403/2; 491/1

Query Match 75.0%; Score 30; DB 2; Length 628;
Best Local Similarity 71.4%; Pred. No. 2.8e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
:|||||:
Db 455 YVHGAPL 461

RESULT 61

AG2020
DNA ligase [imported] - *Noctua* sp. (strain PCC 7120)
C;Species: *Noctua* sp. PCC 7120
A;Note: *Noctua* sp. strain PCC 7120 is a synonym of *Anabaena* sp. strain PCC 7120
C;Date: 14-Dec-2001 #sequence_revision 14-Dec-2001 #text_change 12-Jul-2004

C:Accession: AG2020
R;Kaneko, T.; Nakamura, Y.; Wolk, C.P.; Kuritz, T.; Sasamoto, S.; Watanabe, A.; Iriguchi, N.; Shimpo, S.; Sugimoto, M.; Takazawa, M.; Yamada, M.; Yasuda, M.; Tabata, S. DNA Res. 8, 205-213, 2001
A;Title: Complete Genomic Sequence of the Filamentous Nitrogen-fixing Cyanobacterium Anabaena
A;Reference number: AB1807; MUID:21595285; PMID:11759840
A;Accession: AG2020
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-677 <KUR>
A;Cross-references: UNIPROT:Q9YW98; GB:BA000019; PIDN:BAF78083.1; PID:gl7135537; GSPDB:G000000001
A;Experimental source: strain PCC 7120
C:Genetics:
A;Gene: all1717
C;Superfamily: NAD+-dependent DNA ligase, LigA type

Query Match 75.0%; Score 30; DB 2; Length 677;
Best Local Similarity 71.4%; Pred. No. 3.1e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
Db 26 YVSDAPI 32

RESULT 62
B56277
DNA-directed DNA polymerase (EC 2.7.7.7) II - Pyrodicticum occultum
C;Species: Pyrodicticum occultum
C;Date: 03-Oct-1995 #sequence_revision 03-Oct-1995 #text_change 09-Jul-2004
C;Accession: B56277
R;Umori, T.; Ishino, Y.; Doi, H.; Kato, I. J. Bacteriol. 177, 2164-2177, 1995
A;Title: The hyperthermophilic archaeon Pyrodicticum occultum has two alpha-like DNA polymerases
A;Reference number: A56277; MUID:95238290; PMID:7721707
A;Accession: B56277
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-803 <UEM>
A;Cross-references: UNIPROT:Q59691; GB:D38574; PIDN:BAA07580.1; PID:g807830
C;Superfamily: DNA polymerase
C;Keywords: nucleotidyltransferase

Query Match 75.0%; Score 30; DB 2; Length 803;
Best Local Similarity 83.3%; Pred. No. 3.7e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|||
Db 705 YEHDAPI 710

RESULT 63
S62136
CW41 protein - yeast (Saccharomyces cerevisiae)
N;Alternate names: protein G3664; protein YGL027c
C;Species: Saccharomyces cerevisiae
C;Date: 10-Apr-1996 #sequence_revision 19-Apr-1996 #text_change 09-Jul-2004
C;Accession: S62136; S64029; JG6020
R;Jiang, B.; Sheraton, J.; Ram, A.F.J.; Dijkgraaf, G.J.P.; Klis, F.M.; Bussey, H. J. Bacteriol. 178, 1162-1171, 1996
A;Title: CW41 encodes a novel endoplasmic reticulum membrane N-glycoprotein involved in protein translocation
A;Reference number: S62136; MUID:96165274; PMID:8576053
A;Accession: S62136
A;Molecule type: DNA
A;Residues: 1-833 <JIA>
A;Cross-references: UNIPROT:P53008; EMBL:U35669; NID:g1176412; PIDN:AAC49157.1; PID:g1176412
A;Experimental source: cell wall
R;Hebling, U.; Hofmann, B.; Delius, H. submitted to the Protein Sequence Database, May 1996
A;Reference number: S64029
A;Accession: S64029
A;Molecule type: DNA

A;Residues: 1-833 <HEB>
A;Cross-references: EMBL:Z72549; NID:gl322497; PIDN:CAA96728.1; PID:gl322498; MIPS:YGL027c
A;Experimental source: strain S288C
C:Genetics:
A;Gene: SGD:CWH41
A;Cross-references: SGD:S0002995; MIPS:YGL027c
A;Map position: 7L
C;Function:
A;Description: involved in beta-1,6-glucan assembly
C;Superfamily: mannosyl-oligosaccharide glucosidase
C;Keywords: endoplasmic reticulum; glycoprotein; transmembrane protein
F;11-26/Domain: transmembrane #status predicted <TM>
F;42,122,135,787/Binding site: carbohydrate (Asn) (covalent) #status predicted

Query Match 75.0%; Score 30; DB 2; Length 833;
Best Local Similarity 57.1%; Pred. No. 3.9e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
Db 62 YVHESPL 68

RESULT 64
A38172
adenylate cyclase (EC 4.6.1.1) - Pasteurella multocida
C;Species: Pasteurella multocida
C;Date: 28-Aug-1992 #sequence_revision 28-Aug-1992 #text_change 09-Jul-2004
C;Accession: A38172
R;Mock, M.; Cranier, M.; Duflot, E.; Dumay, V.; Danchin, A. J. Bacteriol. 173, 6265-6269, 1991
A;Title: Structural and functional relationships between Pasteurella multocida and enteric adenylate cyclase
A;Reference number: A38172; MUID:92011391; PMID:1917858
A;Accession: A38172
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-838 <MOC>
A;Cross-references: UNIPROT:Q05766; GB:M68901; NID:gl50497; PIDN:AAA25532.1; PID:g551912
C;Superfamily: adenylate cyclase
C;Keywords: phosphorus-oxygen lyase

Query Match 75.0%; Score 30; DB 2; Length 838;
Best Local Similarity 85.7%; Pred. No. 3.9e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
Db 52 YVADAPV 58

RESULT 65
AB0539
Rhs-family protein [imported] - Salmonella enterica subsp. enterica serovar Typhi (strain 14029)
C;Species: Salmonella enterica subsp. enterica serovar Typhi
A;Note: this species has also been called Salmonella typhi
C;Date: 09-Nov-2001 #sequence_revision 09-Nov-2001 #text_change 18-Nov-2002
C;Accession: AB0539
R;Parkhill, J.; Dougan, G.; James, K.D.; Thomson, N.R.; Pickard, D.; Wain, J.; Churcher, M.; Mouton, R.; Cronin, A.; Davis, P.; Davies, R.M.; Dowd, L.; White, N.; Farrar, S.; Moule, S.; O'Gaora, P. Nature 413, 848-852, 2001
A;Authors: Parry, C.; Quail, M.; Rutherford, K.; Simmonds, M.; Skelton, J.; Stevens, K. A;Title: Complete genome sequence of a multiple drug resistant Salmonella enterica serovar Typhi
A;Reference number: AB0502; MUID:21534947; PMID:11677608
A;Accession: AB0539
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-843 <PAR>
A;Cross-references: GB:AL513382; PIDN:CAD08754.1; PID:gl6501575; GSPDB:GN00176
C:Genetics:
A;Gene: STY0324

Query Match 75.0%; Score 30; DB 2; Length 843;

Best Local Similarity 83.3%; Pred. No. 3.9e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 1 YVHDAP 6
|:|:|
Db 647 YVYDAP 652

RESULT 66
T00491
capsid protein precursor - himetobi p virus (fragment)
C;Species: himetobi p virus
C;Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 09-Jul-2004
C;Accession: T00491
R;Nakashima, N.; Sasaki, J.
submitted to the EMBL Data Library, August 1998
A;Description: Complete nucleotide sequence of an insect picorna-like virus, Himetobi p
A;Reference number: Z14156
A;Accession: T00491
A;Status: translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-874 <NAK>
A;Cross-references: UNIPROT:O89279; EMBL:AB017037; NID:d1226972; PIDN:BA32554.1; PID:d1226972
C;Keywords: capsid protein

Query Match 75.0%; Score 30; DB 2; Length 874;
Best Local Similarity 66.7%; Pred. No. 4.1e+02;
Matches 4; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAP 6
|:|:|
Db 737 YIHDLP 742

RESULT 67
AE0418
valine-tRNA ligase (EC 6.1.1.9) [imported] - Yersinia pestis (strain C092)
C;Species: Yersinia pestis
C;Date: 02-Nov-2001 #sequence_revision 02-Nov-2001 #text_change 09-Jul-2004
C;Accession: AE0418
R;Parthill, J.; Wren, B.W.; Thomson, N.R.; Titball, R.W.; Holden, M.T.G.; Prentice, M.B.;
deno-Tarrega, A.M.; Chillingworth, T.; Cronin, A.; Davies, R.M.; Davis, P.; Dougan, G.;
il, M.; Rutherford, K.; Simmonds, M.; Skelton, J.; Stevens, K.; Whitehead, S.; Barrall,
Nature 413, 523-527, 2001
A;Title: Genome sequence of Yersinia pestis, the causative agent of plague.
A;Reference number: AB0001; MUID:21470413; PMID:11586360
A;Accession: AE0418
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-965 <KUR>
A;Cross-references: UNIPROT:Q8ZBH1; GB:AL590842; PIDN:CAC92673.1; PID:gl5981369; GSPDB:G
C;Genetics:
A;Gene: valS
C;Superfamily: valine-tRNA ligase
C;Keywords: ligase

Query Match 75.0%; Score 30; DB 2; Length 965;
Best Local Similarity 71.4%; Pred. No. 4.6e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAP 7
|:|:|
Db 397 YVHTAPL 403

RESULT 68
A64828
cell division protein ftsK - Escherichia coli (strain K-12)
C;Species: Escherichia coli
C;Date: 12-Sep-1997 #sequence_revision 17-Sep-1997 #text_change 09-Jul-2004
C;Accession: A64828
R;Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; Co
.A.; Rose, D.J.; Mau, B.; Shao, Y.

Science 277, 1453-1462, 1997
A;Title: The complete genome sequence of Escherichia coli K-12.
A;Reference number: A64720; MUID:97426617; PMID:9278503
A;Accession: A64828
A;Status: nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-1329 <BLAT>
A;Cross-references: UNIPROT:P46889; GB:AE000191; GB:U00096; NID:gl787115; PIDN:AAC73976
A;Experimental source: strain K-12, substrain MG1655
C;Genetics:
A;Gene: ftsK
C;Function:
A;Description: may act late in septation process
C;Keywords: ATP; cell division; nucleotide binding; P-loop; transmembrane protein
F;26-42/Domain: transmembrane #status predicted <TM1>
F;75-91/Domain: transmembrane #status predicted <TM2>
F;116-132/Domain: transmembrane #status predicted <TM3>
F;162-178/Domain: transmembrane #status predicted <TM4>
F;560-576/Domain: transmembrane #status predicted <TM5>
F;991-998/Region: nucleotide-binding motif A (P-loop)

Query Match 75.0%; Score 30; DB 2; Length 1329;
Best Local Similarity 71.4%; Pred. No. 6.5e+02;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
|:|:|
Db 667 YQHDVPV 673

RESULT 69
E85614
cell division protein ftsK [imported] - Escherichia coli (strain O157:H7, substrain EDL
C;Species: Escherichia coli
C;Date: 16-Feb-2001 #sequence_revision 16-Feb-2001 #text_change 14-Sep-2001
C;Accession: E85614
R;Perna, N.T.; Plunkett III, G.; Burland, V.; Mau, B.; Glasner, J.D.; Rose, D.J.; Mayhe
iller, L.; Grotbeck, E.J.; Davis, N.W.; Lim, A.; Dimalanta, E.; Potamousis, K.; Apodaca
Nature 409, 529-533, 2001
A;Title: Genome sequence of enterohemorrhagic Escherichia coli O157:H7.
A;Reference number: A85480; MUID:21074935; PMID:11206551
A;Accession: E85614
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-1342 <STO>
A;Cross-references: GB:AE005174; NID:gl2514052; PIDN:AAG55377.1; GSPDB:GN00145; UWGP:Z
A;Experimental source: strain O157:H7, substrain EDL933
C;Genetics:
A;Gene: ftsK

Query Match 75.0%; Score 30; DB 2; Length 1342;
Best Local Similarity 71.4%; Pred. No. 6.6e+02;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
|:|:|
Db 667 YQHDVPV 673

RESULT 70
G90750
cell division protein [imported] - Escherichia coli (strain O157:H7, substrain RIMD 050
C;Species: Escherichia coli
C;Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 09-Jul-2004
C;Accession: G90750
R;Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Ishii, K.; Yokoyama, K.; Han, C.G
gawara, N.; Yaeunaga, T.; Kuhara, S.; Shiba, T.; Hattori, M.; Shinagawa, H.
DNA Res. 8, 11-22, 2001
A;Title: Complete genome sequence of enterohemorrhagic Escherichia coli O157:H7 and gen
A;Reference number: A9629; MUID:21156231; PMID:11258796
A;Accession: G90750
A;Status: preliminary
A;Molecule type: DNA

```
A;Residues: 1-1342 <HAY>
A;Cross-references: UNIPROT:Q8XSH9; GB:BA000007; PIDN:BAE34398.1; PID:gl3360434; GSPDB:
A;Experimental source: strain O157:H7, substrain RMD 0509952
C;Genetics:
A;Gene: ECs0975

Query Match      75.0%; Score 30; DB 2; Length 1342;
Best Local Similarity 71.4%; Pred. No. 6.6e+02;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 667 YQHDVEV 673

RESULT 71
UPRCX
D-Xylose uptake protein - Escherichia coli
C;Species: Escherichia coli
C;Date: 31-Mar-1988 #sequence_revision 31-Mar-1988 #text_change 09-Jul-2004
C;Accession: A24334
R;Kurose, N.; Watanabe, K.; Kimura, A.
Nucleic Acids Res. 14, 7115-7123, 1986
A;Title: Nucleotide sequence of the gene responsible for D-xylose uptake in Escherichia
A;Reference number: A24334; MUID:87016348; PMID:3532033
A;Accession: A24334
A;Molecule type: DNA
A;Residues: 1-61 <KUR>
A;Cross-references: UNIPROT:P05056; GB:X04387; NID:g43317; PIDN:CAA27976.1; PID:g43318
C;Comment: This protein enables E. coli mutants to recover from a decrease in D-xylose u
C;Genetics:
A;Map position: 80 min
C;Superfamily: D-xylose uptake protein
C;Keywords: xylose transport

Query Match      72.5%; Score 29; DB 1; Length 61;
Best Local Similarity 100.0%; Pred. No. 35;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAP 6
| | | | |
Db 12 VHDAP 16

RESULT 72
E69464
hypothetical protein AF1718 - Archaeoglobus fulgidus
C;Species: Archaeoglobus fulgidus
C;Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 09-Jul-2004
C;Accession: E69464
R;Klenk, H.P.; Clayton, R.A.; Tomb, J.F.; White, O.; Nelson, K.E.; Ketchum, K.A.; Dodson
; Fleischmann, R.D.; Quackenbush, J.; Lee, N.H.; Sutton, G.G.; Gill, S.; Kirkness, E.F.
Glodek, A.; Zhou, L.; Overbeek, R.; Gocayne, J.D.; Weidman, J.F.; McDonald, L.
Nature 390, 364-370, 1997
A;Authors: Utterback, T.; Cotton, M.D.; Spriggs, T.; Artiach, P.; Kaine, B.P.; Sykes, S.
Smith, H.O.; Woese, C.R.; Venter, J.C.
A;Title: The complete genome sequence of the hyperthermophilic, sulfate-reducing archaeo
A;Reference number: A69250; MUID:98049343; PMID:9389475
A;Accession: E69464
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-66 <KLE>
A;Cross-references: UNIPROT:O28556; GB:AE000985; NID:g2689308; PIDN:AAE8954

Query Match      72.5%; Score 29; DB 2; Length 66;
Best Local Similarity 57.1%; Pred. No. 38;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 47 YTAEAPL 53
```

```
RESULT 73
T09540
proline rich protein, auxin-induced - alfalfa
C;Species: Medicago sativa (alfalfa)
C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 09-Jul-2004
C;Accession: T09540
R;Gyorgyev, J.; Nemeth, K.; Magyar, Z.; Alliotte, T.; Inze, D.; Dudits, D.
submitted to the EMBL Data Library, July 1996
A;Description: Expression of a novel type small proline rich protein is induced by auxin
A;Reference number: Z16727
A;Accession: T09540
A;Status: preliminary; translated from GB/EMBL/DBDJ
A;Molecule type: mRNA
A;Residues: 1-84 <GVO>
A;Cross-references: UNIPROT:O24072; EMBL:X99099; NID:e996303; PID:e255370
A;Experimental source: strain RA3; callus
C;Superfamily: proline-rich protein 3

Query Match      72.5%; Score 29; DB 2; Length 84;
Best Local Similarity 57.1%; Pred. No. 50;
Matches 4; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
| | | | |
Db 28 YIHSTPV 34

RESULT 74
G87460
hypothetical protein CC1707 [imported] - Caulobacter crescentus
C;Species: Caulobacter crescentus
C;Date: 20-Apr-2001 #sequence_revision 20-Apr-2001 #text_change 09-Jul-2004
C;Accession: G87460
R;Nierman, W.C.; Feldblyum, T.V.; Paulsen, I.T.; Nelson, K.E.; Eisen, J.; Heidelberg, J.
B.; Laub, M.T.; DeBoy, R.T.; Dodson, R.J.; Durkin, A.S.; Winn, M.L.; Haft, D.H.; Kolo
n, J.; Ermolaeva, M.; White, O.; Salzberg, S.L.; Shapiro, L.; Venter, J.C.; Fraser, C.M.
Proc. Natl. Acad. Sci. U.S.A. 98, 4136-4141, 2001
A;Title: Complete Genome Sequence of Caulobacter crescentus.
A;Reference number: A87249; MUID:21173698; PMID:11259647
A;Accession: G87460
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-117 <STO>
A;Cross-references: UNIPROT:Q9A7L5; GB:AE005673; NID:gl3423121; PIDN:AAK23683.1; GSPDB:
C;Genetics:
A;Gene: CC1707

Query Match      72.5%; Score 29; DB 2; Length 117;
Best Local Similarity 100.0%; Pred. No. 72;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
| | | | |
Db 59 HDAPV 63

RESULT 75
F83297
hypothetical protein PA2790 [imported] - Pseudomonas aeruginosa (strain PAO1)
C;Species: Pseudomonas aeruginosa
C;Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 09-Jul-2004
C;Accession: F83297
R;Stover, C.K.; Pham, X.O.; Erwin, A.L.; Mizoguchi, S.D.; Warrenner, P.; Hickey, M.J.; B
adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; Lim
; Lory, S.; Olson, M.V.
Nature 406, 959-964, 2000
A;Title: Complete genome sequence of Pseudomonas aeruginosa PAO1, an opportunistic patho
A;Reference number: A82950; MUID:20437337; PMID:10984043
A;Accession: F83297
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-161 <STO>
A;Cross-references: UNIPROT:Q9I053; GB:AE004706; NID:g9948864; PIDN:AAE061
```


A;Experimental source: strain PA01
C;Genetics:
A;Gene: PA2790

Query Match 72.5%; Score 29; DB 2; Length 161;
Best Local Similarity 100.0%; Pred. No. 1e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 HDAPV 7
|
|
|
|
Db 149 HDAPV 153

RESULT 76

S56944

N;Alternative names: hypothetical protein YJL161w - yeast (*Saccharomyces cerevisiae*)

C;Species: *Saccharomyces cerevisiae*

C;Date: 08-Jul-1995 #sequence_revision 08-Sep-1995 #text_change 09-Jul-2004

C;Accession: S56944

R;Obermaier, B.; Piravandi, E.; Rinke, M.; Domdey, H.

submitted to the Protein Sequence Database, September 1995

A;Reference number: S56937

A;Accession: S56944

A;Molecule type: DNA

A;Residues: 1-180 <OBE>

A;Cross-references: UNIPROT:P46998; EMBL:Z49436; NID:g1008345; PID:g1008346; GSPDB:GN000

C;Genetics:

A;Gene: MIPS:YJL161w

A;Cross-references: SGD:S0003697

A;Map position: 10L

C;Superfamily: *Saccharomyces* probable membrane protein YJL161w

C;Keywords: transmembrane protein

Query Match 72.5%; Score 29; DB 2; Length 180;

Best Local Similarity 100.0%; Pred. No. 1.2e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6

|
|
|
|
Db 79 VHDAP 83

RESULT 77

A84347

hypothetical protein Vng1962c [imported] - *Halobacterium* sp. NRC-1

C;Species: *Halobacterium* sp. NRC-1

C;Date: 02-Feb-2001 #sequence_revision 02-Feb-2001 #text_change 09-Jul-2004

C;Accession: A84347

R;Ng, W.V.; Kennedy, S.P.; Mahairas, G.G.; Berquist, B.; Pan, M.; Shukla, H.D.; Laskey, S.

; Leithauer, B.; Keller, K.; Cruz, R.; Danson, M.J.; Hough, D.W.; Maddocks, D.G.; Jable

Jung, K.H.; Alam, M.; Freitas, T.

Proc. Natl. Acad. Sci. U.S.A. 97, 12176-12181, 2000

A;Authors: Hou, S.; Daniels, C.J.; Dennis, P.P.; Omer, A.D.; Ebhardt, H.; Lowe, T.M.; Li

A;Title: Genome sequence of *Halobacterium* species NRC-1.

A;Reference number: A84160; MUID:20504483; PMID:11016950

A;Accession: A84347

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-180 <STO>

A;Cross-references: UNIPROT:Q9HNS9; GB:AE004437; NID:g10581398; PIDN:AAG20141.1; GSPDB:G

C;Genetics:

A;Gene: VNG1962C

Query Match 72.5%; Score 29; DB 2; Length 180;

Best Local Similarity 66.7%; Pred. No. 1.2e+02;

Matches 4; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6

|
|
|
|
Db 41 YLHDGP 46

RESULT 78

F97499

hypothetical protein AGR_C_2123 [imported] - *Agrobacterium tumefaciens* (strain C58, Cer

C;Species: *Agrobacterium tumefaciens*

C;Date: 30-Sep-2001 #sequence_revision 30-Sep-2001 #text_change 09-Jul-2004

C;Accession: F97499

R;Goodner, B.; Hinkle, G.; Gattung, S.; Miller, N.; Blanchard, M.; Qurollo, B.; Goldman

A.; Liu, F.; Woilam, C.; Allinger, M.; Doughty, D.; Scott, C.; Lappas, C.; Markelz, B.

Science 294, 2323-2328, 2001

A;Title: Genome Sequence of the Plant Pathogen and Biotechnology Agent *Agrobacterium* tu

A;Reference number: A97359; MUID:21608551; PMID:11743194

A;Accession: F97499

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-182 <KUR>

A;Cross-references: UNIPROT:Q8UG92; GB:AE007869; PIDN:AAK86951.1; PID:g15156185; GSPDB:

C;Genetics:

A;Gene: AGR_C_2123

A;Map position: circular chromosome

Query Match 72.5%; Score 29; DB 2; Length 182;

Best Local Similarity 83.3%; Pred. No. 1.2e+02;

Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6

|
|
|
|
Db 11 YVHDGP 16

RESULT 79

H70726

probable holliday junction dna helicase - *Mycobacterium tuberculosis* (strain H37RV)

C;Species: *Mycobacterium tuberculosis*

C;Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 09-Jul-2004

C;Accession: H70726

R;Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S.

; Connor, R.; Davies, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.

Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.

Nature 393, 537-544, 1998

A;Authors: Soares, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.

A;Title: Deciphering the biology of *Mycobacterium tuberculosis* from the complete genome

A;Reference number: A70500; MUID:98295987; PMID:9634230

A;Accession: H70726

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-196 <COL>

A;Cross-references: UNIPROT:Q50628; GB:Z77724; GB:AL123456; NID:g3261620; PIDN:CAB01282

A;Experimental source: strain H37RV

C;Genetics:

A;Gene: ruva

C;Superfamily: holliday junction DNA helicase ruva

Query Match 72.5%; Score 29; DB 2; Length 196;

Best Local Similarity 100.0%; Pred. No. 1.3e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6

|
|
|
|
Db 91 VHDAP 95

RESULT 80

T22344

hypothetical protein F47B8.6 - *Caenorhabditis elegans*

C;Species: *Caenorhabditis elegans*

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 09-Jul-2004

C;Accession: T22344

R;Berks, M.; McMurray, A.

submitted to the EMBL Data Library, July 1996

A;Reference number: Z19551

A;Accession: T22344

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-210 <WIL>
A;Cross-references: UNIPROT:Q20520; EMBL:Z77662; PIDN:CAB01195.1; GSPDB:GN00023; CESP:F47B8
A;Experimental source: clone F47B8
C;Genetics:
A;Gene: CESP:F47B8.6
A;Map position: 5
A;Introns: 71/1; 172/3

Query Match 72.5%; Score 29; DB 2; Length 210;
Best Local Similarity 100.0%; Pred. No. 1.4e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDA 5
|||
DB 79 YVHDA 83

RESULT 81

A47581 septal cell wall dissolution factor spoIIM - Bacillus subtilis
N;Alternate names: sporulation protein spoIIM
C;Species: Bacillus subtilis
C;Date: 03-May-1994 #sequence_revision 03-May-1994 #text_change 09-Jul-2004
C;Accession: A47581; H69712
R;Smith, K.; Bayer, M.E.; Youngman, P.
J. Bacteriol. 175, 3607-3617, 1993
A;Title: Physical and functional characterization of the Bacillus subtilis spoIIM gene.
A;Reference number: A47581; MUID:93273731; PMID:8501064

A;Accession: A47581
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-214 <SMI>
A;Cross-references: UNIPROT:P37873; GB:I06664; NID:G143633; PIDN:AAA5553.1; PID:G143634
R;Kunst, P.; Ogasawara, N.; Moszer, I.; Albertini, A.M.; Alloni, G.; Azevedo, V.; Bertero, C.; Bron, S.; Brouillet, S.; Bruschi, C.V.; Caldwell, B.; Capuano, V.; Carter, N.M.; Chao, A.; Ehrlich, S.D.; Emmerman, P.T.; Entian, K.D.; Errington, J.; Fabret, C.; Ferrari, E. Nature 390, 249-256, 1997
A;Authors: Foulger, D.; Fritz, C.; Fujita, M.; Fujita, Y.; Fuma, S.; Galizzi, A.; Gallier, Iech, J.; Harwood, C.R.; Henaut, A.; Hilbert, H.; Holsappel, S.; Hosono, S.; Hullo, M.F.; Koetter, P.; Konigstein, G.; Krogh, S.; Kumano, M.; Kurita, K.; Lapidus, A.; Lardinois, A.; Authors: Lauber, J.; Lazarevic, V.; Lee, S.M.; Levine, A.; Liu, H.; Masuda, S.; Maueel, Y. M.; Ogawa, K.; Ogawa, A.; Oudega, B.; Park, S.H.; Parro, V.; Pohl, T.M.; Portetelle, Rieger, M.; Rivolta, C.; Rocha, E.; Roche, B.; Rose, M.; Sadale, Y.; Sato, T.; Scanlon, A.; Authors: Schleich, S.; Schroeter, R.; Scoffone, F.; Sekiguchi, J.; Sekowska, A.; Seron, akeuchi, M.; Tamakoshi, A.; Tanaka, T.; Terpstra, P.; Tognoni, A.; Tosato, V.; Uchiyama, T.; Winters, P.; Wipat, A.; Yamamoto, H.; Yamane, K.; Yaumoto, K.; Yata, K.; Yoshida, K. A;Authors: Yoshikawa, H.F.; Zumstein, E.; Yoshikawa, H.; Danchin, A.
A;Title: The complete genome sequence of the Gram-positive bacterium Bacillus subtilis.
A;Reference number: A69580; MUID:98044033; PMID:9384377

A;Accession: H69712
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA

A;Residues: 1-214 <KUN>
A;Cross-references: GB:Z99116; GB:AL009126; NID:G2634723; PIDN:CAB14285.1; PID:G1185622;
A;Experimental source: strain 168
C;Genetics:
A;Gene: spoIIM

Query Match 72.5%; Score 29; DB 2; Length 214;
Best Local Similarity 66.7%; Pred. No. 1.4e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
:||||
DB 169 LHDAPV 174

RESULT 82

T16559 hypothetical protein K04E7.1 - Caenorhabditis elegans
C;Species: Caenorhabditis elegans
C;Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 09-Jul-2004
C;Accession: T16559

R;Nhan, M.
submitted to the EMBL Data Library, October 1995
A;Description: The sequence of C. elegans cosmid K04E7.
A;Reference number: Z18535
A;Accession: T16559
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-217 <NHA>
A;Cross-references: UNIPROT:Q21220; EMBL:U39666; NID:G1049408; PID:G1049409; PIDN:AAA804
A;Experimental source: strain Bristol N2
C;Genetics:
A;Gene: CESP:K04E7.1
A;Introns: 65/1; 139/3; 172/3

Query Match 72.5%; Score 29; DB 2; Length 217;
Best Local Similarity 66.7%; Pred. No. 1.4e+02;
Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
:||||
DB 186 LHDAPV 191

RESULT 83

T30415 host range factor 1 - Lymantria dispar nuclear polyhedrosis virus
C;Species: Lymantria dispar nuclear polyhedrosis virus, LdMNPV
C;Date: 29-Oct-1999 #sequence_revision 29-Oct-1999 #text_change 09-Jul-2004
C;Accession: T30415
R;Kuzio, J.; Pearson, M.N.; Harwood, S.H.; Funk, C.J.; Evans, J.T.; Slavicek, J.M.; Rohr, Virolgy 253, 17-34, 1999
A;Title: Sequence and analysis of the genome of a baculovirus pathogenic for Lymantria
A;Reference number: Z20836; MUID:99124785; PMID:9887315
A;Accession: T30415
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-218 <KUZ>
A;Cross-references: UNIPROT:Q90165; EMBL:AF081810; NID:G3822234; PIDN:AAC70253.1; PID:G3
C;Superfamily: Lymantria dispar nuclear polyhedrosis virus host range factor 1

Query Match 72.5%; Score 29; DB 2; Length 218;
Best Local Similarity 57.1%; Pred. No. 1.4e+02;
Matches 4; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
DB 108 YAHDGPL 114

RESULT 84

F83131 conserved hypothetical protein PA4121 [imported] - Pseudomonas aeruginosa (strain PA01)
C;Species: Pseudomonas aeruginosa
C;Date: 15-Sep-2000 #sequence_revision 15-Sep-2000 #text_change 09-Jul-2004
C;Accession: F83131
R;Stover, C.K.; Pham, X.Q.; Erwin, A.L.; Mizoguchi, S.D.; Warren, P.; Hickey, M.J.; B. adman, S.; Yuan, Y.; Brody, L.L.; Coulter, S.N.; Folger, K.R.; Kas, A.; Larbig, K.; Lim, .; Lory, S.; Olson, M.V. Nature 406, 959-964, 2000
A;Title: Complete genome sequence of Pseudomonas aeruginosa PA01, an opportunistic path
A;Reference number: A82950; MUID:20437337; PMID:10984043
A;Accession: F83131
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-219 <STO>
A;Cross-references: UNIPROT:Q9HWR0; GB:AE004828; GB:AE004091; NID:G9950315; PIDN:AAG0751
A;Experimental source: strain PA01
C;Genetics:
A;Gene: PA4121

Query Match 72.5%; Score 29; DB 2; Length 219;
Best Local Similarity 100.0%; Pred. No. 1.4e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 HDAPV 7
|:|:|:|
Db 56 HDAPV 60

RESULT 85

E70039
glycolate oxidase homolog yvfV - Bacillus subtilis
C;Species: Bacillus subtilis
C;Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 09-Jul-2004
C;Accession: E70039
R;Kunst, F.; Ogasawara, N.; Moszer, I.; Albertini, A.M.; Alloni, G.; Azevedo, V.; Bertsch, C.; Ehrlich, S.D.; Brouillet, S.; Bruschi, C.V.; Caldwell, B.; Capuano, V.; Carter, N.M.; Cho, C.; Bron, S.; Brouillet, S.; Emmerson, P.T.; Entian, K.D.; Errington, J.; Fabret, C.; Ferrari, E. Nature 390, 249-256, 1997
A;Authors: Foulger, D.; Fritz, C.; Fujita, M.; Fujita, Y.; Fuma, S.; Galizzi, A.; Gallier, J.; Harwood, C.R.; Henaut, A.; Hilbert, H.; Holsappel, S.; Hosono, S.; Hullo, M.P.; Koetter, P.; Koningstein, G.; Krogh, S.; Kumano, M.; Kurita, K.; Lapidus, A.; Lardinois, Y. M.; Ogawa, K.; Ogiwara, A.; Oudega, B.; Park, S.H.; Levine, A.; Liu, H.; Masuda, S.; Maueel Rieger, M.; Rivolta, C.; Rocha, E.; Roche, B.; Rose, M.; Parro, V.; Pohl, T.M.; Portetelle A;Authors: Schleich, S.; Schroeter, R.; Scoffone, P.; Sekiguchi, J.; Sekowska, A.; Seron akeuchi, M.; Tamakoshi, A.; Tanaka, T.; Terpstra, P.; Tognoni, A.; Tosato, V.; Uchiyama, T.; Winters, P.; Wipat, A.; Yamamoto, H.; Yamane, K.; Yasumoto, K.; Yata, K.; Yoshida, M. A;Authors: Yoshikawa, H.F.; Zumstein, E.; Yoshikawa, H.; Danchin, A.
A;Title: The complete genome sequence of the Gram-positive bacterium Bacillus subtilis.
A;Reference number: A69580; MUID:98044033; PMID:9384377
A;Accession: E70039
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-238 <KUN>
A;Cross-references: UNIPROT:O07020; GB:Z99121; GB:AL009126; NID:g2635827; PIDN:CAB15410.
A;Experimental source: strain 168
C;Genetics:
A;Gene: yvfV
C;Superfamily: conserved hypothetical protein HP0139

Query Match 72.5%; Score 29; DB 2; Length 238;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YHDA 5
|:|:|:|
Db 51 YHDA 55

RESULT 86

AB0676
Ni/Fe-hydrogenase 1 b-type cytochrome chain HyaC2 [imported] - Salmonella enterica subsp. C;Species: Salmonella enterica subsp. enterica serovar Typhi
A;Note: this species has also been called Salmonella typhi
C;Date: 09-Nov-2001 #sequence_revision 09-Nov-2001 #text_change 18-Nov-2002
C;Accession: AB0676
R;Parkhill, J.; Dougan, G.; James, K.D.; Thomson, N.R.; Pickard, D.; Wain, J.; Churcher, th, T.; Connor, P.; Cronin, A.; Davis, P.; Davies, R.M.; Dowd, L.; White, N.; Farrar, S.; Moulle, S.; O'Gaora, P. Nature 413, 848-852, 2001.
A;Authors: Parry, C.; Quail, M.; Rutherford, K.; Simmonds, M.; Skelton, J.; Stevens, K. A;Title: Complete genome sequence of a multiple drug resistant Salmonella enterica serov A;Reference number: AB0502; MUID:21534947; PMID:11677608
A;Accession: AB0676
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-242 <PAR>
A;Cross-references: GB:AL513382; PIDN:CAD01779.1; PID:g16502625; GSPDB:GN00176
C;Genetics:
A;Gene: hyaC2
C;Superfamily: hyaC protein

Query Match 72.5%; Score 29; DB 2; Length 242;
Best Local Similarity 57.1%; Pred. No. 1.6e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 30 YIVEAPV 36

RESULT 87

JC5237
osmotin-like protein precursor - tomato
C;Species: Lycopersicon esculentum (tomato)
C;Date: 13-Mar-1997 #sequence_revision 13-Mar-1997 #text_change 09-Jul-2004
C;Accession: JC5237
R;Chen, R.; Wang, F.; Smith, A.G. Gene 179, 301-302, 1996
A;Title: A flower-specific gene encoding an osmotin-like protein from Lycopersicon escul A;Reference number: JC5237; MUID:97128324; PMID:8972917
A;Contents: flower
A;Accession: JC5237
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-252 <CHE>
A;Cross-references: UNIPROT:Q41350; GB:L76632; NID:g1220536; PIDN:AAB41124.1; PID:g1220 C;Comment: This protein is rich in cysteine content and play a part of the flowers defe C;Superfamily: thaumatin I
F;1-23/Domain: signal sequence #status predicted <SIG>
F;24-252/Product: osmotin-like protein #status predicted <MAT>

Query Match 72.5%; Score 29; DB 2; Length 252;
Best Local Similarity 66.7%; Pred. No. 1.7e+02;
Matches 4; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|:|:|:|
Db 229 YAHDSP 234

RESULT 88

PWYCA6
H+-transporting two-sector ATPase (EC 3.6.3.14) chain a - Synechococcus sp. (strain PCC N;Alternate names: H+-transporting ATP synthase protein 6
C;Species: Synechococcus sp.
C;Date: 30-Sep-1991 #sequence_revision 30-Sep-1991 #text_change 09-Jul-2004
C;Accession: S10826
R;Cozens, A.L.; Walker, J.E. J. Mol. Biol. 194, 359-383, 1987
A;Title: The organization and sequence of the genes for ATP synthase subunits in the cy A;Reference number: S07286; MUID:87311713; PMID:3041005
A;Accession: S10826
A;Molecule type: DNA
A;Residues: 1-261 <COZ>
A;Cross-references: UNIPROT:P08444; EMBL:X05302; NID:g48009; PIDN:CAA28923.1; PID:g4801 C;Superfamily: H+-transporting ATP synthase protein 6
C;Keywords: ATP biosynthesis; hydrolase; membrane-associated complex; transmembrane pro

Query Match 72.5%; Score 29; DB 1; Length 261;
Best Local Similarity 71.4%; Pred. No. 1.7e+02;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|:|:|:|
Db 173 YVHPTFV 179

RESULT 89

AE3545
dipeptide transport system permease protein dbpC [imported] - Brucella melitensis (stra C;Species: Brucella melitensis
C;Date: 01-Feb-2002 #sequence_revision 01-Feb-2002 #text_change 09-Jul-2004
C;Accession: AE3545
R;DelVecchio, V.G.; Kapatral, V.; Redkar, R.J.; Patra, G.; Mijer, C.; Los, T.; Ivanova, ; Mazur, M.; Goltzman, E.; Selkov, E.; Elzer, P.H.; Hagius, S.; O'Callaghan, D.; Leter Proc. Natl. Acad. Sci. U.S.A. 99, 443-448, 2002
A;Title: The genome sequence of the facultative intracellular pathogen Brucella meliten

A;Reference number: AD3252; PMID:11756688

A;Accession: AE3545

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-264 <KUR>

A;Cross-references: UNIPROT:Q8YD91; GB:AE008918; PIDN:AAL53528.1; PID:gl7984435; GSPDB:G

A;Experimental source: strain 16M

C;Genetics:

A;Gene: BME110286

A;Map position: II

C;Superfamily: oligopeptide permease protein oppB

Query Match 72.5%; Score 29; DB 2; Length 264;

Best Local Similarity 66.7%; Pred. No. 1.8e+02;

Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6

||:|

Db 223 YIYDAP 228

RESULT 90

S72782

B1496_F2.81 protein - Mycobacterium leprae

C;Species: Mycobacterium leprae

C;Date: 19-Mar-1997 #sequence_revision 25-Apr-1997 #text_change 09-Jul-2004

C;Accession: S72782

R;Smith, D.R.; Robison, K.

A;Description: The EMBL Data Library, November 1993

A;Submitted to the EMBL Data Library, November 1993

A;Reference number: S72695

A;Accession: S72782

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-271 <SMI>

A;Cross-references: UNIPROT:Q49706; EMBL:U00013; NID:g466869; PIDN:AAAL17146.1; PID:g4669

Query Match 72.5%; Score 29; DB 2; Length 271;

Best Local Similarity 66.7%; Pred. No. 1.8e+02;

Matches 4; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6

||:|

Db 226 YIHSAP 231

RESULT 91

T17629

hypothetical protein A138R - Chlorella virus PBCV-1

C;Species: Chlorella virus PBCV-1

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 09-Jul-2004

C;Accession: T17629

R;Graves, M.V.; Van Etten, J.L.

A;Submitted to the EMBL Data Library, May 1999

A;Reference number: Z18806

A;Accession: T17629

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-273 <GRA>

A;Cross-references: UNIPROT:Q84458; EMBL:U42580; NID:g4028896; PIDN:AAC96506.1

A;Experimental source: specific host Chlorella strain NC64A

C;Genetics:

A;Note: A138R

C;Superfamily: Chlorella virus PBCV-1 hypothetical protein A138R

Query Match 72.5%; Score 29; DB 2; Length 273;

Best Local Similarity 66.7%; Pred. No. 1.8e+02;

Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6

||:|

Db 193 YIYDAP 198

RESULT 92

F83923

manganese-containing catalase BH2190 [imported] - Bacillus halodurans (strain C-125)

C;Species: Bacillus halodurans

C;Date: 01-Dec-2000 #sequence_revision 01-Dec-2000 #text_change 09-Jul-2004

C;Accession: F83923

R;Takami, H.; Nakasone, K.; Takaki, Y.; Maeno, G.; Sasaki, R.; Magui, N.; Fujii, F.; Hira

Nucleic Acids Res. 28, 4317-4331, 2000

A;Title: Complete genome sequence of the alkaliphilic bacterium Bacillus halodurans and

A;Reference number: A83650; MUID:20512582; PMID:11058132

A;Accession: F83923

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-281 <STO>

A;Cross-references: UNIPROT:Q9KAU6; GB:AP001514; GB:BA000004; NID:g10174613; PIDN:BA0509

A;Experimental source: strain C-125

C;Genetics:

A;Gene: BH2190

Query Match 72.5%; Score 29; DB 2; Length 281;

Best Local Similarity 42.9%; Pred. No. 1.9e+02;

Matches 3; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7

||:|

Db 265 YIHTPI 271

RESULT 93

P5ECAL

phospholipase A1 (EC 3.1.1.32) precursor - Escherichia coli (strain K-12)

N;Alternate names: outer-membrane phospholipase A; phosphatidylcholine 1-acylhydrolase;

C;Species: Escherichia coli

C;Date: 28-Dec-1987 #sequence_revision 28-Dec-1987 #text_change 09-Jul-2004

C;Accession: A22133; S30711; A00771; S66447; P65186

R;Homma, H.; Kobayashi, T.; Chiba, N.; Karasawa, K.; Mizushima, H.; Kudo, I.; Inoue, K.;

J. Biochem. 96, 1655-1664, 1984

A;Title: The DNA sequence encoding pldA gene, the structural gene for detergent-resistant

A;Reference number: A22133; MUID:85157492; PMID:6397464

A;Accession: A22133

A;Molecule type: DNA

A;Residues: 1-289 <HOM>

A;Cross-references: UNIPROT:P00631; GB:X02143; GB:X00780; NID:g42423; PIDN:CAA26081.1; I

A;Note: this enzyme is tightly bound to the outer membrane of the cell

R;Daniels, D.L.; Plunkett III, G.; Burland, V.; Blattner, F.R.

Science 257, 771-778, 1992

A;Title: Analysis of the Escherichia coli genome: DNA sequence of the region from 84.5 t

A;Reference number: S30660; MUID:92358234; PMID:1379743

A;Accession: S30711

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-13, 'FA', 16-289 <DAN>

A;Cross-references: EMBL:M87049; NID:g836656; PIDN:AAA67617.1; PID:g148220

A;Note: the nucleotide sequence was submitted to the EMBL Data Library, November 1992

R;de Geus, P.; Verheij, H.M.; Riegman, N.H.; Hoekstra, W.P.M.; de Haas, G.H.

EMBO J. 3, 1799-1802, 1984

A;Title: The pro- and mature forms of the E. coli K-12 outer membrane phospholipase A.

A;Reference number: A00771; MUID:85003590; PMID:6383820

A;Accession: A00771

A;Molecule type: DNA

A;Residues: 'MTRQ', 34-289 <DEG>

R;Dekker, N.; Merck, K.; Tommassen, J.; Verheij, H.M.

Eur. J. Biochem. 232, 214-219, 1995

A;Title: In vitro folding of Escherichia coli outer-membrane phospholipase A.

A;Reference number: S66447; MUID:96048049; PMID:7556153

A;Accession: S66447

A;Status: preliminary

A;Molecule type: protein

A;Residues: 21-24 <DEK>

R;Blattner, F.R.; Plunkett III, G.; Bloch, C.A.; Perna, N.T.; Burland, V.; Riley, M.; C

.A.; Rose, D.J.; Mau, B.; Shao, Y.

Science 277, 1453-1462, 1997

A;Title: The complete genome sequence of *Escherichia coli* K-12.
A;Reference number: A64720; MUID:97426617; PMID:9278503
A;Accession: F65186
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-289 <BLAT>
A;Cross-references: GB:AE000458; GB:U00096; NID:92367299; PIDN:NACT6824.1; PID:92367300;
A;Experimental source: strain K-12, substrain MG1655
C;Comment: This enzyme is tightly bound to the outer membrane of the cell.
C;Genetics:
A;Gene: pldA
A;Map position: 85 min
C;Superfamily: bacterial phospholipase A1
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-289/Product: phospholipase A1 #status predicted <MPT>

Query Match 72.5%; Score 29; DB 1; Length 289;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6
| | | | |
Db 28 VHDAP 32

RESULT 94
AI0917
detergent-resistant phospholipase A [imported] - *Salmonella enterica* ser. enterica ser
C;Species: *Salmonella enterica* subsp. enterica serovar Typhi
A;Note: this species has also been called *Salmonella typhi*
C;Date: 09-Nov-2001 #sequence_revision 09-Nov-2001 #text_change 18-Nov-2002
C;Accession: AI0917
R;Parkhill, J.; Dougan, G.; James, K.D.; Thomson, N.R.; Pickard, D.; Wain, J.; Churcher,
th, T.; Connerton, P.; Cronin, A.; Davis, P.; Davies, R.M.; Dowd, L.; White, N.; Farrar,
S.; Moule, S.; O'Gaora, P.
Nature 413, 848-852, 2001
A;Authors: Parry, C.; Quail, M.; Rutherford, K.; Simmonds, M.; Skelton, J.; Stevens, K.;
A;Title: Complete genome sequence of a multiple drug resistant *Salmonella enterica* serov
A;Reference number: AB0502; MUID:21534947; PMID:11677608
A;Accession: AI0917
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-289 <PAR>
A;Cross-references: GB:AL513382; PIDN:CAD07935.1; PID:g16504480; GSPDB:GN00176
C;Genetics:
A;Gene: STY3602
C;Superfamily: bacterial phospholipase A1

Query Match 72.5%; Score 29; DB 2; Length 289;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6
| | | | |
Db 28 VHDAP 32

RESULT 95
E86069
outer membrane phospholipase A [imported] - *Escherichia coli* (strain O157:H7, substrain
C;Species: *Escherichia coli*
C;Date: 16-Feb-2001 #sequence_revision 16-Feb-2001 #text_change 09-Jul-2004
C;Accession: E86069
R;Perna, N.T.; Plunkett III, G.; Burland, V.; Mau, B.; Glasner, J.D.; Rose, D.J.; Mayhew
iller, L.; Grotbeck, E.J.; Davis, N.W.; Lim, A.; Dimalanta, E.; Potamousis, K.; Apodaca,
Nature 409, 529-533, 2001
A;Title: Genome sequence of enterohemorrhagic *Escherichia coli* O157:H7.
A;Reference number: AB5480; MUID:21074935; PMID:11206551
A;Accession: E86069
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-289 <STO>

A;Cross-references: UNIPROT:P00631; GB:AE005174; NID:912518695; PIDN:AAGS9017.1; GSPDB:
A;Experimental source: strain O157:H7, substrain EDL933
C;Genetics:
A;Gene: pldA
C;Superfamily: bacterial phospholipase A1

Query Match 72.5%; Score 29; DB 2; Length 289;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6
| | | | |
Db 28 VHDAP 32

RESULT 96
G91222
outer membrane phospholipase A ECs4751 [imported] - *Escherichia coli* (strain O157:H7, s
C;Species: *Escherichia coli*
C;Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 09-Jul-2004
C;Accession: G91222
R;Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Ishii, K.; Yokoyama, K.; Han, C.G
gasaawara, N.; Yasunaga, T.; Kuhara, S.; Shiba, T.; Hattori, M.; Shinagawa, H.
DNA Res. 8, 11-22, 2001
A;Title: Complete genome sequence of enterohemorrhagic *Escherichia coli* O157:H7 and gen
A;Reference number: A99629; MUID:21156231; PMID:11258796
A;Accession: G91222
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-289 <HAY>
A;Cross-references: UNIPROT:P00631; GB:BA000007; PIDN:BA838174.1; PID:g13364227; GSPDB:
A;Experimental source: strain O157:H7, substrain RMD 0509952
C;Genetics:
A;Gene: ECs4751
C;Superfamily: bacterial phospholipase A1

Query Match 72.5%; Score 29; DB 2; Length 289;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6
| | | | |
Db 28 VHDAP 32

RESULT 97
A36971
outer membrane phospholipase A (EC 3.1.1.1.-) precursor - *Salmonella typhimurium*
C;Species: *Salmonella typhimurium*
C;Date: 11-Nov-1994 #sequence_revision 11-Nov-1994 #text_change 09-Jul-2004
C;Accession: A36971; S40131
R;Brok, R.G.P.M.; Brinkman, E.; van Bortel, R.; Bekkers, A.C.A.P.A.; Verheij, H.M.; Tom
J. Bacteriol. 176, 861-870, 1994
A;Title: Molecular characterization of enterobacterial pldA genes encoding outer membra
A;Reference number: A36971; MUID:94131966; PMID:8300539
A;Accession: A36971
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-289 <BRO>
A;Cross-references: UNIPROT:P37442; GB:X76900; NID:g437024; PIDN:CAAS4222.1; PID:g43702
C;Genetics:
A;Gene: pldA
C;Superfamily: bacterial phospholipase A1
C;Keywords: carboxylic ester hydrolase

Query Match 72.5%; Score 29; DB 2; Length 289;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAP 6
| | | | |
Db 28 VHDAP 32

RESULT 98

KIOXPR
phosphoribulokinase (EC 2.7.1.19) - Xanthobacter flavus
C:Species: Xanthobacter flavus
C>Date: 31-Mar-1992 #sequence_revision 31-Mar-1992 #text_change 09-Jul-2004
C:Accession: B45867; S13577
R:Meijer, W.G.; Enequist, H.G.; Terpstra, P.; Dijkhuizen, L.
J. Gen. Microbiol. 136, 2225-2230, 1990
A:Title: Nucleotide sequences of the genes encoding fructosebiphosphatase and phosphoribulokinase
A:Reference number: A45867; MUID:91178501; PMID:1964170
A:Accession: B45867
A:Molecule type: DNA
A:Residues: 1-291 <ME2>
A:Cross-references: UNIPROT:P23015; EMBL:X17252; NID:g48543; PIDN:CAA35119.1; PID:g48548
R:Meijer, W.G.; Arnberg, A.C.; Enequist, H.G.; Terpstra, P.; Lidstrom, M.E.; Dijkhuizen, L.
Mol. Gen. Genet. 225, 320-330, 1991
A:Title: Identification and organization of carbon dioxide fixation genes in Xanthobacter
A:Reference number: S13573; MUID:91172133; PMID:1900916
A:Accession: S13577
A>Status: nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-291 <ME1>
A:Cross-references: EMBL:X17252; NID:g48543; PIDN:CAA35119.1; PID:g48548
A>Note: the nucleotide sequence was submitted to the EMBL Data Library, December 1989
C:Genetics:
A:Gene: cfxP
C:Superfamily: phosphoribulokinase
C:Keywords: ATP; Calvin cycle; phosphotransferase

Query Match 72.5%; Score 29; DB 1; Length 291;
Best Local Similarity 100.0%; Pred. No. 2e+02; Indels 0; Gaps 0;
Matches 5; Conservative 0; Mismatches 0;

QY 1 YVHDA 5
|||||
DB 98 YVHDA 102

RESULT 99

H75512
formamidopyrimidine-DNA glycosylase - Deinococcus radiodurans (strain R1)
C:Species: Deinococcus radiodurans
C>Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 21-Jul-2000
C:Accession: H75512
R:White, O.; Eisen, J.A.; Heideberg, J.F.; Hickey, E.K.; Peterson, J.D.; Dodson, R.J.; M.; Shen, M.; Vamathevan, J.J.; Lam, P.; McDonald, L.; Utterback, T.; Zalewski, C.; Ma S.; Smith, H.O.; Venter, J.C.; Fraser, C.M.
Science 286, 1571-1577, 1999
A:Title: Genome sequence of the radioresistant bacterium Deinococcus radiodurans R1.
A:Reference number: A75250; MUID:20036896; PMID:10567266
A:Accession: H75512
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-291 <WHI>
A:Cross-references: GB:AE001908; GB:AE000513; NID:g6458174; PIDN:AAF10070.1; PID:g645817
A:Experimental source: strain R1
C:Genetics:
A:Gene: DR0493
A:Map position: 1
C:Superfamily: formamidopyrimidine-DNA glycosidase

Query Match 72.5%; Score 29; DB 2; Length 291;
Best Local Similarity 100.0%; Pred. No. 2e+02; Indels 0; Gaps 0;
Matches 5; Conservative 0; Mismatches 0;

QY 2 VHDAP 6
|||||
DB 38 VHDAP 42

RESULT 100

S45461

hypothetical protein YNL006w - yeast (Saccharomyces cerevisiae)
N:Alternate names: hypothetical protein N2005

C:Species: Saccharomyces cerevisiae
C>Date: 13-Jan-1995 #sequence_revision 27-Jan-1995 #text_change 16-Aug-2004
C:Accession: S45461; S62915; S62917; S45123
R:Verhasselt, P.; Aert, R.; Voet, M.; Volckaert, G.
Yeast 10, 945-951, 1994
A:Title: Nucleotide sequence analysis of an 887 bp region of the left arm of yeast chromosome 15
A:Reference number: S45456; MUID:95076713; PMID:7985421
A:Accession: S45461
A>Status: translation not shown
A:Molecule type: DNA

A:Residues: 1-303 <VER>
A:Cross-references: UNIPROT:P41318; EMBL:X77114; NID:g4967110; PIDN:CAA54380.1; PID:g49671
R:Aert, R.; Verhasselt, P.; Voet, M.; Volckaert, G.
Submitted to the Protein Sequence Database, April 1996
A:Reference number: S62910
A:Accession: S62915
A:Molecule type: DNA

A:Residues: 1-303 <AER>
A:Cross-references: EMBL:Z71282; NID:gl301821; PID:e239859; PID:gl301822; MIPS:YNL006w
A:Experimental source: strain S288C
R:Dolignon, F.; Crouzet, M.
Submitted to the Protein Sequence Database, April 1996
A:Reference number: S62916
A:Accession: S62917
A:Molecule type: DNA

A:Residues: 1-303 <DOI>
A:Cross-references: EMBL:Z71282; NID:gl301821; PID:e239859; PID:gl301822; MIPS:YNL006w
A:Experimental source: strain S288C
C:Genetics:
A:Gene: SGD.LST8
A:Cross-references: SGD:S0004951
A:Map position: 14L

C:Superfamily: WD repeat homology
F:71-104/Domain: WD repeat homology <WD2>
F:112-145/Domain: WD repeat homology <WD3>
F:203-236/Domain: WD repeat homology <WD5>
F:246-279/Domain: WD repeat homology <WD6>

Query Match 72.5%; Score 29; DB 2; Length 303;
Best Local Similarity 71.4%; Pred. No. 2.1e+02; Indels 1; Gaps 0;
Matches 5; Conservative 1; Mismatches 1;

QY 1 YVHDAPV 7
|:|:
DB 113 YKHNAVP 119

Search completed: June 30, 2005, 22:23:59
Job time : 44 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

Run on: June 30, 2005, 22:04:54 ; Search time 176 Seconds
(without alignments)
20.367 Million cell updates/sec

Title: US-09-874-350C-210

Perfect score: 40

Sequence: 1 YVHDAVP 7

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1612378 seqs, 512079187 residues

Total number of hits satisfying chosen parameters: 1612378

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 150 summaries

Database : UniProt 03.1*

1: uniprot_sprot.*

2: uniprot_trembl.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	ID	Description
1	40	100.0	193	2 Q8HXR5	Q8HXR5 pan troglod
2	40	100.0	269	1 IL1B HUMAN	P01584 homo sapien
3	40	100.0	269	2 Q7RU01	Q7RU01 homo sapien
4	39	97.5	651	2 Q9KWR2	Q9KWR2 thermoactin
5	35	87.5	197	2 Q7MXU9	Q7MXU9 porphyromon
6	35	87.5	321	1 GLK ECOLI	P46880 escherichia
7	35	87.5	321	2 Q8FFD4	Q8FFD4 escherichia
8	35	87.5	321	2 Q83K86	Q83K86 shigella fl
9	34	85.0	260	2 Q6JFG0	Q6JFG0 neodiprion
10	34	85.0	303	2 Q75ET3	Q75ET3 ashbya goss
11	34	85.0	358	2 Q7MCL7	Q7MCL7 vibrio vuln
12	33	82.5	206	2 Q62N47	Q62N47 burkholderi
13	33	82.5	268	1 IL1B MACFA	P79182 macaca fasc
14	33	82.5	269	1 IL1B CERTO	P46648 cercocoebe
15	33	82.5	269	1 IL1B MACMU	P48090 macaca mula
16	33	82.5	269	1 IL1B MACNE	P51493 macaca neme
17	33	82.5	361	1 YHFS ECOLI	P45545 escherichia
18	33	82.5	361	2 Q7UAS0	Q7UAS0 shigella fl
19	33	82.5	361	2 Q83JB0	Q83JB0 shigella fl
20	33	82.5	361	2 Q8FCW7	Q8FCW7 escherichia
21	33	82.5	385	2 Q68CH2	Q68CH2 streptomyce
22	33	82.5	406	2 Q714U5	Q714U5 haemophilus
23	33	82.5	414	2 Q7WRG5	Q7WRG5 haemophilus
24	33	82.5	414	2 Q7WTN2	Q7WTN2 haemophilus
25	33	82.5	419	1 LPB1 NEIMA	P57038 neisseria m
26	33	82.5	419	1 LPB1 NEIMB	Q05014 neisseria m
27	33	82.5	419	2 Q93JTO	Q93JTO neisseria m
28	33	82.5	422	2 Q7WTM8	Q7WTM8 haemophilus
29	33	82.5	424	2 Q732T8	Q732T8 bacillus ce
30	33	82.5	424	2 Q81A08	Q81A08 bacillus ce
31	33	82.5	424	2 Q81WP6	Q81WP6 bacillus an

32	33	82.5	424	2 Q6HF27	Q6HF27 bacillus th
33	33	82.5	581	2 Q7QQ79	Q7QQ79 giardia lam
34	33	82.5	586	2 Q8A0E2	Q8A0E2 bacteroides
35	33	82.5	624	2 Q9D2G7	Q9D2G7 mus musculu
36	33	82.5	730	2 Q7RUA4	Q7RUA4 neurospora
37	33	82.5	735	1 DNLJ STRCO	Q9Z585 streptomyce
38	33	82.5	740	2 Q6M901	Q6M901 neurospora
39	33	82.5	866	2 Q7ZT80	Q7ZT80 cyprinus ca
40	33	82.5	1172	2 Q9VU79	Q9VU79 drosophila
41	33	82.5	1209	2 Q89CK5	Q89CK5 bradyrhizob
42	33	82.5	1249	2 Q812R2	Q812R2 plasmodium
43	33	82.5	1272	2 Q81QK2	Q81QK2 drosophila
44	33	82.5	1286	2 Q7PMF6	Q7PMF6 anopheles g
45	33	82.5	1691	2 Q8A1N9	Q8A1N9 cyprinus ca
46	33	82.5	127	2 Q9ANY4	Q9ANY4 escherichia
47	32	80.0	203	2 Q43544	Q43544 lilium long
48	32	80.0	206	2 Q94475	Q94475 schizosacch
49	32	80.0	212	1 THIE STAEP	Q8CNK2 staphylococ
50	32	80.0	220	2 Q72IC3	Q72IC3 thermus the
51	32	80.0	228	1 D7AL_RAT	Q64057 rattus norv
52	32	80.0	260	2 Q6FX28	Q6FX28 candida gla
53	32	80.0	295	1 AMPM PYRAB	Q9UYT4 pyrococcus
54	32	80.0	295	1 AMPM PYRHO	Q58362 pyrococcus
55	32	80.0	296	2 Q47402	Q47402 escherichia
56	32	80.0	296	2 Q8GR83	Q8GR83 thermus the
57	32	80.0	306	2 Q8Y917	Q8Y917 listeria mo
58	32	80.0	306	2 Q92EB5	Q92EB5 listeria in
59	32	80.0	306	2 Q723A9	Q723A9 listeria mo
60	32	80.0	320	2 Q84CW0	Q84CW0 uncultured
61	32	80.0	343	2 Q9HLG5	Q9HLG5 thermoplasma
62	32	80.0	350	2 Q83VR4	Q83VR4 methylobact
63	32	80.0	353	2 Q9RP68	Q9RP68 pasteurella
64	32	80.0	361	1 CARA METKA	Q8TV15 methanopyru
65	32	80.0	372	2 Q830M4	Q830M4 enterococcu
66	32	80.0	382	2 Q65MQ5	Q65MQ5 bacillus li
67	32	80.0	387	2 Q9LLZ0	Q9LLZ0 nymphaea od
68	32	80.0	389	1 XSS5 ECOLI	F42218 escherichia
69	32	80.0	389	2 Q758W7	Q758W7 ashbya goss
70	32	80.0	389	2 Q6KCZ9	Q6KCZ9 escherichia
71	32	80.0	399	2 Q9NE98	Q9NE98 leishmania
72	32	80.0	405	2 Q9L9K5	Q9L9K5 pasteurella
73	32	80.0	406	2 Q9X5N8	Q9X5N8 escherichia
74	32	80.0	408	2 Q85454	Q85454 pasteurella
75	32	80.0	408	2 Q9CMP3	Q9CMP3 pasteurella
76	32	80.0	412	2 Q8FDP8	Q8FDP8 escherichia
77	32	80.0	445	2 Q6LZW1	Q6LZW1 methanococc
78	32	80.0	454	2 Q8YXA3	Q8YXA3 anabaena sp
79	32	80.0	459	2 Q85DA3	Q85DA3 galago cras
80	32	80.0	661	2 Q8T2Z0	Q8T2Z0 trypanosoma
81	32	80.0	681	2 Q82TW6	Q82TW6 nitrosomona
82	32	80.0	796	2 Q9Q8M8	Q9Q8M8 myxoma viru
83	32	80.0	798	2 Q9Q900	Q9Q900 rabbit fibr
84	32	80.0	1142	2 Q9P797	Q9P797 schizosacch
85	32	80.0	1345	2 Q8Y282	Q8Y282 ralstonia s
86	32	80.0	1871	2 Q9CAG6	Q9CAG6 arabidopsis
87	32	80.0	1890	2 Q7G6Z3	Q7G6Z3 arabidopsis
88	32	80.0	1894	2 Q64795	Q64795 arabidopsis
89	32	80.0	2110	2 Q8X1E9	Q8X1E9 emericella
90	32	80.0	3044	2 Q7QYR7	Q7QYR7 giardia lam
91	32	80.0	3131	1 VPD2 SCHPO	Q42326 schizosacch
92	32	80.0	5577	2 Q7R1H7	Q7R1H7 giardia lam
93	31	77.5	101	2 Q7N099	Q7N099 photorhabdu
94	31	77.5	103	2 Q6D2T0	Q6D2T0 erwinia car
95	31	77.5	169	2 Q87AH6	Q87AH6 xylella fas
96	31	77.5	169	2 Q9P577	Q9P577 xylella fas
97	31	77.5	205	2 Q6BFB3	Q6BFB3 debaryomyce
98	31	77.5	214	2 Q61X52	Q61X52 drosophila
99	31	77.5	228	1 CAPB STAAU	P39851 staphylococ
100	31	77.5	231	2 Q6U9R8	Q6U9R8 bacteriopho
101	31	77.5	242	2 Q930C3	Q930C3 rhizobium m
102	31	77.5	245	2 Q7XR62	Q7XR62 oryza sativ
103	31	77.5	253	2 Q7SE81	Q7SE81 neurospora
104	31	77.5	264	2 Q63L99	Q63L99 burkholderi

105 31 77.5 287 2 Q65J56
 106 31 77.5 298 2 Q6AFW7
 107 31 77.5 319 1 MRW LACPL
 108 31 77.5 319 2 Q7MJV0
 109 31 77.5 319 2 Q8DAC1
 110 31 77.5 321 2 Q23259
 111 31 77.5 342 2 Q6MVC7
 112 31 77.5 359 1 MRW_BIFLO
 113 31 77.5 363 2 Q7XVK7
 114 31 77.5 388 1 VGS5_ICHV1
 115 31 77.5 388 2 Q8XQJ0
 116 31 77.5 398 2 Q8HHP3
 117 31 77.5 459 2 Q8DSH1
 118 31 77.5 461 2 Q9HEI4
 119 31 77.5 471 2 Q6LZ06
 120 31 77.5 479 2 Q6BT2
 121 31 77.5 485 1 HUS7_MOUSE
 122 31 77.5 496 1 YEJ_ECOLI
 123 31 77.5 496 2 Q8XD76
 124 31 77.5 496 2 Q9ABE9
 125 31 77.5 527 2 Q673E8
 126 31 77.5 556 2 Q7ADB2
 127 31 77.5 556 2 Q8FGW4
 128 31 77.5 557 2 Q63LW0
 129 31 77.5 560 2 Q9HYA3
 130 31 77.5 561 2 Q62BI2
 131 31 77.5 631 2 Q9W271
 132 31 77.5 634 2 Q8YK57
 133 31 77.5 648 2 Q8H041
 134 31 77.5 663 2 Q84ES0
 135 31 77.5 670 2 Q9TCC2
 136 31 77.5 688 2 Q8BD17
 137 31 77.5 691 1 DNLJ_MYCBO
 138 31 77.5 691 1 DNLJ_MYCTU
 139 31 77.5 694 1 DNLJ_MYCLE
 140 31 77.5 730 2 Q82JK7
 141 31 77.5 787 2 Q63LC7
 142 31 77.5 1127 2 Q7PZ22
 143 31 77.5 1133 2 Q93V59
 144 31 77.5 1171 2 Q9HNB5
 145 31 77.5 1173 2 Q6NR54
 146 31 77.5 1294 1 RRPO_WCMVM
 147 31 77.5 1294 1 RRPO_WCMVO
 148 31 77.5 1302 2 Q6CJM9
 149 31 77.5 1453 2 Q75PR1
 150 30 75.0 83 2 Q26510

ALIGNMENTS

RESULT 1
 Q8HRS PRELIMINARY; PRT; 193 AA.
 AC Q8HRS
 DT 01-MAR-2003 (TREMBLrel. 23, Created)
 DT 01-MAR-2003 (TREMBLrel. 23, Last sequence update)
 DT 01-OCT-2003 (TREMBLrel. 25, Last annotation update)
 DE Interleukin-1 beta (Fragment).
 GN Name=IL1B;
 OS Pan troglodytes (Chimpanzee).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
 OX NCBI_TaxID=9598;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=22344682; PubMed=12356774; DOI=10.1074/jbc.M206636200;
 RA Smith D.E., Ketchum R.R., Moore H., Anderson Z., Reinshaw B.R.,
 RA Friend D.J., Sims J.E.;
 RA "A single amino acid difference between human and monkey interleukin
 RT (IL)-1beta dictates effective binding to soluble type II IL-1
 RT receptor.";
 RL J. Biol. Chem. 277:47619-47625 (2002).

CC -!- FUNCTION: Produced by activated macrophages, IL-1 stimulates
 CC thymocyte proliferation by inducing IL-2 release, B-cell
 CC maturation and proliferation, and fibroblast growth factor
 CC activity (By similarity).
 CC -!- SUBUNIT: Monomer (By similarity).
 CC -!- SIMILARITY: Belongs to the IL-1 family.
 DR EMBL: AV172104; AAN76443.1; -.
 DR HSP; P01584; 211B.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005149; F:interleukin-1 receptor binding; IEA.
 DR GO; GO:0008283; P:cell proliferation; IEA.
 DR GO; GO:0006955; P:immune response; IEA.
 DR GO; GO:0006954; P:inflammatory response; IEA.
 DR GO; GO:0000074; P:regulation of cell cycle; IEA.
 DR InterPro; IPR008996; Cytok_IL1_like.
 DR InterPro; IPR002348; IL1_HBGF.
 DR InterPro; IPR003502; IL1_propep.
 DR InterPro; IPR003294; InterleukinIL1AB.
 DR InterPro; IPR003296; InterleukinIL1B.
 DR InterPro; IPR000975; Interleukin_1.
 DR Pfam; PF00340; IL1; 1.
 DR Pfam; PF02394; IL1_propep; 1.
 DR PRINTS; PR00262; IL1HBGF.
 DR PRINTS; PR00264; INTERLEUKIN1.
 DR PRINTS; PR01359; INTERLEUKIN1B.
 DR PRINTS; PR01357; INTERLEUKIN1AB.
 DR ProDom; PD002536; Interleukin_1; 1.
 DR SMART; SM00125; IL1; 1.
 DR PROSITE; PS00253; INTERLEUKIN_1; 1.
 KW Inflammatory response; Mitogen; Pyrogen.
 FT NON_TER 1
 SQ SEQUENCE 193 AA; 22233 MW; 8C45E22FC3D7FD37 CRC64;
 Query Match 100.0%; Score 40; DB 2; Length 193;
 Best Local Similarity 100.0%; Pred. No. 2.8;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 YVHDAPV 7
 DB 37 YVHDAPV 43
 RESULT 2
 IL1B HUMAN STANDARD; PRT; 269 AA.
 ID IL1B_HUMAN
 AC P01584; Q96HES; Q9UC76;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 25-OCT-2004 (Rel. 45, Last annotation update)
 DE Interleukin-1 beta precursor (IL-1 beta) (Catabolin).
 GN Name=IL1B;
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=85088517; PubMed=6083565;
 RA Auron P.E., Webb A.C., Rosenwasser L.J., Mucci S.F., Rich A.,
 RA Wolff S.M., Dinarello C.A.;
 RA "Nucleotide sequence of human monocyte interleukin 1 precursor cDNA.";
 RL Proc. Natl. Acad. Sci. U.S.A. 81:7907-7911 (1984).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=85240547; PubMed=2989698;
 RA March C.J., Mosley B., Larsen A., Cerretti D.P., Braedt G., Price V.,
 RA Gillis S., Henney C.S., Kronheim S.R., Grabstein K., Conlon P.J.,
 RA Hopp T.P., Cosman D.;
 RA "Cloning, sequence and expression of two distinct human interleukin-1
 RT complementary DNAs.";
 RL Nature 315:641-647 (1985).
 RN [3]
 RP SEQUENCE FROM N.A.

RE MEDLINE=87040762; PubMed=3490654;
RA Clark B.D., Collins K.L., Gandy M.S., Webb A.C., Auron P.E.;
RT "Genomic sequence for human prointerleukin 1 beta: possible evolution
from a reverse transcribed prointerleukin 1 alpha gene.";
RL Nucleic Acids Res. 14:7897-7914(1986).
[4]
RE SEQUENCE FROM N.A.
RA MEDLINE=87248099; PubMed=2954882; DOI=10.1016/0378-1119(87)90398-2;
RA Bensli G., Raugel G., Falla E., Carinci V., Buonamassa D.T., Meli M.;
RT "Human interleukin-1 beta gene.";
RL Gene 52:95-101(1987).
[5]
RE SEQUENCE FROM N.A.
RA MEDLINE=90249285; PubMed=2635664;
RA Kotenko S.V., Bulenkov M.T., Veiko V.P., Epishin S.M., Lomakin I.B.,
RA Emel'yanov A.V., Kozlov A.P., Konusova V.G., Kotov A.Y.,
RA Kurbatova T.V., Reshetnikov V.L., Simbirtsev A.S., Ketlinskii S.A.,
RA Vinetaki Y.P.;
RT "Cloning of the cDNA coding for human prointerleukin-1 alpha and
prointerleukin-1 beta.";
RL Dokl. Akad. Nauk SSSR 309:1005-1008(1989).
[6]
RE SEQUENCE FROM N.A.
RA Webb A.C., Dinarello C.A., Rosenwasser L.J., Mucci S.F., Rich A.,
RA Wolff S.M., Auron P.E.;
RT "Nucleotide sequence of human monocyte interleukin 1 precursor cDNA.";
RL Adv. Gene Technol. 22:339-340(1985).
[7]
RE SEQUENCE FROM N.A.
RA MEDLINE=87156769; PubMed=3493774;
RA Nishida T., Nishino N., Takano M., Kawai K., Bando K., Masui Y.,
RA Nakai S., Hirai Y.;
RT "cDNA cloning of IL-1 alpha and IL-1 beta from mRNA of U937 cell
line.";
RL Biochem. Biophys. Res. Commun. 143:345-352(1987).
[8]
RE SEQUENCE FROM N.A.
RA Rieder M.J., Armel T.Z., Carrington D.P., Ozuna M., Kuidanek S.A.,
RA Rajkumar N.R., Toth E.J., Yi Q., Nickerson D.A.;
RT "SeattleSNPs, NHLBI HL66682 program for genomic applications, UW-
PHRC, Seattle, WA (URL: <http://pga.gs.washington.edu>);"
RL Submitted (JUL-2002) to the EMBL/GenBank/DBJ databases.
[9]
RE SEQUENCE FROM N.A.
RE TISSUE=Lung;
RA MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA Brownstein M.J., Ueidi T.B., Toshiyuki S., Carninci P., Prange C.,
RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullany S.J.,
RA Bosak S.A., McWay P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.M., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Pahay J., Helton E., Kettaman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA Butterfield J.S.N., Krzywicki M.I., Skalska U., Smalls D.E.,
RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length human
and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
[10]
RE SEQUENCE OF 117-128.
RA MEDLINE=88184226; PubMed=3281727;
RA Zeebo K.M., Wypych J., Yushchenko V.N., Lu H., Hunt P., Dukes P.P.,
RA Langley K.E.;
RT "Effects of hematopoietin-1 and interleukin 1 activities on early
hematopoietic cells of the bone marrow.";
RL Blood 71:962-968(1988).
[11]
RE SEQUENCE OF 114-135.
RA TISSUE=Skin;
RX MEDLINE=92013781; PubMed=1919436;
RA Mizutani H., Schechter N., Lazarus G., Black R.A., Kupper T.S.;
RT "Rapid and specific conversion of precursor interleukin 1 beta (IL-1
beta) to an active IL-1 species by human mast cell chymase.";
RL J. Exp. Med. 174:821-825(1991).
[12]
RE X-RAY CRYSTALLOGRAPHY (3.0 ANGSTROMS).
RX MEDLINE=88211543; PubMed=3259176;
RA Priestle J.P., Schar H.-P., Grutter M.G.;
RT "Crystal structure of the cytokine interleukin-1 beta.";
RL EMBO J. 7:339-343(1988).
[13]
RE X-RAY CRYSTALLOGRAPHY (2.0 ANGSTROMS).
RX MEDLINE=90099325; PubMed=2602367;
RA Priestle J.P., Schar H.-P., Grutter M.G.;
RT "Crystallographic refinement of interleukin 1 beta at 2.0-A
resolution.";
RL Proc. Natl. Acad. Sci. U.S.A. 86:9667-9671(1989).
[14]
RE X-RAY CRYSTALLOGRAPHY (2.0 ANGSTROMS).
RX MEDLINE=90064532; PubMed=2585509;
RA Finzel B.C., Clancy L.L., Holland D.R., Muchmore S.W.,
RA Watenpugh K.D., Einspahr H.M.;
RT "Crystal structure of recombinant human interleukin-1 beta at 2.0-A
resolution.";
RL J. Mol. Biol. 209:779-791(1989).
[15]
RE X-RAY CRYSTALLOGRAPHY (2.5 ANGSTROMS) OF COMPLEX WITH RECEPTOR.
RX MEDLINE=97215903; PubMed=9062193;
RA Vigors G.P., Anderson L.J., Caffes P., Brandhuber B.J.;
RT "Crystal structure of the type-I interleukin-1 receptor complexed with
interleukin-1beta.";
RL Nature 386:190-194(1997).
[16]
RE STRUCTURE BY NMR.
RX MEDLINE=90321925; PubMed=2372550;
RA Driscoll P.C., Gronenborn A.M., Wingfield P.T., Clore G.M.;
RT "Determination of the secondary structure and molecular topology of
interleukin-1 beta by use of two- and three-dimensional heteronuclear
15N-1H NMR spectroscopy.";
RL Biochemistry 29:4668-4682(1990).
[17]
RE STRUCTURE BY NMR.
RX MEDLINE=91159409; PubMed=2001363;
RA Clore G.M., Wingfield P.T., Gronenborn A.M.;
RT "High-resolution three-dimensional structure of interleukin 1 beta in
solution by three- and four-dimensional nuclear magnetic resonance
spectroscopy.";
RL Biochemistry 30:2315-2323(1991).
CC -!- FUNCTION: Produced by activated macrophages, IL-1 stimulates
thymocyte proliferation by inducing IL-2 release, B-cell
maturation and proliferation, and fibroblast growth factor
activity. IL-1 proteins are involved in the inflammatory response,
being identified as endogenous pyrogens, and are reported to
stimulate the release of prostaglandin and collagenase from
synovial cells.
CC -!- SUBUNIT: Monomer.
CC -!- SUBCELLULAR LOCATION: Secreted. The lack of a specific hydrophobic
segment in the precursor sequence suggests that IL-1 is released
by damaged cells or is secreted by a mechanism differing from that
used for other secretory proteins.
CC -!- DOMAIN: The similarity among the IL-1 precursors suggests that the
amino ends of these proteins serve some as yet undefined function.
CC -!- SIMILARITY: Belongs to the IL-1 family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL; M15840; AAA741137.1; -;
DR EMBL; X02532; CAA26372.1; -;
DR EMBL; X02770; AAA36106.1; -;
DR EMBL; X04500; CAA28185.1; -;
DR EMBL; X56087; CAA39567.1; -;
DR EMBL; M54933; AAA59136.1; -;
DR EMBL; M15330; AAA59135.1; -;
DR EMBL; AV137079; AAM88883.1; -;
DR EMBL; BC008678; AAO86878.1; -;
DR PIR; A25542; ICHUIB.
DR PDB; 1H1B; X-ray; @=117-269.
DR PDB; 1I1B; X-ray; @=117-269.
DR PDB; 1IOB; X-ray; @=-.
DR PDB; 1ITB; X-ray; A=117-269.
DR PDB; 1L2H; X-ray; A=117-269.
DR PDB; 2I1B; X-ray; @=117-269.
DR PDB; 2I1B; X-ray; @=117-269.
DR PDB; 3I1B; X-ray; @=117-269.
DR PDB; 4I1B; X-ray; @=117-269.
DR PDB; 4I1B; X-ray; @=117-269.
DR PDB; 5I1B; X-ray; @=117-269.

Query Match 100.0%; Score 40; DB 1; Length 269;
Best Local Similarity 100.0%; Pred. No. 3.9;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
DB 113 YVHDAVP 119

RESULT 3
Q7RU01 PRELIMINARY; PRT; 269 AA.
ID Q7RU01
AC Q7RU01; (T=EMBLrel. 26, Created)
DT 01-MAR-2004 (T=EMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (T=EMBLrel. 26, Last annotation update)
DE Pro-interleukin-1-beta.
GN Name=IL1B (Il1f2);
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=20545212; PubMed=110931146;
DOI=10.1002/1521-4141(200011)30:11<3299>3.0.CO;2-S;
Barton J.L., Herbst R., Bosio D., Higgins L., Nicklin M.J.;
"A tissue specific IL-1 receptor antagonist homolog from the IL-1
cluster lacks IL-1, IL-1ra, IL-18 and IL-18 antagonist activities.";
Eur. J. Immunol. 30:3299-3308(2000).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=97312693; PubMed=9169134; DOI=10.1006/geno.1997.4654;
Nothwang H.G., Strahm B., Denich D., Kuebler M., Schwabe J.,
Gingrich J.C., Jauch A., Cox A., Nicklin M.J.H., Kurnit D.M.,
Hildebrandt F.;
"Molecular cloning of the interleukin-1 gene cluster: construction of
an integrated YAC/PAC contig and a partial transcriptional map in the
region of chromosome 2q13.";
Genomics 41:370-378(1997).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [4]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [5]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [6]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [7]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [8]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [9]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytokine 13:1-7(2001).
RN [10]
RP SEQUENCE FROM N.A.
RX MEDLINE=21282953; PubMed=11278614; DOI=10.1074/jbc.M010095200;
Lin H.S., Ho A.S., Haley-Vicente D., Zhang J., Bernal-Pussell J.,
Pace A.M., Hansen D., Schweighofer K., Mize N.K., Ford J.E.;
"Cloning and characterization of IL-1HY2, a novel interleukin-1 family
member.";
J. Biol. Chem. 276:20597-20602(2001).
RN [11]
RP SEQUENCE FROM N.A.
RX MEDLINE=21359532; PubMed=11466363;
Debets R., Timans J.C., Homey B., Zurawski S., Sana T.R., Lo S.,
Wagner J., Edwards G., Clifford T., Menon S., Bazan J.F.,
Kastelein R.A.;
"Two novel IL-1 family members, IL-1 delta and IL-1 epsilon, function
as an antagonist and agonist of NF-kB activation through the orphan
IL-1 receptor-related protein 2.J. Immunol. 167: 1440-1446.";
J. Immunol. 167:1440-1446(2001).
RN [12]
RP SEQUENCE FROM N.A.
RX MEDLINE=21459116; PubMed=11574262; DOI=10.1016/S1471-4906(01)02040-3;
Sims J.E., Nicklin M.J., Bazan J.F., Barton J.L., Busfield S.J.,
Ford J.E., Kastelein R.A., Kumar S., Lin H., Mulero J.J., Pan G.,
Pan Y., Smith D.E., Young P.R.;
"A new nomenclature for the IL-1-family genes.";
Trends Immunol. 22:536-537(2001).
RN [13]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [14]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [15]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [16]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [17]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [18]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [19]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytokine 13:1-7(2001).
RN [20]
RP SEQUENCE FROM N.A.
RX MEDLINE=21282953; PubMed=11278614; DOI=10.1074/jbc.M010095200;
Lin H.S., Ho A.S., Haley-Vicente D., Zhang J., Bernal-Pussell J.,
Pace A.M., Hansen D., Schweighofer K., Mize N.K., Ford J.E.;
"Cloning and characterization of IL-1HY2, a novel interleukin-1 family
member.";
J. Biol. Chem. 276:20597-20602(2001).
RN [21]
RP SEQUENCE FROM N.A.
RX MEDLINE=21359532; PubMed=11466363;
Debets R., Timans J.C., Homey B., Zurawski S., Sana T.R., Lo S.,
Wagner J., Edwards G., Clifford T., Menon S., Bazan J.F.,
Kastelein R.A.;
"Two novel IL-1 family members, IL-1 delta and IL-1 epsilon, function
as an antagonist and agonist of NF-kB activation through the orphan
IL-1 receptor-related protein 2.J. Immunol. 167: 1440-1446.";
J. Immunol. 167:1440-1446(2001).
RN [22]
RP SEQUENCE FROM N.A.
RX MEDLINE=21459116; PubMed=11574262; DOI=10.1016/S1471-4906(01)02040-3;
Sims J.E., Nicklin M.J., Bazan J.F., Barton J.L., Busfield S.J.,
Ford J.E., Kastelein R.A., Kumar S., Lin H., Mulero J.J., Pan G.,
Pan Y., Smith D.E., Young P.R.;
"A new nomenclature for the IL-1-family genes.";
Trends Immunol. 22:536-537(2001).
RN [23]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [24]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [25]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [26]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [27]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [28]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [29]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytokine 13:1-7(2001).
RN [30]
RP SEQUENCE FROM N.A.
RX MEDLINE=21282953; PubMed=11278614; DOI=10.1074/jbc.M010095200;
Lin H.S., Ho A.S., Haley-Vicente D., Zhang J., Bernal-Pussell J.,
Pace A.M., Hansen D., Schweighofer K., Mize N.K., Ford J.E.;
"Cloning and characterization of IL-1HY2, a novel interleukin-1 family
member.";
J. Biol. Chem. 276:20597-20602(2001).
RN [31]
RP SEQUENCE FROM N.A.
RX MEDLINE=21359532; PubMed=11466363;
Debets R., Timans J.C., Homey B., Zurawski S., Sana T.R., Lo S.,
Wagner J., Edwards G., Clifford T., Menon S., Bazan J.F.,
Kastelein R.A.;
"Two novel IL-1 family members, IL-1 delta and IL-1 epsilon, function
as an antagonist and agonist of NF-kB activation through the orphan
IL-1 receptor-related protein 2.J. Immunol. 167: 1440-1446.";
J. Immunol. 167:1440-1446(2001).
RN [32]
RP SEQUENCE FROM N.A.
RX MEDLINE=21459116; PubMed=11574262; DOI=10.1016/S1471-4906(01)02040-3;
Sims J.E., Nicklin M.J., Bazan J.F., Barton J.L., Busfield S.J.,
Ford J.E., Kastelein R.A., Kumar S., Lin H., Mulero J.J., Pan G.,
Pan Y., Smith D.E., Young P.R.;
"A new nomenclature for the IL-1-family genes.";
Trends Immunol. 22:536-537(2001).
RN [33]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [34]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [35]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [36]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [37]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [38]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [39]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytokine 13:1-7(2001).
RN [40]
RP SEQUENCE FROM N.A.
RX MEDLINE=21282953; PubMed=11278614; DOI=10.1074/jbc.M010095200;
Lin H.S., Ho A.S., Haley-Vicente D., Zhang J., Bernal-Pussell J.,
Pace A.M., Hansen D., Schweighofer K., Mize N.K., Ford J.E.;
"Cloning and characterization of IL-1HY2, a novel interleukin-1 family
member.";
J. Biol. Chem. 276:20597-20602(2001).
RN [41]
RP SEQUENCE FROM N.A.
RX MEDLINE=21359532; PubMed=11466363;
Debets R., Timans J.C., Homey B., Zurawski S., Sana T.R., Lo S.,
Wagner J., Edwards G., Clifford T., Menon S., Bazan J.F.,
Kastelein R.A.;
"Two novel IL-1 family members, IL-1 delta and IL-1 epsilon, function
as an antagonist and agonist of NF-kB activation through the orphan
IL-1 receptor-related protein 2.J. Immunol. 167: 1440-1446.";
J. Immunol. 167:1440-1446(2001).
RN [42]
RP SEQUENCE FROM N.A.
RX MEDLINE=21459116; PubMed=11574262; DOI=10.1016/S1471-4906(01)02040-3;
Sims J.E., Nicklin M.J., Bazan J.F., Barton J.L., Busfield S.J.,
Ford J.E., Kastelein R.A., Kumar S., Lin H., Mulero J.J., Pan G.,
Pan Y., Smith D.E., Young P.R.;
"A new nomenclature for the IL-1-family genes.";
Trends Immunol. 22:536-537(2001).
RN [43]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [44]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [45]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [46]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [47]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [48]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [49]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytokine 13:1-7(2001).
RN [50]
RP SEQUENCE FROM N.A.
RX MEDLINE=21282953; PubMed=11278614; DOI=10.1074/jbc.M010095200;
Lin H.S., Ho A.S., Haley-Vicente D., Zhang J., Bernal-Pussell J.,
Pace A.M., Hansen D., Schweighofer K., Mize N.K., Ford J.E.;
"Cloning and characterization of IL-1HY2, a novel interleukin-1 family
member.";
J. Biol. Chem. 276:20597-20602(2001).
RN [51]
RP SEQUENCE FROM N.A.
RX MEDLINE=21359532; PubMed=11466363;
Debets R., Timans J.C., Homey B., Zurawski S., Sana T.R., Lo S.,
Wagner J., Edwards G., Clifford T., Menon S., Bazan J.F.,
Kastelein R.A.;
"Two novel IL-1 family members, IL-1 delta and IL-1 epsilon, function
as an antagonist and agonist of NF-kB activation through the orphan
IL-1 receptor-related protein 2.J. Immunol. 167: 1440-1446.";
J. Immunol. 167:1440-1446(2001).
RN [52]
RP SEQUENCE FROM N.A.
RX MEDLINE=21459116; PubMed=11574262; DOI=10.1016/S1471-4906(01)02040-3;
Sims J.E., Nicklin M.J., Bazan J.F., Barton J.L., Busfield S.J.,
Ford J.E., Kastelein R.A., Kumar S., Lin H., Mulero J.J., Pan G.,
Pan Y., Smith D.E., Young P.R.;
"A new nomenclature for the IL-1-family genes.";
Trends Immunol. 22:536-537(2001).
RN [53]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [54]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [55]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [56]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [57]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [58]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [59]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytokine 13:1-7(2001).
RN [60]
RP SEQUENCE FROM N.A.
RX MEDLINE=21282953; PubMed=11278614; DOI=10.1074/jbc.M010095200;
Lin H.S., Ho A.S., Haley-Vicente D., Zhang J., Bernal-Pussell J.,
Pace A.M., Hansen D., Schweighofer K., Mize N.K., Ford J.E.;
"Cloning and characterization of IL-1HY2, a novel interleukin-1 family
member.";
J. Biol. Chem. 276:20597-20602(2001).
RN [61]
RP SEQUENCE FROM N.A.
RX MEDLINE=21359532; PubMed=11466363;
Debets R., Timans J.C., Homey B., Zurawski S., Sana T.R., Lo S.,
Wagner J., Edwards G., Clifford T., Menon S., Bazan J.F.,
Kastelein R.A.;
"Two novel IL-1 family members, IL-1 delta and IL-1 epsilon, function
as an antagonist and agonist of NF-kB activation through the orphan
IL-1 receptor-related protein 2.J. Immunol. 167: 1440-1446.";
J. Immunol. 167:1440-1446(2001).
RN [62]
RP SEQUENCE FROM N.A.
RX MEDLINE=21459116; PubMed=11574262; DOI=10.1016/S1471-4906(01)02040-3;
Sims J.E., Nicklin M.J., Bazan J.F., Barton J.L., Busfield S.J.,
Ford J.E., Kastelein R.A., Kumar S., Lin H., Mulero J.J., Pan G.,
Pan Y., Smith D.E., Young P.R.;
"A new nomenclature for the IL-1-family genes.";
Trends Immunol. 22:536-537(2001).
RN [63]
RP SEQUENCE FROM N.A.
RX MEDLINE=94245215; PubMed=8188271;
Nicklin M.J.H., Weith A., Duff G.W.;
"A Physical map of the region encompassing the human interleukin-1-
alpha, interleukin-1-beta and interleukin-1 receptor genes.";
Genomics 19:382-384(1994).
RN [64]
RP SEQUENCE FROM N.A.
RX MEDLINE=21988050; PubMed=11991722; DOI=10.1006/geno.2002.6751;
Nicklin M.J.H., Barton J.L., Nguyen M., Fitzgerald M.G., Duff W.G.,
Korman K.;
"A sequence-based map of the nine genes of the human interleukin-1
cluster.";
Genomics 79:718-725(2002).
RN [65]
RP SEQUENCE FROM N.A.
RX MEDLINE=99443727; PubMed=10512743; DOI=10.1006/bbrc.1999.1440;
Mulero J.J., Pace A.M., Nelken S.T., Loeb D.D., Correa T.R.,
Drmanac R., Ford J.E.;
"IL1HY1: A novel interleukin-1 receptor antagonist gene.";
Biochem. Biophys. Res. Commun. 263:702-706(1999).
RN [66]
RP SEQUENCE FROM N.A.
RX MEDLINE=20092888; PubMed=10625660; DOI=10.1074/jbc.275.2.1169;
Smith D.E., Renshaw B.R., Ketchum R.R., Kubin M., Garka K.E.,
Sims J.E.;
"Four new members expand the interleukin-1 superfamily.";
J. Biol. Chem. 275:1169-1175(2000).
RN [67]
RP SEQUENCE FROM N.A.
RX MEDLINE=20209405; PubMed=10744718; DOI=10.1074/jbc.275.14.10308;
Kumar S., McDonnell P.C., Lehr R., Tierney L., Tzimas M.N.,
Griswold D.E., Capper E.A., Tal-Singer R., Wells G.I., Doyle M.L.,
Young P.R.;
"Identification and initial characterization of four novel members of
the interleukin-1 family.";
J. Biol. Chem. 275:10308-10314(2000).
RN [68]
RP SEQUENCE FROM N.A.
RX MEDLINE=20318623; PubMed=10860666; DOI=10.1006/geno.2000.6184;
Busfield S.J., Comrack C.A., Yu G., Chickering T.W., Smutko J.S.,
Zhou H., Leiby K.R., Holmgren L.M., Gearing D.P., Pan Y.;
"Identification and gene organization of three novel members of the
IL-1 family on human chromosome 2.";
Genomics 66:213-216(2000).
RN [69]
RP SEQUENCE FROM N.A.
RX MEDLINE=21066552; PubMed=11145836; DOI=10.1006/cyto.2000.0799;
Pan G., Rissler P., Mao W., Baldwin D.T., Zhong A.W., Filvaroff E.,
Yansura D., Lewis L., Eigenbrot C., Henzel W.J., Vandlen R.;
"IL-1H, an interleukin 1-related protein that binds IL-18 receptor/IL-
1Rrp.";
Cytok

CC -!- FUNCTION: Produced by activated macrophages, IL-1 stimulates
 CC thymocyte proliferation by inducing IL-2 release, B-cell
 CC maturation and proliferation, and fibroblast growth factor
 CC activity (By similarity).
 CC -!- SUBUNIT: Monomer (By similarity).
 CC -!- MISCELLANEOUS: The sequence shown here is derived from an
 CC EMBL/GenBank/DBJ third party annotation (TPA) entry.
 CC -!- SIMILARITY: Belongs to the IL-1 family.
 CC EMBL; BN000002; CAD29872.1; -.
 CC DR HSP; P01584; 117B.
 CC DR GO; GO:0005576; C:extracellular; IEA.
 CC DR GO; GO:0005152; F:interleukin-1 receptor antagonist activity; IEA.
 CC DR GO; GO:0006955; P:immune response; IEA.
 CC DR GO; GO:0006954; P:inflammatory response; IEA.
 CC DR InterPro; IPR008996; Cytok IL1-like.
 CC DR InterPro; IPR002348; IL1_HBGF.
 CC DR InterPro; IPR003502; IL1_propep.
 CC DR InterPro; IPR003294; InterleukinIL1AB.
 CC DR InterPro; IPR003296; InterleukinIL1B.
 CC DR InterPro; IPR003297; InterleukinIL1RA.
 CC DR InterPro; IPR000975; Interleukin_1.
 CC DR Pfam; PF00340; IL1; 1.
 CC DR Pfam; PF02394; IL1_propep; 1.
 CC DR PRINTS; PR0262; IL1HSGF.
 CC DR PRINTS; PR0264; INTERLEUKINI.
 CC DR PRINTS; PR01359; INTRLEUKINIB.
 CC DR PRINTS; PR01360; INTRLEUKINIX.
 CC DR PRINTS; PR01357; INTRLEUKINIAB.
 CC DR ProDom; PD002536; Interleukin_1; 1.
 CC DR PROSITE; PS00253; INTERLEUKIN_1; 1.
 CC KW Inflammatory response; Mitogen; Pyrogen.
 CC FT CHAIN 117 269 interleukin-1-beta.
 CC SQ SEQUENCE 269 AA; 30748 MW; 9BF73C673C6FD66 CRC64;

Query Match 100.0%; Score 40; DB 2; Length 269;
 Best Local Similarity 100.0%; Pred. No. 3.9; Indels 0; Gaps 0;
 Matches 7; Conservative 0; Mismatches 0;

QY 1 YVHDAVP 7
 Db 113 YVHDAVP 119
 |||||

RESULT 4
 Q9KWR2 PRELIMINARY; PRT; 651 AA.
 AC Q9KWR2;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
 DE Glucoamylase TGA.
 GN Name=tga;
 OS Thermoactinomyces vulgaris.
 OC Bacteria; Firmicutes; Bacillales; Thermoactinomycetaceae;
 OC Thermoactinomycetes.
 OC NCBI_TaxID=2026;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=R-47;
 RX MEDLINE=21432651; PubMed=11549021;
 RA Uotsu-Tomita R., Tonozuka T., Sakai H., Sakano Y.;
 RT "Novel glucoamylase-type enzymes from Thermoactinomycetes vulgaris and
 RT Methanococcus jannaschii whose genes are found in the flanking region
 RT of the alpha-amylase genes.";
 RL Appl. Microbiol. Biotechnol. 56:465-473 (2001).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=R-47;
 RX MEDLINE=93222535; PubMed=7763540;
 RA Tonozuka T., Ohtsuka M., Mogi S., Sakai H., Ohta T., Sakano Y.;
 RT "A neopullulanase-type alpha-amylase gene from Thermoactinomycetes
 RT vulgaris R-47.";
 RL Biosci. Biotechnol. Biochem. 57:395-401 (1993).

RN [3] SEQUENCE FROM N.A.
 RP STRAIN=R-47;
 RX MEDLINE=96001349; PubMed=7548164; DOI=10.1016/0167-4838(95)00101-Y;
 RA Tonozuka T., Mogi S., Shimura Y., Ibuka A., Sakai H., Matsuzawa H.,
 RA Sakano Y., Ohta T.;
 RT "Comparison of primary structures and substrate specificities of two
 RT pullulan-hydrolyzing alpha-amylases, TVA I and TVA II, from
 RT Thermoactinomycetes vulgaris R-47.";
 RL Biochim. Biophys. Acta 1252:35-42 (1995).
 RN [4] SEQUENCE FROM N.A.
 RP STRAIN=R-47;
 RA PI Y.;
 RL Submitted (AUG-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB029554; BAA97041.1; -.
 DR EMBL; AB047926; BAB40639.1; -.
 DR InterPro; IPR008928; Glyco_trans_6hp.
 DR InterPro; IPR006465; Oligosac_amyl_1.
 DR TIGRFAMS; TIGR01577; Oligosac_amyl_1.
 SQ SEQUENCE 651 AA; 74227 MW; E09D70FD586C3B71 CRC64;

Query Match 97.5%; Score 39; DB 2; Length 651;
 Best Local Similarity 85.7%; Pred. No. 16; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 0;

QY 1 YVHDAVP 7
 Db 71 YVHDAPI 77
 |||||

RESULT 5
 Q7MXU9 PRELIMINARY; PRT; 197 AA.
 ID Q7MXU9;
 AC Q7MXU9;
 DT 01-MAR-2004 (TrEMBLrel. 26, Created)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE Nicotinate (Nicotinamide) nucleotide adenyltransferase.
 GN Name=nadD; OrderedLocusNames=PG00058;
 OS Porphyromonas gingivalis (Bacteroides gingivalis).
 OC Bacteria; Bacteroidetes; Bacteroides (Class); Bacteroidales;
 OC Porphyromonadaceae; Porphyromonas.
 OC NCBI_TaxID=837;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=W83;
 RX MEDLINE=22829867; PubMed=12949112;
 RX DOI=10.1128/JB.185.18.5591-5601.2003;
 RA Nelson K.E., Fleischmann R.D., DeBoy R.T., Paulsen I.T., Fouts D.E.,
 RA Eisen J.A., Daugherty S.C., Dodson R.J., Durkin A.S., Gwinn M.L.,
 RA Haft D.H., Kolonay J.P., Nelson W.C., Mason T.M., Tallon L., Gray J.,
 RA Granger D., Tettelin H., Dong H., Galvin J.L., Duncan M.J.,
 RA Dewhirst F.E., Fraser C.M.;
 RT "Complete genome sequence of the oral pathogenic bacterium
 RT Porphyromonas gingivalis strain W83.";
 RL J. Bacteriol. 185:5591-5601 (2003).
 RL EMBL; AE017172; NAQ65308.1; -.
 DR TIGR; PG0058;
 DR GO; GO:0016779; F:nucleotidyltransferase activity; IEA.
 DR GO; GO:0016740; F:transferase activity; IEA.
 DR GO; GO:0003058; P:biosynthesis; IEA.
 DR GO; GO:0009435; P:NAD biosynthesis; IEA.
 DR InterPro; IPR004820; Cytidyltransferase.
 DR InterPro; IPR004821; Cyt_trans_rel.
 DR InterPro; IPR005248; NAMN_adtrnsfrase.
 DR Pfam; PF01467; CTP_transf_2; 1.
 DR TIGRFAMS; TIGR00125; Cyt tran_rel; 1.
 DR TIGRFAMS; TIGR00482; NAMN_adtrnsfrase; 1.
 KW Complete proteome; Nucleotidyltransferase; Transferase.
 SQ SEQUENCE 197 AA; 23051 MW; 4457E98C4F431AE4 CRC64;

Query Match 87.5%; Score 35; DB 2; Length 197;

```

Best Local Similarity 83.3%; Pred. No. 33;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHADP 6
Db 148 YVHADP 153

RESULT 6
GLK_ECOLI STANDARD; PRT; 321 AA.
AC P46B80; P78276;
DT 01-NOV-1995 (Rel. 32, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 25-JAN-2005 (Rel. 46, Last annotation update)
DE Glucokinase (EC 2.7.1.2) (Glucose kinase).
GN Name:glk; OrderedLocustNames=b2388, z3654, ECs3268;
OS Escherichia coli, and
OS Escherichia coli O157:H7.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=562, 83334;
RN [1]
RP SEQUENCE FROM N.A., AND CHARACTERIZATION.
RC STRAIN=K12;
RX MEDLINE=97175560; PubMed=9023215;
RA Meyer D., Schneider-Presenius C., Horiacher R., Peist R., Boos W.W.;
RT "Molecular characterization of glucokinase from Escherichia coli K-12.";
RL J. Bacteriol. 179:1298-1306(1997).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / MGL655;
RX MEDLINE=97426617; PubMed=9278503; DOI=10.1126/science.277.5331.1453;
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RA Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
RA Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RL Science 277:1453-1474 (1997).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=K12;
RX MEDLINE=97349980; PubMed=9205837;
RA Yamamoto Y., Alba H., Baba T., Hayashi K., Inada T., Isono K.,
RA Itoh T., Kimura S., Kitagawa M., Makino K., Miki T., Mitsuhashi N.,
RA Mizobuchi K., Mori H., Nakada S., Nakamura Y., Nashimoto H.,
RA Oshima T., Oyama S., Saito N., Sampei G., Satoh Y., Sivasubram S.,
RA Tagami H., Takahashi H., Takeda J., Takemoto K., Uehara K., Wada C.,
RA Yamagata S., Horiuchi T.;
RT "Construction of a contiguous 874-kb sequence of the Escherichia coli-
RT K12 genome corresponding to 50.0-68.8 min on the linkage map and
RT analysis of its sequence features.";
RL DNA Res. 4:91-113(1997).
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=O157:H7 / EDL933 / ATCC 700927 / EHEC;
RX MEDLINE=21074935; PubMed=11206551; DOI=10.1038/35054089;
RA Perna N.T., Plunkett G. III, Burland V., Mau B., Glasner J.D.,
RA Rose D.J., Mayhew G.F., Evans P.S., Gregor J., Kirkpatrick H.A.,
RA Posfai G., Hackett J., Klink S., Boutin A., Shao Y., Miller L.,
RA Grobbeck E.J., Davis N.W., Lim A., Dimalanta E.T., Potamousis K.,
RA Apodaca J., Anantharaman T.S., Lin J., Yen G., Schwartz D.C.,
RA Welch R.A., Blattner F.R.;
RT "Genome sequence of enterohaemorrhagic Escherichia coli O157:H7.";
RL Nature 409:529-533 (2001).
RN [5]
RP SEQUENCE FROM N.A.
RC STRAIN=O157:H7 / Sakai / RIMD 0509952 / EHEC;
RX MEDLINE=21156231; PubMed=11258796;
RA Hayashi T., Makino K., Ohnishi M., Kurokawa K., Ishii K., Yokoyama K.,
RA Han C.-G., Ohtsubo E., Nakayama K., Murata T., Tanaka M., Tobe T.,
RA Iida T., Takami H., Honda T., Sasakawa C., Ogasawara N., Yasunaga T.,

```

```

RA Kuhara S., Shiba T., Hattori M., Shinagawa H.;
RT "Complete genome sequence of enterohaemorrhagic Escherichia coli
RT O157:H7 and genomic comparison with a laboratory strain K-12.";
RL DNA Res. 8:11-22(2001).
CC -!- FUNCTION: Not highly important in E.coli as glucose is transported
CC into the cell by the pts system already as glucose 6-phosphate.
CC -!- CATALYTIC ACTIVITY: ATP + D-glucose = ADP + D-glucose 6-phosphate.
CC -!- SUBCELLULAR LOCATION: Cytoplasmic.
CC -!- SIMILARITY: Belongs to the bacterial glucokinase family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U22490; AAG64506.1; -
CC EMBL; U00096; AAC75447.1; -
CC EMBL; D90868; BAA16258.1; -
CC EMBL; D90869; BAA16261.1; -
CC EMBL; AF005470; AAG57514.1; -
CC EMBL; AP002561; BAB36691.1; -
CC FIR; A65013; A65013.
CC FIR; D91037; D91037.
CC FIR; F85881; F85881.
CC EcoBASE; EB2791; -.
CC EcoGene; EG12957; glk.
CC HAMAP; MF_00524; -; 1.
CC InterPro; IPR003836; Glucokinase.
CC Pfam; PF02685; Glucokinase; 1.
CC TIGRfam; TIGR00749; glk; 1.
KW ATP-binding; Complete proteome; Glycolysis; Kinase; Transferase.
FT NP_BIND 8 13 ATP (potential).
FT CONFLICT 108 108 I -> N (in Ref. 1).
FT CONFLICT 188 189 RV -> AC (in Ref. 1).
FT CONFLICT 274 274 A -> G (in Ref. 1).
SQ SEQUENCE 321 AA; 34723 MW; 2D6CD956641A3823 CRC64;
Query Match 87.5%; Score 35; DB 1; Length 321;
Best Local Similarity 85.7%; Pred. No. 55;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHADPV 7
Db 290 YVHADPV 296

RESULT 7
Q8FFD4 PRELIMINARY; PRT; 321 AA.
AC Q8FFD4;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Glucokinase (EC 2.7.1.2)
GN Name:glk; OrderedLocustNames=c2927;
OS Escherichia coli O6.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=217992;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=O6:H1 / CFT073 / ATCC 700928 / UPEC;
RX MEDLINE=22388234; PubMed=12471157; DOI=10.1073/pnas.252529799;
RA Welch R.A., Burland V., Plunkett G. III, Redford P., Roesch P.,
RA Rasko D., Buckles E.L., Liou S.-R., Boutin A., Hackett J., Stroud D.,
RA Mayhew G.F., Rose D.J., Zhou S., Schwartz D.C., Perna N.T.,
RA Mobley H.L.F., Donnenberg M.S., Blattner F.R.;
RT "Extensive mosaic structure revealed by the complete genome sequence
RT of uropathogenic Escherichia coli.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:17020-17024 (2002).

```

DR EMBL; AE016764; AAN81377.1; -.
 DR GO; GO:000524; F:ATP binding; IEA.
 DR GO; GO:0004340; F:Glucokinase activity; IEA.
 DR GO; GO:0006096; P:Glycolysis; IEA.
 DR InterPro; IPR003836; Glucokinase.
 DR Pfam; PF02685; Glucokinase; 1.
 DR TIGRfams; TIGR00749; glk; 1.
 KW Complete proteome.
 SQ SEQUENCE 321 AA; 34709 MW; 42ACBF56627A5C98 CRC64;
 Query Match 87.5%; Score 35; DB 2; Length 321;
 Best Local Similarity 85.7%; Pred. No. 55;
 Matches 6; Conservative 0; Mismatches 0; Gaps 0;
 Indels 1; Indels 0; Gaps 0;
 QY 1 YVHADPV 7
 DB 290 YVHADPV 296
 RESULT 8
 Q83K86 PRELIMINARY; PRT; 321 AA.
 ID Q83K86 Q7C0L2;
 AC Q83K86; Q7C0L2;
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
 DE Glucokinase.
 GN Names=glk; OrderedLocusNames=S2593, SF2454;
 OS Shigella flexneri.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
 OC Enterobacteriaceae; Shigella.
 OX NCBI_TaxID=623;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=301 / Serotype 2a;
 RX MEDLINE=22272406; PubMed=12384590; DOI=10.1093/nar/gkf566;
 RA Jin Q., Yuan Z., Xu J., Wang Y., Shen Y., Lu W., Wang J., Liu H.,
 RA Sun J., Yang F., Zhang J., Zhang J., Yang G., Wu H., Qu D., Dong J.,
 RA Sang L., Xue Y., Zhao A., Gao Y., Zhu J., Kan B., Ding K., Chen S.,
 RA Cheng H., Yao Z., He B., Chen R., Ma D., Qiang B., Wen Y., Hou Y.,
 RA Yu J.;
 RT "Genome sequence of Shigella flexneri 2a: insights into pathogenicity
 RT through comparison with genomes of Escherichia coli K12 and O157.";
 RL Nucleic Acids Res. 30:4432-4441 (2002).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=2457T;
 RX MEDLINE=22590274; PubMed=12704152;
 RX DOI=10.1128/JAI.71.5.2775-2786.2003;
 RA Wei J., Goldberg M.B., Burland V., Venkatesan M.M., Deng W.,
 RA Fournier G., Mayhew G.F., Plunkett G. III, Rose D.J., Darling A.,
 RA Mau B., Perna N.T., Payne S.M., Runyen-Janecky L.J., Zhou S.,
 RA Schwartz D.C., Blattner F.R.;
 RT "Complete genome sequence and comparative genomics of Shigella
 RT flexneri serotype 2a strain 2457T.";
 RL Infect. Immun. 71:2775-2786 (2003).
 RN [3]
 DR EMBL; AE015261; AAN43962.1; -.
 DR EMBL; AE016986; AAP1773.1; -.
 DR GO; GO:000524; F:ATP binding; IEA.
 DR GO; GO:0004340; F:Glucokinase activity; IEA.
 DR GO; GO:0016301; F:kinase activity; IEA.
 DR GO; GO:0006096; P:Glycolysis; IEA.
 DR InterPro; IPR003836; Glucokinase.
 DR Pfam; PF02685; Glucokinase; 1.
 DR TIGRfams; TIGR00749; glk; 1.
 KW Kinase; Complete proteome.
 SQ SEQUENCE 321 AA; 34772 MW; 2D6CC1E1341A3823 CRC64;
 Query Match 87.5%; Score 35; DB 2; Length 321;
 Best Local Similarity 85.7%; Pred. No. 55;
 Matches 6; Conservative 0; Mismatches 0; Gaps 0;
 Indels 1; Indels 0; Gaps 0;
 QY 1 YVHADPV 7

DB 290 YVHADPV 296
 RESULT 9
 Q6JPG0 PRELIMINARY; PRT; 260 AA.
 ID Q6JPG0
 AC Q6JPG0;
 DT 05-JUL-2004 (TrEMBLrel. 27, Created)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
 DE Inhibitor of apoptosis protein.
 OS Neodiprion lecontei nucleopolyhedrovirus.
 OC Viruses; dsDNA viruses, no RNA stage; Baculoviridae.
 OX NCBI_TaxID=249151;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX PubMed=15194779; DOI=10.1128/JVI.78.13.7023-7035.2004;
 RA Lauzon H.A.M., Lucarotti C.J., Krell P.J., Feng Q., Retnakaran A.,
 RA Arif B.M.;
 RT "Sequence and Organization of the Neodiprion lecontei
 RT Nucleopolyhedrovirus Genome";
 RL J. Virol. 78:7023-7035 (2004).
 DR EMBL; AY349019; AAQ99055.1; -.
 DR GO; GO:0005622; C:intracellular; IEA.
 DR GO; GO:0006916; P:anti-apoptosis; IEA.
 DR InterPro; IPR001370; Prot_inh_I32_IAP.
 DR Pfam; PF00653; BIR; 2.
 DR SMART; SM00238; BIR; 2.
 DR PROSITE; PS01282; BIR_REPEAT_1; 1.
 DR PROSITE; PS0143; BIR_REPEAT_2; 2.
 SQ SEQUENCE 260 AA; 30841 MW; A9C5EC3DA06E4CB3 CRC64;
 Query Match 85.0%; Score 34; DB 2; Length 260;
 Best Local Similarity 57.1%; Pred. No. 72;
 Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 1 YVHADPV 7
 DB 207 YVHADPV 213
 RESULT 10
 Q75ET3 PRELIMINARY; PRT; 303 AA.
 ID Q75ET3
 AC Q75ET3;
 DT 05-JUL-2004 (TrEMBLrel. 27, Created)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
 DE AAL009Cp.
 GN ORFNames=AAL009C;
 OS Ashbya gossypii (Yeast) (Eremothecium gossypii).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
 OC Saccharomycetales; Saccharomycetaceae; Eremothecium.
 OX NCBI_TaxID=33169;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ATCC 10895;
 RA Dietrich F.S., Voegel S.E., Brachat S., Lerch A., Gaffney T.,
 RA Philippsen P.;
 RL Submitted (SEP-2004) to the EMBL/GenBank/DBJ databases.
 CC -1- SIMILARITY: Contains 7 WD repeats.
 DR EMBL; AE016814; AAS50357.1; -.
 DR AGD; AAL009C; -.
 DR InterPro; IPR001680; WD40.
 DR Pfam; PF00400; WD40; 7.
 DR PRINTS; PR00320; GPROTEINREP.
 DR ProDom; PD000018; WD40; 2.
 DR SMART; SM00320; WD40; 6.
 DR PROSITE; PS00678; WD_REPEATS_1; UNKNOWN_4.
 DR PROSITE; PS00682; WD_REPEATS_2; 5.
 DR PROSITE; PS0294; WD_REPEATS_REGION; 1.
 KW Repeat; WD repeat.

```
SQ SEQUENCE 303 AA; 33932 MW; 62C5D3FB19BE3B77 CRC64;
Query Match 85.0%; Score 34; DB 2; Length 303;
Best Local Similarity 85.7%; Pred. No. 84;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 113 YKHDAVP 119

RESULT 11
Q7MCL7 PRELIMINARY; PRT; 358 AA.
AC Q7MCL7;
DT 01-MAR-2004 (TrEMBLrel. 26, Created)
DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Hypothetical protein VWA1369.
GN OrderedLocNames=VWA1369; YJ016).
OS Vibrio vulnificus (strain YJ016).
OC Bacteria; Proteobacteria; Gammaproteobacteria; Vibrionales;
OC Vibrionaceae; Vibrio.
OX NCBI_TaxID=196600;
RN [1]
RP SEQUENCE FROM N.A.
RX PubMed=14656965; DOI=10.1101/gr.1295503;
RA Chen C.-Y., Wu K.-M., Chang Y.-C., Chang C.-H., Tsai H.-C.,
RA Liao T.-L., Liu Y.-M., Chen H.-J., Shen A.B.-T., Li J.-C., Su T.-L.,
RA Shao C.-P., Lee C.-T., Hor L.-I., Tsai S.-P.;
RT "Comparative genome analysis of Vibrio vulnificus, a marine
RT pathogen.";
RL Genome Res. 13:2577-2587(2003).
RW EMBL; AP005350; BAC97395.1; -.
KW Complete proteome; Hypothetical protein.
SQ SEQUENCE 358 AA; 39747 MW; 2F126CB19B169BE0 CRC64;

Query Match 85.0%; Score 34; DB 2; Length 358;
Best Local Similarity 71.4%; Pred. No. 1e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAVP 7
| | | | |
Db 69 WHDAVP 75

RESULT 12
Q62N47 PRELIMINARY; PRT; 206 AA.
AC Q62N47;
DT 25-OCT-2004 (TrEMBLrel. 28, Created)
DT 25-OCT-2004 (TrEMBLrel. 28, Last sequence update)
DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
DE Hypothetical protein.
GN ORFNames=BMA0009;
OS Burkholderia mallei ATCC 23344.
OC Bacteria; Proteobacteria; Betaproteobacteria; Burkholderiales;
OC Burkholderiaceae; Burkholderia.
OX NCBI_TaxID=243160;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 23344;
RA Nierman W.C., DeShazer D., Kim H.S., Tettelin H., Nelson K.E.,
RA Feldblyum T., Ulrich R.L., Ronning C.M., Brinkac L.M., Daugherty S.C.,
RA Davidson T.D., Deboy R.T., Dimitrov G., Dodson R.J., Durkin A.S.,
RA Gwinn M.L., Haft D.H., Khouri H., Kolonay J.F., Madupu R.,
RA Mohammad Y., Nelson W.C., Radune D., Romero C.M., Sarrisa S.,
RA Selengut J., Shamblin C., Sullivan S.A., White O., Yu Y., Zafar N.,
RA Zhou L., Fraser C.M.;
RT "Structural flexibility in the Burkholderia mallei genome.";
RL Proc. Natl. Acad. Sci. U.S.A. 101:14247-14251(2004).
RW EMBL; CP000010; AAU50074.1; -.
KW Hypothetical protein.

SQ SEQUENCE 206 AA; 21107 MW; 062B7476FD93CCFB CRC64;
Query Match 82.5%; Score 33; DB 2; Length 206;
Best Local Similarity 100.0%; Pred. No. 91;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
| | | | |
Db 59 VHDAPV 64

RESULT 13
IL1B MACFA STANDARD; PRT; 268 AA.
ID IL1B MACFA
AC P79182;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Interleukin-1 beta precursor (IL-1 beta).
GN Name=IL1B;
OS Macaca fascicularis (Crab eating macaque) (Cynomolgus monkey).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopithecinae; Macaca.
OX NCBI_TaxID=9541;
RN [1]
RP SEQUENCE FROM N.A.
RT TISSUE=Thymus;
RA Totoku K., Takakura H., Hashimoto O., Tatsumi M.;
RL Submitted (JUL-1995) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: Produced by activated macrophages, IL-1 stimulates
CC thymocyte proliferation by inducing IL-2 release, B-cell
CC maturation and proliferation, and fibroblast growth factor
CC activity. IL-1 proteins are involved in the inflammatory response,
CC being identified as endogenous pyrogens, and are reported to
CC stimulate the release of prostaglandin and collagenase from
CC synovial cells (By similarity).
CC -!- SUBUNIT: Monomer (By similarity).
CC -!- SEGMENT IN THE precursor sequence suggests that IL-1 is released
CC by damaged cells or is secreted by a mechanism differing from that
CC used for other secretory proteins.
CC -!- DOMAIN: The similarity among the IL-1 precursors suggests that the
CC amino ends of these proteins serve some as yet undefined function.
CC -!- SIMILARITY: Belongs to the IL-1 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; D63353; BAA09677.1; -.
DR HSSP; P01584; IL2H
DR InterPro; IPR008996; Cytok IL1_like.
DR InterPro; IPR002348; IL1_HBGF.
DR InterPro; IPR003502; IL1_propep.
DR InterPro; IPR000975; Interleukin_1.
DR Pfam; PF00340; IL1; 1.
DR Pfam; PF02394; IL1_propep; 1.
DR PRINTS; PR00262; IL1HBGF.
DR PRINTS; PR00264; INTERLEUKIN1.
DR ProDom; PD002536; Interleukin_1; 1.
DR SMART; SM00125; IL1; 1.
DR PROSITE; PS00253; INTERLEUKIN_1; 1.
KW Cytokine; Inflammatory response; Macrophage; Mitogen; Pyrogen.
FT PROPEP 1 116 By similarity.
FT CHAIN 117 268 Interleukin-1 beta.
SQ SEQUENCE 268 AA; 30425 MW; CFB7266E3E2C05B4 CRC64;

Query Match 82.5%; Score 33; DB 1; Length 268;
```

Best Local Similarity 100.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
| | | | |
Db 114 VHDAPV 119

RESULT 14

IL1B_CERTO STANDARD; PRT; 269 AA.
AC P46638;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Interleukin-1 beta precursor (IL-1 beta).
GN Name=IL1B;
OS Cercopithecus torquatus atys (Red-crowned mangabey) (Sooty mangabey).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Cercopithecidae;
OC NCBI_TaxID=9531;
OX [1]
RN SEQUENCE FROM N.A.
RP TISSUE=Blood;
RC MEDLINE=96003435; PubMed=7561102;
RX Villinger F.J., Brar S.S., Mayne A.E., Chikkala N., Ansari A.A.;
RA "Comparative sequence analysis of cytokine genes from human and
RT nonhuman primates.";
RL J. Immunol. 155:3946-3954(1995).
CC -!- FUNCTION: Produced by activated macrophages, IL-1 stimulates
CC thymocyte proliferation by inducing IL-2 release, B-cell
CC maturation and proliferation, and fibroblast growth factor
CC activity. IL-1 proteins are involved in the inflammatory response,
CC being identified as endogenous pyrogens, and are reported to
CC stimulate the release of prostaglandin and collagenase from
CC synovial cells.
CC -!- SUBUNIT: Monomer.
CC -!- SUBCELLULAR LOCATION: Secreted. The lack of a specific hydrophobic
CC segment in the precursor sequence suggests that IL-1 is released
CC by damaged cells or is secreted by a mechanism differing from that
CC used for other secretory proteins.
CC -!- DOMAIN: The similarity among the IL-1 precursors suggests that the
CC amino ends of these proteins serve some as yet undefined function.
CC -!- SIMILARITY: Belongs to the IL-1 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U19837; AAA86704.1; -;
CC HSSP; P01584; IL2H.
CC InterPro; IPR008996; Cytok IL1 like.
CC InterPro; IPR002348; IL1_HBGF.
CC InterPro; IPR003502; IL1_propep.
CC InterPro; IPR000975; Interleukin_1.
CC Pfam; PF00340; IL1; 1.
CC Pfam; PF02394; IL1_propep; 1.
CC PRINTS; PR00262; IL1HBGF.
CC PRINTS; PR00264; INTERLEUKIN1.
CC ProDom; PD002536; Interleukin_1; 1.
CC SMART; SM00125; IL1; 1.
CC PROSITE; PS00253; INTERLEUKIN_1; 1.
CC KW Cytokine; Inflammatory response; Macrophage; Mitogen; Pyrogen.
FT PROPEP 116 By similarity.
FT CHAIN 117 269 Interleukin-1 beta.
SQ SEQUENCE 269 AA; 30445 MW; 750AD658D63E83CD CRC64;

Query Match 82.5%; Score 33; DB 1; Length 269;

Best Local Similarity 100.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
| | | | |
Db 114 VHDAPV 119

RESULT 15

IL1B_MACMU STANDARD; PRT; 269 AA.
AC P48030;
DT 01-FEB-1996 (Rel. 33, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Interleukin-1 beta precursor (IL-1 beta).
GN Name=IL1B;
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Cercopithecidae;
OC NCBI_TaxID=9544;
OX [1]
RN SEQUENCE FROM N.A.
RP TISSUE=Blood;
RC MEDLINE=96003435; PubMed=7561102;
RX Villinger F.J., Brar S.S., Mayne A.E., Chikkala N., Ansari A.A.;
RA "Comparative sequence analysis of cytokine genes from human and
RT nonhuman primates.";
RL J. Immunol. 155:3946-3954(1995).
CC -!- FUNCTION: Produced by activated macrophages, IL-1 stimulates
CC thymocyte proliferation by inducing IL-2 release, B-cell
CC maturation and proliferation, and fibroblast growth factor
CC activity. IL-1 proteins are involved in the inflammatory response,
CC being identified as endogenous pyrogens, and are reported to
CC stimulate the release of prostaglandin and collagenase from
CC synovial cells.
CC -!- SUBUNIT: Monomer.
CC -!- SUBCELLULAR LOCATION: Secreted. The lack of a specific hydrophobic
CC segment in the precursor sequence suggests that IL-1 is released
CC by damaged cells or is secreted by a mechanism differing from that
CC used for other secretory proteins.
CC -!- DOMAIN: The similarity among the IL-1 precursors suggests that the
CC amino ends of these proteins serve some as yet undefined function.
CC -!- SIMILARITY: Belongs to the IL-1 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U19845; AAA86709.1; -;
CC HSSP; P01584; IL2H.
CC InterPro; IPR008996; Cytok IL1 like.
CC InterPro; IPR002348; IL1_HBGF.
CC InterPro; IPR003502; IL1_propep.
CC InterPro; IPR000975; Interleukin_1.
CC Pfam; PF00340; IL1; 1.
CC Pfam; PF02394; IL1_propep; 1.
CC PRINTS; PR00262; IL1HBGF.
CC PRINTS; PR00264; INTERLEUKIN1.
CC ProDom; PD002536; Interleukin_1; 1.
CC SMART; SM00125; IL1; 1.
CC PROSITE; PS00253; INTERLEUKIN_1; 1.
CC KW Cytokine; Inflammatory response; Macrophage; Mitogen; Pyrogen.
FT PROPEP 116 By similarity.
FT CHAIN 117 269 Interleukin-1 beta.
SQ SEQUENCE 269 AA; 30481 MW; A7CD59EBAC120BEC7 CRC64;

Query Match 82.5%; Score 33; DB 1; Length 269;

Best Local Similarity 100.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|||||
Db 114 VHDAPV 119

RESULT 16
IL1B_MACNE STANDARD; PRT; 269 AA.
AC P51453;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Interleukin-1 beta precursor (IL-1 beta).
GN Names=IL1B;
OS Macaca nemestrina (Pig-tailed macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecoidea; Macaca.
OX NCBI_TaxID=9545;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Blood;
RX MEDLINE=96003435; PubMed=7561102;
RA Villinger F.J., Brar S.S., Wayne A.E., Chikkala N., Ansari A.A.;
RT "Comparative sequence analysis of cytokine genes from human and nonhuman primates.";
RL J. Immunol. 155:3946-3954(1995).
CC -1- FUNCTION: Produced by activated macrophages, IL-1 stimulates thymocyte proliferation by inducing IL-2 release, B-cell maturation and proliferation, and fibroblast growth factor activity. IL-1 proteins are involved in the inflammatory response, being identified as endogenous pyrogens, and are reported to stimulate the release of prostaglandin and collagenase from synovial cells.
CC -1- SUBUNIT: Monomer.
CC -1- SUBCELLULAR LOCATION: Secreted. The lack of a specific hydrophobic segment in the precursor sequence suggests that IL-1 is released by damaged cells or is secreted by a mechanism differing from that used for other secretory proteins.
CC -1- DOMAIN: The similarity among the IL-1 precursors suggests that the amino ends of these proteins serve some as yet undefined function.
CC -1- SIMILARITY: Belongs to the IL-1 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
CC
CC EMBL; U19853; AAA86715.1; -;
CC HSP; P01584; IL2H.
CC InterPro; IPR008996; Cytok IL1-like.
CC InterPro; IPR002348; IL1_HBGF.
CC InterPro; IPR003502; IL1_propep.
CC InterPro; IPR000975; Interleukin_1.
CC Pfam; PF00340; IL1; 1.
CC Pfam; PF02394; IL1_propep; 1.
CC PRINTS; PR00262; IL1HBGF.
CC PRINTS; PR00264; INTERLEUKIN1.
CC ProDom; PD002536; Interleukin_1; 1.
CC SMART; SM00125; IL1; 1.
CC PROSITE; PS00253; INTERLEUKIN 1; 1.
KW Cytokine; Inflammatory response; Macrophage; Mitogen; Pyrogen.
FT PROPEP 1 116 By similarity.
FT CHAIN 117 269 Interleukin-1 beta.
SQ SEQUENCE 269 AA; 30612 MW; 4E7E9E223EAD3B61 CRC64;
Query Match 82.5%; Score 33; DB 1; Length 269;

Best Local Similarity 100.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|||||
Db 114 VHDAPV 119

RESULT 17
YHFS_ECOLI STANDARD; PRT; 361 AA.
ID YHFS_ECOLI
AC P45545;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 25-JAN-2005 (Rel. 46, Last annotation update)
DE Hypothetical protein Yhfs.
DE Name=yhfs; OrderedLocNames=b3376;
OS Escherichia coli.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=562;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K12 / MG1655;
RX MEDLINE=97426617; PubMed=9278503; DOI=10.1126/science.277.5331.1453;
RA Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V., Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F., Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J., Mau B., Shao Y.;
RT "The complete genome sequence of Escherichia coli K-12.";
RL Science 277:1453-1474(1997).
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
CC
CC EMBL; U18997; AAA58173.1; -;
CC EMBL; U00096; AAC76401.1; -;
CC PIR; C65132; C65132.
CC EchoBASE; EB2750; -;
CC EcoGene; EG12914; yhfs.
CC Complete proteome; Hypothetical protein.
SQ SEQUENCE 361 AA; 38599 MW; 53E152242AD1D95E CRC64;
Query Match 82.5%; Score 33; DB 1; Length 361;
Best Local Similarity 100.0%; Pred. No. 1.7e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
|||||
Db 95 VHDAPV 100

RESULT 18
Q7UASO PRELIMINARY; PRT; 361 AA.
ID Q7UASO
AC Q7UASO;
DT 01-OCT-2003 (TrEMBLrel. 25, Created)
DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Hypothetical protein Yhfs.
DE Name=yhfs; OrderedLocNames=S4368;
OS Shigella flexneri.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Shigella.
OX NCBI_TaxID=623;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=2457T;


```
RX MEDLINE=22590274; PubMed=12704152;
RA Wei J., Goldberg M.B., Burland V., Venkatesan M.M., Deng W.,
RA Fournier G., Mayhew G.F., Plunkett G. III, Rose D.J., Darling A.,
RA Mau B., Perna N.T., Payne S.M., Runyen-Janecky L.J., Zhou S.,
RA Schwartz D.C., Blattner F.R.;
RT "Complete genome sequence and comparative genomics of Shigella
RT flexneri serotype 2a strain 2457T."
RL Infect. Immun. 71:2775-2786 (2003).
DR EMBL; AB016992; AAP19322.1; -.
KW Hypothetical protein.
SQ SEQUENCE 361 AA; 226ACD4683B994A9 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 361;
Best Local Similarity 100.0%; Pred. No. 1.7e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
Db 95 VHDAPV 100

RESULT 19
Q83JB0 PRELIMINARY; PRT; 361 AA.
ID Q83JB0
AC Q83JB0;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Hypothetical protein yhfS.
GN Name=yhfS; OrderedLocusNames=SF3394;
OS Shigella flexneri.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Shigella.
OX NCBI_TaxID=623;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=301 / Serotype 2a;
RX MEDLINE=22272406; PubMed=12384590; DOI=10.1093/nar/gkf566;
RA Jin Q., Yuan Z., Xu J., Wang Y., Shen Y., Lu W., Wang J., Liu H.,
RA Yang J., Yang F., Zhang X., Zhang J., Yang G., Wu H., Qu D., Dong J.,
RA Sun L., Xue Y., Zhao A., Gao Y., Zhu J., Kan B., Ding K., Chen S.,
RA Cheng H., Yao Z., He B., Chen R., Ma D., Qiang B., Wen Y., Hou Y.,
RA Yu J.;
RT "Genome sequence of Shigella flexneri 2a: insights into pathogenicity
RT through comparison with genomes of Escherichia coli K12 and O157."
RL Nucleic Acids Res. 30:4432-4441 (2002).
DR EMBL; AE015347; AAN4856.1; -.
KW Complete proteome; Hypothetical protein.
SQ SEQUENCE 361 AA; 38562 MW; C9ADC4EA5BC38263 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 361;
Best Local Similarity 100.0%; Pred. No. 1.7e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
Db 95 VHDAPV 100

RESULT 20
Q8FCW7 PRELIMINARY; PRT; 361 AA.
ID Q8FCW7
AC Q8FCW7;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DE Hypothetical protein yhfS.
GN Name=yhfS; OrderedLocusNames=c4146;
OS Escherichia coli O6.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=217992;

[1]
RN SEQUENCE FROM N.A.
RP STRAIN=O6:HI / CFT073 / ATCC 700928 / UPEC;
RX MEDLINE=22388234; PubMed=12471157; DOI=10.1073/pnas.252529799;
RA Welch R.A., Burland V., Plunkett G. III, Redford P., Roesech P.,
RA Raeko D., Buckles E.J., Liou S.-R., Boutin A., Hackett J., Stroud D.,
RA Mayhew G.F., Rose D.J., Zhou S., Schwartz D.C., Perna N.T.,
RA Mobley H.L.T., Donnenberg M.S., Blattner F.R.;
RT "Extensive mosaic structure revealed by the complete genome sequence
RT of uropathogenic Escherichia coli."
RL Proc. Natl. Acad. Sci. U.S.A. 99:17020-17024 (2002).
DR EMBL; AE016768; AAN82584.1; -.
KW Complete proteome.
SQ SEQUENCE 361 AA; 38644 MW; 07E042FBF192842E CRC64;

Query Match 82.5%; Score 33; DB 2; Length 361;
Best Local Similarity 100.0%; Pred. No. 1.7e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
Db 95 VHDAPV 100

RESULT 21
Q68CH2 PRELIMINARY; PRT; 385 AA.
ID Q68CH2
AC Q68CH2;
DT 25-OCT-2004 (TrEMBLrel. 28, Created)
DT 25-OCT-2004 (TrEMBLrel. 28, Last sequence update)
DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
DE Putative dehydrogenase alpha subunit.
OS Streptomyces carzinostaticus.
OC Bacteria; Actinobacteria; Actinobacteridae; Actinomycetales;
OC Streptomycineae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=1897;
RN [1]
RP SEQUENCE FROM N.A.
RC PubMed=15328113;
RX Otsuka M., Ichinose K., Fujii I., Ebizuka Y.;
RT "Cloning, Sequencing, and Functional Analysis of an Iterative Type I
RT Polyketide Synthase Gene Cluster for Biosynthesis of the Antitumor
RT Chlorinated Polyene Neocarzinil in Streptomyces carzinostaticus."
RL Antimicrob. Agents Chemother. 48:3468-3476 (2004).
DR EMBL; AB097904; BAD38879.1; -.
DR InterPro; IPR001017; Dehydrogenase_E1.
DR InterPro; IPR002016; Peroxidase.
DR Pfam; PF00676; E1_dh; 1.
DR PROSITE; PS00435; PEROXIDASE_1; UNKNOWN 1.
SQ SEQUENCE 385 AA; 42687 MW; 581141A647782BB8 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 385;
Best Local Similarity 100.0%; Pred. No. 1.8e+02;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
Db 202 VHDAPV 207

RESULT 22
Q714U5 PRELIMINARY; PRT; 406 AA.
ID Q714U5
AC Q714U5;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE HcSB.
GN Name=hcsB;
OS Haemophilus influenzae.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
OC Pasteurellaceae; Haemophilus.
OX NCBI_TaxID=727;
```

```

RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=700222;
RX  MEDLINE=22999298; PubMed=14638817;
RX  DOI=10.1128/IAI.71.12.7202-7207.2003;
RA  Satola S.W., Schirmer P.L., Farley M.M.;
RT  "Genetic analysis of the capsule locus of Haemophilus influenzae
RL  serotype f.";
RL  Infect. Immun. 71:7202-7207(2003).
DR  EMBL; AF549211; AAQ12663.1; -
DR  GO; GO:000271; P:polysaccharide biosynthesis; IEA.
DR  GO; GO:0015774; P:polysaccharide transport; IEA.
DR  InterPro; IPR007833; Capsule_synth.
DR  Pfam; PF05159; Capsule_synth; 1.
SQ  SEQUENCE 406 AA; 47119 MW; 68EDE9198BED5574 CRC64;

Query Match      82.5%; Score 33; DB 2; Length 406;
Best Local Similarity 71.4%; Pred. No. 1.9e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY  1 YVHDAVP 7
DB  308 YVHVDVPL 314

RESULT 23
Q7WRG5 PRELIMINARY; PRT; 414 AA.
AC  Q7WRG5;
DT  01-OCT-2003 (TrEMBLrel. 25, Created)
DT  01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
DT  05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE  HcsB' (HcsB).
GN  Name=hcsB'; Synonyms=hcsB;
OS  Haemophilus influenzae;
OC  Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
OC  Pasteurellaceae; Haemophilus.
OX  NCBI_TaxID=727;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=1007;
RX  MEDLINE=22646111; PubMed=12761153;
RX  DOI=10.1128/IAI.71.6.3639-3644.2003;
RA  Satola S.W., Schirmer P.L., Farley M.M.;
RT  b and nonencapsulated b capsule-negative variants.";
RL  Infect. Immun. 71:3639-3644(2003).
DR  EMBL; AF549213; AAP42186.1; -
DR  EMBL; AF549213; AAP42197.1; -
DR  GO; GO:000271; P:polysaccharide biosynthesis; IEA.
DR  GO; GO:0015774; P:polysaccharide transport; IEA.
DR  InterPro; IPR007833; Capsule_synth.
DR  Pfam; PF05159; Capsule_synth; 1.
SQ  SEQUENCE 414 AA; 48068 MW; F84CC99D5607D927 CRC64;

Query Match      82.5%; Score 33; DB 2; Length 414;
Best Local Similarity 71.4%; Pred. No. 1.9e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY  1 YVHDAVP 7
DB  314 YVHVDVPL 320

RESULT 24
Q7WTN2 PRELIMINARY; PRT; 414 AA.
AC  Q7WTN2;
DT  01-OCT-2003 (TrEMBLrel. 25, Created)
DT  01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
DT  01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE  HcsB.
GN  Name=hcsB;
OS  Haemophilus influenzae;
OC  Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
OC  Pasteurellaceae; Haemophilus.
OX  NCBI_TaxID=727;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=22491 / Serogroup A / Serotype 4A;
RX  MEDLINE=20222556; PubMed=10761919; DOI=10.1038/35006655;
RX  Parthill J., Achtman M., James K.D., Bentley S.D., Churcher C.M.,
RA  Klee S.R., Morelli G., Basham D., Brown D., Chillingworth T.,
RA  Davies R.M., Davis P., Devlin K., Feltwell T., Hamlin N., Holroyd S.,
RA  Jagels K., Leather S., Moule S., Mungall K.L., Quail M.A.,
RA  Rajandream M.A., Rutherford K.M., Simmonds M., Skelton J.,
RA  Whitehead S., Spratt B.G., Barrell B.G.;
RT  "Complete DNA sequence of a serogroup A strain of Neisseria
RT  meningitidis 22491.";
RL  Nature 404:502-506(2000).
CC  -!- FUNCTION: Involved in the phospholipid modification of the
CC  capsular polysaccharide, a strong requirement for its
CC  translocation to the cell surface.
CC  -!- SUBCELLULAR LOCATION: Inner membrane-associated (cytoplasmic side)
CC  (Probable).
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
CC  EMBL; AL162752; CAB83500.1; -.
DR  PIR; G82012; G82012.
DR  InterPro; IPR007833; Capsule_synth.
DR  Pfam; PF05159; Capsule_synth; 1.

```

KW Complete proteome; Inner membrane; Polysaccharide transport;
 KW Transport.
 SQ SEQUENCE 419 AA; 48694 MW; 993175CBF3BB025F CRC64;

Query Match 82.5%; Score 33; DB 1; Length 419;
 Best Local Similarity 71.4%; Pred. No. 1.9e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
 Db 315 YVHDVPL 321

RESULT 26

LPB1_NEIMB STANDARD; PRT; 419 AA;
 AC Q05014;
 DT 01-OCT-1994 (Rel. 30, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 25-OCT-2004 (Rel. 45, Last annotation update)
 DE Capsule polysaccharide modification protein lipB.
 GN Name=lipB; OrderedLocNames=NMB0083;
 OS Neisseria meningitidis (serogroup B).
 OC Bacteria; Proteobacteria; Betaproteobacteria; Neisseriales;
 OC Neisseriaceae; Neisseria.
 OX NCBI_TaxID=491;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=B1940 / Serogroup B;
 RX MEDLINE=93316845; PubMed=8326861;
 RA Frosch M., Mueller A.;
 RT "Phospholipid substitution of capsular polysaccharides and mechanisms
 of capsule formation in *Neisseria meningitidis*.";
 RL Mol. Microbiol. 8:483-493(1993).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=MC58 / Serogroup B;
 RX MEDLINE=20175755; PubMed=10710307; DOI=10.1126/science.287.5459.1809;
 RA Tettelin H., Saunders N.J., Heidelberg J.F., Jeffries A.C.,
 RA Nelson K.E., Eisen J.A., Ketchum K.A., Hood D.W., Peden J.F.,
 RA Dodson R.J., Nelson W.C., Gwinn M.L., DeBoy R.T., Peterson J.D.,
 RA Hickey E.K., Haft D.H., Salzberg S.L., White O., Fleischmann R.D.,
 RA Dougherty B.A., Mason T.B., Ciecko A., Parksey D.S., Blair E.,
 RA Clifton H., Clark E.B., Cotton M.D., Utterback T.R., Khouri H.M.,
 RA Qin H., Vamathevan J.J., Gill J., Scarlato V., Maignani V., Pizza M.,
 RA Grandi G., Sun L., Smith H.O., Fraser C.M., Moxon E.R., Rappuoli R.,
 RA Venter J.C.;
 RT "Complete genome sequence of *Neisseria meningitidis* serogroup B strain
 MC58.";
 RL Science 287:1809-1815(2000).
 CC -I- FUNCTION: Involved in the phospholipid modification of the
 capsular polysaccharide, a strong requirement for its
 translocation to the cell surface.
 CC -I- SUBCELLULAR LOCATION: Inner membrane-associated (cytoplasmic side)
 (probable).
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC
 CC EMBL; Z13995; -; NOT ANNOTATED_CDS.
 DR EMBL; AE002367; AAF40547.1; -;
 DR PIR; E81240; E81240.
 DR TIGR; NMB0083; -;
 DR InterPro; IPR007833; Capsule synth.
 DR Pfam; PF05159; Capsule synth; 1.
 KW Complete proteome; Inner membrane; Polysaccharide transport;
 KW Transport.
 FT CONFLICT 410 410 K -> N (in Ref. 1).

FT CONFLICT 413 413 N -> D (in Ref. 1).
 FT CONFLICT 418 419 VI -> TT (in Ref. 1).
 SQ SEQUENCE 419 AA; 48701 MW; 096A5E05CB5D8283 CRC64;

Query Match 82.5%; Score 33; DB 1; Length 419;
 Best Local Similarity 71.4%; Pred. No. 1.9e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
 Db 315 YVHDVPL 321

RESULT 27

Q93JTO PRELIMINARY; PRT; 419 AA.
 AC Q93JTO;
 DT 01-DEC-2001 (TrEMBLrel. 19, Created)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE LipB.
 GN Name=lipB;
 OS Neisseria meningitidis.
 OC Bacteria; Proteobacteria; Betaproteobacteria; Neisseriales;
 OC Neisseriaceae; Neisseria.
 OX NCBI_TaxID=487;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC MEDLINE=93316845; PubMed=8326861;
 RA Frosch M., Mueller A.;
 RT "Phospholipid substitution of capsular polysaccharides and mechanisms
 of capsule formation in *Neisseria meningitidis*.";
 RL Mol. Microbiol. 8:483-493(1993).
 DR EMBL; Z13995; CAC59699.1; -;
 DR PIR; S32880; S32880.
 DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
 DR GO; GO:0015774; P:polysaccharide transport; IEA.
 DR InterPro; IPR007833; Capsule synth.
 DR Pfam; PF05159; Capsule synth; 1.
 SQ SEQUENCE 419 AA; 48678 MW; 189D6F05CB5D8C63 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 419;
 Best Local Similarity 71.4%; Pred. No. 1.9e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
 |||||
 Db 315 YVHDVPL 321

RESULT 28

Q7WTM8 PRELIMINARY; PRT; 422 AA.
 AC Q7WTM8;
 DT 01-OCT-2003 (TrEMBLrel. 25, Created)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE HcsB.
 GN Name=hcsB;
 OS Haemophilus influenzae.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
 OC Pasteurellaceae; Haemophilus.
 OX NCBI_TaxID=727;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=373;
 RX MEDLINE=22646111; PubMed=12761153;
 RX DOI=10.1128/JAI.71.6.3639-3644.2003;
 RA Satola S.W., Schirmer P.L., Farley M.M.;
 RT "Complete sequence of the cap locus of *Haemophilus influenzae* serotype
 b and nonencapsulated b capsule-negative variants.";
 RL Infect. Immun. 71:3639-3644(2003).
 DR EMBL; AF549212; AAP42176.1; -;

```
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule synth.
DR Pfam; PF05159; Capsule synth; 1.
SQ SEQUENCE 422 AA; 49082 MW; FB64621830C008EA CRC64;

Query Match 82.5%; Score 33; DB 2; Length 422;
Best Local Similarity 71.4%; Pred. No. 1.9e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 322 YVHDVPL 328
|||||

RESULT 29
Q732T8 PRELIMINARY; PRT; 424 AA.
AC Q732T8;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE Hypothetical protein.
GN OrderedLocusNames=BCE3822;
OS Bacillus cereus (strain ATCC 10987).
OC Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
OX NCBI_TaxID=22523;
RN [1]
RP SEQUENCE FROM N.A.
RX PubMed=14960714; DOI=10.1093/nar/gkh258;
RA Rasko D.A., Ravel J., Oestad O.A., Helgason E., Cer R.Z., Jiang L.,
RA Shores K.A., Fouts D.E., Tourasse N.J., Angiuoli S.V., Kolonay J.F.,
RA Nelson W.C., Kolstoe A.-B., Fraser C.M., Read T.D.;
RT "The genome sequence of Bacillus cereus ATCC 10987 reveals metabolic
RT adaptations and a large plasmid related to Bacillus anthracis px01.";
RL Nucleic Acids Res. 32:977-988(2004).
DR EMBL; AB017276; AAS42727.1; -.
DR TIGR; BCE3822; -.
DR InterPro; IPR001547; Glyco_hydro_5.
DR InterPro; IPR007863; Peptidase_M16_C.
DR Pfam; PF05193; Peptidase_M16_C; 1.
DR PROSITE; PS00659; GLYCOSYL_HYDROL_F5; UNKNOWN_1.
DR Complete proteome.
KW SEQUENCE 424 AA; 48837 MW; 39C9A9956A39DA5C CRC64;

Query Match 82.5%; Score 33; DB 2; Length 424;
Best Local Similarity 83.3%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
Db 101 YLHDAP 106
|||||

RESULT 30
Q81A08 PRELIMINARY; PRT; 424 AA.
AC Q81A08;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Zinc protease (SC 3.4.99.-).
GN OrderedLocusNames=BC3787;
OS Bacillus cereus (strain ATCC 14579 / DSM 31).
OC Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
OX NCBI_TaxID=22690;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=22608415; PubMed=1271630; DOI=10.1038/nature01582;
RA Ivanova N., Sorokin A., Anderson I., Galleron N., Candelon B.,
RA Kapatral V., Bhattacharya A., Reznik G., Mikhailova N., Lapidus A.,
RA Chu L., Mazur M., Goltman E., Larsen N., D'Souza M., Walunas T.,
RA Grechkin Y., Pusch G., Haselkorn R., Fonstein M., Ehrlich S.D.,
```

```
RA Overbeek R., Kyrpides N.C.;
RT "Genome sequence of Bacillus cereus and comparative analysis with
RT Bacillus anthracis.";
RL Nature 423:87-91(2003).
DR EMBL; AB017010; AAP10711.1; -.
DR GO; GO:0008233; F:peptidase activity; IEA.
DR InterPro; IPR001547; Glyco_hydro_5.
DR InterPro; IPR007863; Peptidase_M16_C.
DR Pfam; PF05193; Peptidase_M16_C; 1.
DR PROSITE; PS00659; GLYCOSYL_HYDROL_F5; UNKNOWN_1.
KW Complete proteome; Hydrolase; Protease.
SQ SEQUENCE 424 AA; 48945 MW; FDDA59A4DB40D308 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 424;
Best Local Similarity 83.3%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
Db 101 YLHDAP 106
|||||

RESULT 31
Q81WP6 PRELIMINARY; PRT; 424 AA.
AC Q81WP6; Q6HUJ9; Q6KP26;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
DE Hypothetical protein.
GN OrderedLocusNames=BA3923, BAS3637, GBAA3923;
OS Bacillus anthracis.
OC Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
OX NCBI_TaxID=1392;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=Ames / isolate Porton;
RX MEDLINE=22608414; PubMed=1271629; DOI=10.1038/nature01586;
RA Read T.D., Peterson S.N., Tourasse N.J., Baillie L.W., Paulsen I.T.,
RA Nelson K.B., Tettelin H., Fouts D.E., Eisen J.A., Gill S.R.,
RA Holtzapple E.K., Okstad O.A., Helgason E., Ristone J., Wu M.,
RA Kolonay J.F., Beanan M.J., Dodson R.J., Brinkac L.M., Gwinn M.L.,
RA DeBoy R.T., Madpu R., Daugherty S.C., Durkin A.S., Haft D.H.,
RA Nelson W.C., Peterson J.D., Pop M., Khouri H.M., Radune D.,
RA Benton J.L., Mahamoud Y., Jiang L., Hance I.R., Weidman J.F.,
RA Berry K.J., Plaut R.D., Wolf A.M., Watkins K.L., Nierman W.C.,
RA Hazen A., Cline R.T., Redmond C., Thwaite J.B., White O.,
RA Salzberg S.L., Thomson B., Friedlander A.M., Koehler T.M.,
RA Hanna P.C., Kolstoe A.-B., Fraser C.M.;
RT "The genome sequence of Bacillus anthracis Ames and comparison to
RT closely related bacteria.";
RL Nature 423:81-86(2003).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=Ames / isolate 0581;
RA Ravel J., Rasko D.A., Shumway M.F., Jiang L., Cer R.Z., Federova N.B.,
RA Wilson M., Stanley S., Decker S., Read T.D., Salzberg S.L.,
RA Fraser C.M.;
RT "Bacillus anthracis comparative genomics.";
RL Submitted (MAY-2004) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RX STRAIN=Sterner;
RA Brettin T.S., Bruce D., Challacombe J.F., Gilna P., Han C., Hill K.,
RA Hitchcock P., Jackson P., Keim P., Longmire J., Lucas S., Okinaka R.,
RA Richardson P., Rubin E., Tice H.;
RL Submitted (JAN-2004) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB017036; AAP27656.1; -.
DR EMBL; AB017334; AAT33039.1; -.
DR EMBL; AB017225; AAT55940.1; -.
DR TIGR; BA3923; -.
DR TIGR; GBAA3923; -.
DR InterPro; IPR001547; Glyco_hydro_5.
```

DR InterPro; IPR007863; Peptidase_M16_C.
DR Pfam; PF05193; Peptidase_M16_C; 1.
DR PROSITE; PS00659; GLYCOSYL_HYDROL_F5; UNKNOWN_1.
KW Complete proteome; Hypothetical protein.
SQ SEQUENCE 424 AA; 48803 MW; 22DB732A8F8198D8 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 424;
Best Local Similarity 83.3%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
|:|||||
Db 101 YLHDAP 106

RESULT 32

Q6HF27 PRELIMINARY; PRT; 424 AA.
ID Q6HF27
AC Q6HF27
DT 05-JUN-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE Insulinase, peptidase family M16 (EC 3.4.-.-).
GN OrderedLocustNames=BT9727.3529;
OS Bacillus thuringiensis (Subsp. konkukian).
OC Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
OX NCBI_TaxID=180856;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=97-27;
RA Brettin T.S., Bruce D., Challacombe J.F., Gilna P., Han C., Hill K.,
RA Hitchcock P., Jackson P., Keim P., Longmire J., Lucas S., Okinaka R.,
RA Richardson P., Rubin E., Tice H.;
RT "Complete genome sequence of Bacillus thuringiensis 97-27."
RL Submitted (JUN-2004) to the EMBL/GenBank/DBJ databases.
RE EMBL; AE017355; AA761128.1;
DR InterPro; IPR001547; Glyco_hydro.5.
DR InterPro; IPR007863; Peptidase_M16_C.
DR Pfam; PF05193; Peptidase_M16_C; 1.
DR PROSITE; PS00659; GLYCOSYL_HYDROL_F5; UNKNOWN_1.
KW Complete proteome.
SQ SEQUENCE 424 AA; 48821 MW; 22DE623E8A908CD8 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 424;
Best Local Similarity 83.3%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
|:|||||
Db 101 YLHDAP 106

RESULT 33

Q7Q079 PRELIMINARY; PRT; 581 AA.
ID Q7Q079
AC Q7Q079
DT 01-MAR-2004 (TrEMBLrel. 26, Created)
DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE GLP_42_17712.19457.
OS Giardia lamblia ATCC 50803.
OC Eukaryota; Diplomonadida; Hexamitidae; Giardia.
OX NCBI_TaxID=184922;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=WB C6;
RA Morrison H.G., McArthur A.G., Adam R.D., Aley S.B., Gillin F.D.,
RA Olsen G.J., Sogin M.L.;
RT "Draft sequence of the Giardia lamblia genome."
RL Submitted (MAR-2003) to the EMBL/GenBank/DBJ databases.
CC -1- CAUTION: The sequence shown here is derived from an
EMBL/GenBank/DBJ whole genome shotgun (WGS) entry which is
preliminary data.

DR EMBL; AACB01000153; EAA37169.1; -.
DR InterPro; IPR001220; Lectin_legh.
DR PROSITE; PS00307; LECTIN_LEGUME_BETA; UNKNOWN_1.
SQ SEQUENCE 581 AA; 65294 MW; F40C1EC668DCDC74 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 581;
Best Local Similarity 83.3%; Pred. No. 2.7e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
|:|||||
Db 434 YVHDSP 439

RESULT 34

Q8A0E2 PRELIMINARY; PRT; 586 AA.
ID Q8A0E2
AC Q8A0E2
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Hypothetical protein.
GN OrderedLocustNames=BT4079;
OS Bacteroides thetaiotaomicron.
OC Bacteria; Bacteroidetes; Bacteroides (class); Bacteroidales;
OC Bacteroidaceae; Bacteroides.
OX NCBI_TaxID=818;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=VPI-5482 / ATCC 29148;
RX MEDLINE=22550838; PubMed=12663928; DOI=10.1136/science.1080029;
RA Xu J., Bjursell M.K., Himrod J., Deng S., Carmichael L.K.,
RA Chiang H.C., Hooper L.V., Gordon J.I.;
RT "A genomic view of the human-Bacteroides thetaiotaomicron symbiosis."
RL Science 299:2074-2076(2003).
RE EMBL; AE016943; AA079184.1; -.
DR Complete proteome.
SQ SEQUENCE 586 AA; 68999 MW; 7B12CDFE2AD82D9A CRC64;

Query Match 82.5%; Score 33; DB 2; Length 586;
Best Local Similarity 83.3%; Pred. No. 2.8e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
|:|||||
Db 177 YLHDAP 182

RESULT 35

Q9D2G7 PRELIMINARY; PRT; 624 AA.
ID Q9D2G7
AC Q9D2G7
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Mus musculus adult male testis cDNA, RIKEN full-length enriched
DE library, clone:4930511N22 product:hypothetical
DE Esterase/lipase/thioesterase family active site containing protein,
DE full insert sequence.
GN Name=Seraci;
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Testis;
RX MEDLINE=99279253; PubMed=10349636; DOI=10.1016/S0076-6879(99)03004-9;
RA Carninci P., Hayashizaki Y.;
RT "High-efficiency full-length cDNA cloning."
RL Meth. Enzymol. 303:19-44(1999).
RN [2]
RP SEQUENCE FROM N.A.

RC STRAIN=C57BL/6J; TISSUE=Testis;
RX MEDLINE=21085660; PubMed=11217851; DOI=10.1038/35055500;
RA RIKEN FANTOM Consortium;
RT "Functional annotation of a full-length mouse cDNA collection.";
RL Nature 409:685-690(2001).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Testis;
RA The FANTOM Consortium,
RT the RIKEN Genome Exploration Research Group Phase I & II Team;
RL "Analysis of the mouse transcriptome based on functional annotation of
60,770 full-length cDNAs";
RN Nature 420:563-573(2002).
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Testis;
RX MEDLINE=20499374; PubMed=11042159; DOI=10.1101/gr.145100;
RA Carninci P., Shibata Y., Hayatsu N., Sugahara Y., Shibata K., Itoh M.,
RA Konno H., Okazaki Y., Muramatsu M., Hayashizaki Y.,
RT "Normalization and subtraction of cap-trapper-selected cDNAs to
prepare full-length cDNA libraries for rapid discovery of new genes";
RN Genome Res. 10:1617-1630(2000).
RN [5]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Testis;
RX MEDLINE=20530913; PubMed=11076861; DOI=10.1101/gr.152600;
RA Shibata K., Itoh M., Aizawa K., Nagaoaka S., Sasaki N., Carninci P.,
RA Konno H., Akiyama J., Nishi K., Kitsuai T., Tashiro H., Itoh M.,
RA Sumi N., Ishii Y., Nakamura S., Hazama M., Nishine T., Harada A.,
RA Yamamoto R., Matsumoto H., Sakaguchi S., Ikegami T., Kashiwagi K.,
RA Fujiwaka S., Inoue K., Togawa Y., Izawa M., Ohara E., Watahiki M.,
RA Yoneda Y., Ishikawa T., Ozawa K., Tanaka T., Matsushima S., Kawai J.,
RA Okazaki Y., Muramatsu M., Inoue Y., Kira A., Hayashizaki Y.;
RT "RIKEN integrated sequence analysis (RISA) system-384-format
sequencing pipeline with 384 multicapillary sequencer";
RN Genome Res. 10:1757-1771(2000).
RN [6]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Testis;
RA Adachi J., Aizawa K., Akahira S., Akimura T., Arai A., Aono H.,
RA Arakawa T., Bono H., Carninci P., Fukuda S., Fukunishi Y., Furuno M.,
RA Hanagaki T., Hara A., Hayatsu N., Hiramoto K., Hiraoka T., Hori F.,
RA Inotani K., Ishii Y., Itoh M., Izawa M., Kasukawa T., Kato H.,
RA Kawai J., Kojima Y., Konno H., Kouda M., Koya S., Kurihara C.,
RA Matsuyama T., Miyazaki A., Nishi K., Nomura K., Numazaki R., Ohno M.,
RA Okazaki Y., Okido T., Owa C., Saito H., Saito R., Sakai C., Sakai K.,
RA Sano H., Sasaki D., Shibata K., Shibata Y., Shinagawa A., Shiraki T.,
RA Sogabe Y., Suzuki H., Tagami M., Tagawa A., Takahashi F., Tanaka T.,
RA Tejima Y., Toya T., Yamamura T., Yasunishi A., Yoshida K., Yoshino M.,
RA Muramatsu M., Hayashizaki Y.;
RL Submitted (AUG-2000) to the EMBL/GenBank/DBJ databases.
RC EMBL; AK019677; BAB31833.1; -;
DR MGD; MGI:2447813; Serac1.
DR GO; GO:0003824; F: catalytic activity; IEA.
DR InterPro; IPR008938; ARM.
DR InterPro; IPR000379; Ser_estr.
KW Hypothetical protein.
SQ SEQUENCE 624 AA; 70677 MW; 6A89D01E57E075E4 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 624;
Best Local Similarity 85.7%; Pred. No. 2.9e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 76 YVHKAPV 82
|||||
|||||

RESULT 36
Q7RUA4 PRELIMINARY; PRT; 730 AA.
AC Q7RUA4;
DT 01-MAR-2004 (TrEMBLrel. 26, Created)

DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Hypothetical protein B24B19.80.
GN Name=NCU03938.1;
OS Neurospora crassa.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Sordariomycetes;
OC Sordariomycetidae; Sordariales; Sordariaceae; Neurospora.
OX NCBI_TaxID=5141;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=OR74A;
RA Galagan J.E., Calvo S.E., Borkovich K.A., Selker E.U., Read N.D.,
RA Jaffe D., FitzHugh W., Ma L.-J., Smirnov S., Purcell S., Rehm B.,
RA Elkins T., Engels R., Wang S., Nielsen C.B., Butler J., Endrizzi M.,
RA Qui D., Iankiev P., Pedersen D., Nelson M., Washburne M.,
RA Seitzemikoff C.P., Kinsey J.A., Braun E.L., Zelter A., Schulte U.,
RA Kotho G.O., Jedd G., Mewes W., Staben C., Marcotte E., Greenberg D.,
RA Roy A., Foley K., Naylor J., Thomann N., Barrett R., Gnerre S.,
RA Kamal M., Kamvysselis M., Mauceli E., Bielke C., Rudd S., Frishman D.,
RA Krystofova S., Rasmussen C., Metzberg R.L., Perkins D.D., Kroken S.,
RA Cogoni C., Macino G., Catcheside D., Li W., Pratt R.J., Osmari S.A.,
RA Desouza C.C., Glass L., Orbach M.J., Berglund J., Voelker R.,
RA Yarden O., Plamann M., Seiler S., Dunlap J., Radford A., Aramayo R.,
RA Natvig D.O., Alex L.A., Manhaupt G., Ebbola D.J., Freitag M.,
RA Paulsen I., Sachs M.S., Lander E.S., Nusbaum C., Birren B.;
RT "The Genome Sequence of the Filamentous Fungus Neurospora crassa";
RL Nature 0:0-0(2003).
CC -!- SUBCELLULAR LOCATION: Nuclear (By similarity).
CC -!- SIMILARITY: Contains 1 Zn(2)-Cys(6) fungal-type binuclear cluster domain.
CC -!- CAUTION: The sequence shown here is derived from an EMBL/GenBank/DBJ whole genome shotgun (WGS) entry which is preliminary data.
CC EMBL; AABX01000719; EAA28341.1; -;
DR GO; GO:0005634; C:nucleus; IEA.
DR GO; GO:0003700; F:transcription factor activity; IEA.
DR GO; GO:0008270; F:zinc ion binding; IEA.
DR GO; GO:0006355; P:regulation of transcription, DNA-dependent; IEA.
DR InterPro; IPR009079; 4_helix_cytokine.
DR InterPro; IPR001138; Fungi_Tfscrp_N.
DR Pfam; PF00172; Zn_clus; 1.
DR PROSITE; PS00048; ZN2_CV6_FUNGAL_2; 1.
DR DNA-binding; Hypothetical protein; Metal-binding; Nuclear protein;
KW Transcription; Transcription regulation; Zinc.
SQ SEQUENCE 730 AA; 78160 MW; 0975281BF403E474 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 730;
Best Local Similarity 83.3%; Pred. No. 3.5e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
DB 113 YLHDAP 118
|||||
|||||

RESULT 37
DNLJ_STRCO STANDARD; PRT; 735 AA.
AC Q92585;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 28-OCT-2004 (Rel. 45, Last annotation update)
DE DNA ligase (EC 6.5.1.2) (Polydeoxyribonucleotide synthase [NAD+]).
GN Name=liga; OrderedLocusNames=SC05494; ORFNames=SC8D9.06;
OS Streptomyces coelicolor.
OC Bacteria; Actinobacteria; Actinobacteridae; Actinomycetales;
OC Streptomycineae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=1902;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=A3(2) / M145;
RX MEDLINE=21996410; PubMed=12000953; DOI=10.1038/417141a;
RA Bentley S.D., Chater K.F., Cerdeno-Tarraga A.-M., Challis G.L.,

Thomson N.R., James K.D., Harris D.E., Quail M.A., Kieser H., Harper D., Bateman A., Brown S., Chandra G., Chen C.W., Collins M., Cronin A., Fraser A., Goble A., Hidalgo J., Hornsby T., Howarth S., Huang C.-H., Kieser T., Larke L., Murphy L.D., Oliver K., O'Neill S., Rabinowitz E., Rajadream M.A., Rutherford K.M., Rutter S., Seeger K., Saunders D., Sharp S., Squares R., Squares S., Taylor K., Warren T., Wietzorrek A., Woodward J.R., Barrell B.G., Parkhill J., Hopwood D.A.;
 "Complete genome sequence of the model actinomycete Streptomyces coelicolor A3(2).";
 Nature 417:141-147(2002).
 CC -!- FUNCTION: This protein catalyzes the formation of phosphodiester linkages between 5'-phosphoryl and 3'-hydroxyl groups in double-stranded DNA using NAD as a coenzyme and as the energy source for the reaction. It is essential for DNA replication and repair of damaged DNA (By similarity).
 CC CATALYTIC ACTIVITY: NAD(+) + {deoxyribonucleotide}(N) + {deoxyribonucleotide}(M) = AMP + nicotinamide nucleotide + {deoxyribonucleotide}(N+M).
 CC -!- SIMILARITY: Belongs to the NAD-dependent DNA ligase family.
 CC -!- SIMILARITY: Contains 1 BRC domain.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AL399123; CAB37570.1; -.
 DR F1R; T35810; T35810.
 DR HSP; O87703; 1B04.
 DR InterPro; IPR001357; BRCT.
 DR InterPro; IPR004150; DNA_ligase_OB.
 DR InterPro; IPR001679; DNALigase.
 DR InterPro; IPR000445; HDH.
 DR InterPro; IPR008994; Nucleic_acid_OB.
 DR InterPro; IPR010994; Ruva_2_like.
 DR InterPro; IPR004149; Znf_DNALigase_C4.
 DR Pfam; PF00533; BRCT; 1.
 DR Pfam; PF01653; DNA_ligase_aden; 1.
 DR Pfam; PF03120; DNA_ligase_OB; 1.
 DR Pfam; PF03119; DNA_ligase_ZBD; 1.
 DR ProDom; PD003944; DNALigase; 1.
 DR SMART; SM00292; BRCT; 1.
 DR SMART; SM00532; LIGANC; 1.
 DR TIGRFAMs; TIGR00575; dnlj; 1.
 DR PROSITE; PS01172; BRCT; 1.
 DR PROSITE; PS01055; DNA_LIGASE_N1; 1.
 DR PROSITE; PS01056; DNA_LIGASE_N2; FALSE NEG.
 DR Complete proteome; DNA repair; DNA replication; Ligase; NAD.
 FT DOMAIN 643 713 BRCT.
 FT BINDING 130 130 AMP (By similarity).
 SQ SEQUENCE 735 AA; 80571 MW; 39C4DE1C7CC55930 CRC64;
 Query Match 82.5%; Score 33; DB 1; Length 735;
 Best Local Similarity 85.7%; Pred. No. 3.5e+02;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 YVNDAPV 7
 Db 39 YVNDAPV 45
 RESULT 38
 ID QGM901 PRELIMINARY; PRT; 740 AA.
 AC QGM901;
 DT 05-JUL-2004 (TrEMBLrel. 27, Created)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
 DE Related to transcriptional regulator RDS2.

Name=G17A.270;
 OS Neurospora crassa.
 OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Sordariomycetes;
 OC Sordariomycetidae; Sordariales; Sordariaceae; Neurospora.
 OX NCBI_TaxID=5141;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Schulte U., Aign V., Hoheisel J., Brandt P., Fartmann B., Holland R., Nvakatura G., Mewes H.W., Mannhaupt G.;
 RL Submitted (JAN-2004) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA German Neurospora genome project;
 RL Submitted (JAN-2004) to the EMBL/GenBank/DBJ databases.
 CC -!- SUBCELLULAR LOCATION: Nuclear (By similarity).
 CC -!- SIMILARITY: Contains 1 Zn(2)-Cys(6) fungal-type binuclear cluster domain.
 CC EMBL; BX908812; CA06162.1; -.
 DR GO; GO:0005634; C:nucleus; IEA.
 DR GO; GO:0003700; F:transcription factor activity; IEA.
 DR GO; GO:0008270; F:zinc ion binding; IEA.
 DR GO; GO:0006355; P:regulation of transcription, DNA-dependent; IEA.
 DR InterPro; IPR009079; 4 helix cytokine.
 DR InterPro; IPR001138; Fungi_Tfscrp_N.
 DR Pfam; PF00172; Zn_c1us; 1.
 DR SMART; SM00066; GAL4; 1.
 DR PROSITE; PS50048; ZN2_CY6_FUNGAL_2; 1.
 KW DNA-binding; Metal-binding; Nuclear protein; Transcription;
 KW Transcription regulation; Zinc.
 SQ SEQUENCE 740 AA; 79511 MW; 17E212530C626A66 CRC64;
 Query Match 82.5%; Score 33; DB 2; Length 740;
 Best Local Similarity 83.3%; Pred. No. 3.5e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 YVNDAP 6
 Db 113 YLHDAP 118
 RESULT 39
 Q7ZT80
 ID Q7ZT80 PRELIMINARY; PRT; 866 AA.
 AC Q7ZT80;
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE Truncated isoform of C5-1.
 GN Names=C5-1;
 OS Cyprinus carpio (Common carp).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Osteichthyes; Cypriniformes;
 OC Cyprinidae; Cyprinus.
 OX NCBI_TaxID=7962;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Hepatopancreas;
 RX MEDLINE=22505477; PubMed=12618914;
 RA Kato Y., Nakao M., Mutsaers J., Zarkadis I.K., Yano T.;
 RT "The complement component C5 of the common carp (Cyprinus carpio): cDNA cloning of two distinct isotypes that differ in a functional site.";
 RT Immunogenetics 54:807-815(2003).
 RL EMBL; AB094587; BAC65468.1; -.
 DR HSP; P01031; IKJS.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0004866; F:endopeptidase inhibitor activity; IEA.
 DR InterPro; IPR002890; A2M_N.
 DR InterPro; IPR000020; Anaphylatoxin.
 DR InterPro; IPR001599; MacrogloblnA2.
 DR Pfam; PF00207; A2M; 1.
 DR Pfam; PF01835; A2M_N; 1.
 DR Pfam; PF01821; ANATO; 1.

DR PROSITE: PS01178; ANAPHYLATOXIN 2; 1.
SQ SEQUENCE 866 AA; 97267 MW; 4EB43F0DASD0CAB8 CRC64;

Query Match 82.5%; - Score 33; DB 2; Length 866;
Best Local Similarity 85.7%; Pred. No. 4.2e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
|||
Db 254 YVHGAPV 260

RESULT 40

Q9VU79 PRELIMINARY; PRT; 1172 AA.

AC Q9VU79;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-MAY-2004 (TrEMBLrel. 26, Last annotation update)
DE CG10738-PA.

GN ORFNames=CG10738;

OS Drosophila melanogaster (fruit fly).

OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;

OC Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;

OC Ephydroidea; Drosophilidae; Drosophila.

OX NCBI_TaxID=7227;

[1]

SEQUENCE FROM N.A.

RP MEDLINE=20196006; PubMed=10731132; DOI=10.1126/science.287.5461.2185;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Ananides P.G., Scher S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA Sutton G.G., Mortman J.R., Richards S., Ashburner M., Henderson S.N.,
RA George R.A., Lewis S.E., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.H., Blazer R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Gabor G.L.,
RA Abiril J.F., Agbayani A., An H.J., Andrews-Pfankoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Borchan M.R., Bouck J., Brokstein P., Brottier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Periera S., Fleischmann W.,
RA Foeller C., Gabriellian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.H., Ibegwan C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarly C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nuskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.Y., Wasserman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodgett, Worley K.C., Wu D., Yang S., Yao Q.A., Ye J.,
RA Yeh R.F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195 (2000).
[2]

SEQUENCE FROM N.A.

RP MEDLINE=22426065; PubMed=12537568;

RA Celniker S.E., Wheeler D.A., Kronmiller B., Carlson J.W., Halpern A.,
RA Patel S., Adams M., Champe M., Dugan S.P., Frise E., Hodgson A.,
RA George R.A., Hoskins R.A., Lavery T., Muzny D.M., Nelson C.R.,

RA Pacleb J.M., Park S., Pfeiffer B.D., Richards S., Sodergren E.J.,
RA Svirskas R., Tabor P.E., Wan K., Stapleton M., Sutton G.G., Venter C.,
RA Weinstein G., Scher S.E., Myers E.W., Gibbs R.A., Rubin G.M.,
RT "Finishing a whole-genome shotgun: Release 3 of the Drosophila
melanogaster euchromatic genome sequence.";
RL Genome Biol. 3:RESEARCH0079-RESEARCH0079 (2002).
[3]
RN SEQUENCE FROM N.A.
RP MEDLINE=22426070; PubMed=12537573;
RA Kaminker J.S., Bergman C.M., Kronmiller B., Carlson J., Svirskas R.,
RA Patel S., Frise E., Wheeler D.A., Lewis S.E., Rubin G.M.,
RA Ashburner M., Celniker S.E.;
RT "The transposable elements of the Drosophila melanogaster euchromatin:
a genomics perspective.";
RL Genome Biol. 3:RESEARCH0084-RESEARCH0084 (2002).
[4]
RN SEQUENCE FROM N.A.
RP MEDLINE=22426069; PubMed=12537572;
RA Mixa S., Crosby M.A., Mungall C.J., Matthews B.B., Campbell K.S.,
RA Hradecky P., Huang Y., Kaminker J.S., Milburn G.H., Prochnik S.E.,
RA Smith C.D., Tupy J.L., Whitfield B.J., Bayraktaroglu L., Berman B.P.,
RA Bettencourt B.R., Celniker S.E., de Grey A.D., Drysdale R.A.,
RA Harris N.L., Richter J., Russo S., Schroeder A.J., Shu S.Q.,
RA Stapleton M., Yamada C., Ashburner M., Gelbart W.M., Rubin G.M.,
RA Lewis S.E.;
RT "Annotation of the Drosophila melanogaster euchromatic genome: a
systematic review.";
RL Genome Biol. 3:RESEARCH0083-RESEARCH0083 (2002).
[5]
RN SEQUENCE FROM N.A.
RP FlyBase;
RL Submitted (SEP-2002) to the EMBL/GenBank/DBJ databases.
[6]
RN SEQUENCE FROM N.A.
RP FlyBase;
RL Submitted (MAR-2004) to the EMBL/GenBank/DBJ databases.
CC -1- CATALYTIC ACTIVITY: GTP = 3',5'-cyclic GMP + diphosphate.
CC -1- SIMILARITY: Belongs to the adenylyl cyclase class-4/guanylyl
cyclase family.
CC EMBL; AF003537; AAF49811.1; -;
DR HSP; P26769; IAZS.
DR FlyBase; Fgn0036368; CG10738.
DR GO; GO:0005524; F-ATP binding; IEA.
DR GO; GO:0004383; F-guanylate cyclase activity; IEA.
DR GO; GO:0016829; F-lyase activity; IEA.
DR GO; GO:0004672; F-protein kinase activity; IEA.
DR GO; GO:0006182; P-cGMP biosynthesis; IEA.
DR GO; GO:0007242; P-intracellular signaling cascade; IEA.
DR GO; GO:0006468; P-protein amino acid phosphorylation; IEA.
DR InterPro; IPR001828; ANF receptor.
DR InterPro; IPR001054; G cyclase.
DR InterPro; IPR011009; Kinase-like.
DR InterPro; IPR000719; Prot_kinase.
DR Pfam; PF01094; ANF receptor; 1.
DR Pfam; PF00211; Guanylate cyc; 1.
DR ProDom; PD000001; Prot kinase; 1.
DR SMART; SM00044; CYCC; 1.
DR PROSITE; PS00452; GUANYLATE_CYCLASES_1; 1.
DR PROSITE; PS0125; GUANYLATE_CYCLASES_2; 1.
DR PROSITE; PSS0011; PROTEIN_KINASE_DOM; 1.
KW Lyase; cGMP biosynthesis.
SQ SEQUENCE 1172 AA; 131992 MW; C6450931F82A6D55 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 1172;
Best Local Similarity 57.1%; Pred. No. 5.7e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
|||
Db 672 YLHDSFI 678

RESULT 41

Q89CK5 Q89CK5 PRELIMINARY; PRT; 1209 AA.
 AC Q89CK5
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DE DE BL17792 protein.
 GN OrderedLocusNames=bl17792;
 OS Bradyrhizobium japonicum.
 OC Bacteria; Proteobacteria; Alphaproteobacteria; Rhizobiales;
 OC Bradyrhizobiaceae; Bradyrhizobium.
 OX NCBI_TaxID=375;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=USDA110;
 RX MEDLINE=22484998; PubMed=12597275;
 RA Kaneko T., Nakamura Y., Sato S., Minamisawa K., Uchiumi T.,
 RA Sasamoto S., Watanabe A., Idesawa K., Iriguchi M., Kawashima K.,
 RA Kohara M., Matsumoto M., Shimpo S., Tsuruoka H., Wada T., Yamada M.,
 RA Tabata S.;
 RT "Complete genomic sequence of nitrogen-fixing symbiotic bacterium
 RT Bradyrhizobium japonicum USDA110.";
 RL DNA Res. 9:189-197(2002).
 DR EMBL: AP005963; BAC53057.1; -
 DR HSSP: O69771; IH71.
 DR GO: GO:000509; F:calcium ion binding; IEA.
 DR InterPro: IPR01343; Hemlysn_Ca_bind.
 DR InterPro: IPR011050; Pectin_lyas_like.
 DR InterPro: IPR011049; Ser_talysn_like_C.
 DR Pfam: PF00353; Hemolysincabind; 4.
 KW Complete proteome.
 SQ SEQUENCE 1209 AA; 118292 MW; 50F97581D524EB71 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 1209;
 Best Local Similarity 83.3%; Pred. No. 5.9e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAP 6
 Db 441 YLHDAP 446
 |:|:|:|

RESULT 42
 Q812R2 PRELIMINARY; PRT; 1249 AA.
 AC Q812R2
 DT 01-WAR-2003 (TrEMBLrel. 23, Created)
 DT 01-WAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-WAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE Hypothetical protein PF11205c.
 GN Name=PF11205c;
 OS Plasmodium falciparum (isolate 3D7).
 OC Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
 OX NCBI_TaxID=36329;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=22255708; PubMed=12368867; DOI=10.1038/nature01095;
 RA Hall N., Pain A., Berriman M., Churcher C., Harris B., Harris D.,
 RA Muncall K., Bowman S., Atkin R., Baker S., Barron A., Brooks K.,
 RA Buckee C.O., Burrows C., Cherevach I., Chillingworth C.,
 RA Chillingworth T., Christodoulou Z., Clark L., Clark R., Corton C.,
 RA Cronin A., Davies R., Davis P., Dear P., Dearden F., Doggett J.,
 RA Feltwell T., Goble A., Goodhead I., Gwilliam R., Hamlin N., Hance Z.,
 RA Harper D., Hauser H., Hornsby T., Holroyd S., Horrocks P.,
 RA Humphray S., Jagels K., James K.D., Johnson D., Kershorn A.,
 RA Knights A., Konfortov B., Kyes S., Larke N., Lawson D., Lennard N.,
 RA Line A., Maddison M., McLean J., Mooney P., Moule S., Murphy L.,
 RA Oliver K., Ormond D., Price C., Quail M.A., Rabinowitsch E.,
 RA Rajandream M.A., Rutter S., Rutherford K.M., Sanders M., Simmonds M.,
 RA Seeger K., Sharp S., Smith R., Squares R., Stevens K.,
 RA Taylor K., Tivey A., Unwin L., Whitehead S., Woodward J.,
 RA Sulston J.E., Craig A., Newbold C., Barrall B.G.;
 RT "Sequence of Plasmodium falciparum chromosomes 1, 3-9 and 13.";

RL Nature 419:527-531(2002).
 DR EMBL: AL929357; CAD51927.1; -
 DR InterPro: IPR000215; Prot inh serpin.
 DR PROSITE: PS00284; SERPIN; UNKNOWN_1.
 KW Hypothetical protein.
 SQ SEQUENCE 1249 AA; 147980 MW; 396F6F7CF6199880 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 1249;
 Best Local Similarity 57.1%; Pred. No. 6.1e+02;
 Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 7
 Db 927 YIHDIPI 933
 |:|:|:|

RESULT 43
 Q81QK2 PRELIMINARY; PRT; 1272 AA.
 AC Q81QK2
 DT 01-WAR-2003 (TrEMBLrel. 23, Created)
 DT 01-WAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-WAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE CG10738-PB.
 GN ORFNames=CG10738;
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
 OC Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.
 OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20196006; PubMed=10731132; DOI=10.1126/science.287.5461.2185;
 RA Adams M.D., Celisner S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galie R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.H., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Gabor G.L.,
 RA Abril J.F., Agbayani A., An H.J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotter P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacle J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.Y., Wassman D.A., Weinstock G.M., Weissbach J.,
 RA Williams S.M., Woodager, Worley K.C., Wu D., Yang S., Yao Q.A., Ye J.,
 RA Yeh R.F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of Drosophila melanogaster.";
 RL Science 287:2185-2195(2000).
 RN [2]
 RP SEQUENCE FROM N.A.

RX MEDLINE=22426065; PubMed=12537568;
RA Celniker S.E., Wheeler D.A., Krommiller B., Carlson J.W., Halpern A.,
RA Patel S., Adams M., Champe M., Dugan S.P., Frise E., Hodgson A.,
RA George R.A., Hoskins R.A., Lavery T., Muzny D.M., Nelson C.R.,
RA Pacleb J.M., Park S., Pfeiffer B.D., Richards S., Sodergren E.J.,
RA Svirskaas R., Tabor P.E., Wan K., Stapleton M., Sutton G.G., Venter C.,
RA Weinstock G., Scher S.E., Myers E.W., Gibbs R.A., Rubin G.M.,
RT "Finishing a whole-genome shotgun: Release 3 of the Drosophila
RT melanogaster euchromatic genome sequence."
RL Genome Biol. 3:RESEARCH0079-RESEARCH0079(2002).
RN [3]
RN SEQUENCE FROM N.A.
RP MEDLINE=22426070; PubMed=12537573;
RA Kaminker J.S., Bergman C.M., Krommiller B., Carlson J., Svirskaas R.,
RA Patel S., Frise E., Wheeler D.A., Lewis S.E., Rubin G.M.,
RA Ashburner M., Celniker S.E.;
RT "The transposable elements of the Drosophila melanogaster euchromatin:
RT a genomic perspective."
RL Genome Biol. 3:RESEARCH0084-RESEARCH0084(2002).
RN [4]
RN SEQUENCE FROM N.A.
RP MEDLINE=22426069; PubMed=12537572;
RA Misra S., Crosby M.A., Mungall C.J., Matthews B.B., Campbell K.S.,
RA Hradecky P., Huang Y., Kaminker J.S., Millburn G.H., Prochnik S.E.,
RA Smith C.D., Tupy J.L., Whitfield E.J., Bayraktaroglu L., Berman B.P.,
RA Bettencourt B.N., Celniker S.E., de Grey A.D., Drysdale R.A.,
RA Harris N.L., Richter J., Russo S., Schroeder A.J., Shu S.Q.,
RA Stapleton M., Yamada C., Ashburner M., Gelbart W.M., Rubin G.M.,
RA Lewis S.E.;
RT "Annotation of the Drosophila melanogaster euchromatic genome: a
RT systematic review."
RL Genome Biol. 3:RESEARCH0083-RESEARCH0083(2002).
RN [5]
RN SEQUENCE FROM N.A.
RP FlyBase;
RL Submitted (SEP-2002) to the EMBL/GenBank/DBJ databases.
RN [6]
RN SEQUENCE FROM N.A.
RP FlyBase;
RL Submitted (MAR-2004) to the EMBL/GenBank/DBJ databases.
CC -|- CATALYTIC ACTIVITY: GTP = 3',5'-cyclic GMP + diphosphate.
CC -|- SIMILARITY: Belongs to the adenylyl cyclase class-4/guanylyl
CC cyclase family.
DR EMBL; AE003537; AANL1824.1; -;
DR HSSP; P26769; IAZS.
DR FlyBase; FBgn0036368; CG10738.
DR GO; GO:0005524; F:ATP binding; IEA.
DR GO; GO:0004383; F:guanylate cyclase activity; IEA.
DR GO; GO:0016829; F:lyase activity; IEA.
DR GO; GO:0004672; F:protein kinase activity; IEA.
DR GO; GO:0006182; P:cGMP biosynthesis; IEA.
DR GO; GO:0007242; P:intracellular signaling cascade; IEA.
DR GO; GO:0006468; P:protein amino acid phosphorylation; IEA.
DR InterPro; IPR001828; ANF receptor.
DR InterPro; IPR001054; G cyclase.
DR InterPro; IPR011009; Kinase like.
DR InterPro; IPR000719; Prot. kinase.
DR Pfam; PF01094; ANF receptor; 1.
DR Pfam; PF00211; Guanylate_cyc; 1.
DR SMART; SM00044; CYC; 1.
DR PROSITE; PS00452; GUANYLATE_CYCLASES_1; 1.
DR PROSITE; PS0125; GUANYLATE_CYCLASES_2; 1.
DR PROSITE; PS0011; PROTEIN_KINASE_DOM; 1.
DR KW Lyase; cGMP biosynthesis.
SQ SEQUENCE 1272 AA; 142789 MW; E9BF261470A0D74A CRC64;

Query Match 82.5%; Score 33; DB 2; Length 1272;
Best Local Similarity 57.1%; Pred. No. 6.3e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 709 YLHDSPI 715

RESULT 44
Q7PWF6 PRELIMINARY; PRT; 1286 AA.
AC Q7PWF6
DT 01-MAR-2004 (TREMBLrel. 26, Created)
DT 01-MAR-2004 (TREMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (TREMBLrel. 26, Last annotation update)
DR ENSANGP0000019379 (Fragment).
GN Name=ENSANGG0000016890;
OS Anopheles gambiae str. PEST.
OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
OC Neoptera; Endopterygota; Diptera; Nematocera; Culicoidea; Anopheles.
OX NCBI_TaxID=180454;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=PEST;
RA Anopheles Genome Sequencing Consortium;
RL Submitted (APR-2003) to the EMBL/GenBank/DBJ databases.
CC -|- CAUTION: The sequence shown here is derived from an
CC EMBL/GenBank/DBJ whole genome shotgun (WGS) entry which is
CC preliminary data.
CC EMBL; AAN01008984; EAA14872.1; -;
DR GO; GO:0005634; C:nucleus; IEA.
DR GO; GO:0003676; F:nucleic acid binding; IEA.
DR GO; GO:0008270; F:zinc ion binding; IEA.
DR InterPro; IPR006162; Ppantne S.
DR InterPro; IPR007087; Znf C2H2.
DR Pfam; PF00096; Zf-C2H2; 12.
DR PROSITE; PS00102; PHOSPHOPANTHEINE; UNKNOWN_1.
DR PROSITE; PS00028; ZINC_FINGER_C2H2_1; 14.
DR PROSITE; PS00157; ZINC_FINGER_C2H2_2; 14.
DR NON_TER 1286 1286
SQ SEQUENCE 1286 AA; 141941 MW; FB49E434B7CCB957 CRC64;
Query Match 82.5%; Score 33; DB 2; Length 1286;
Best Local Similarity 71.4%; Pred. No. 6.3e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 254 YVHDVPM 260

RESULT 45
Q8AYN9 PRELIMINARY; PRT; 1691 AA.
AC Q8AYN9
DT 01-MAR-2003 (TREMBLrel. 23, Created)
DT 01-MAR-2003 (TREMBLrel. 23, Last sequence update)
DT 01-MAR-2004 (TREMBLrel. 26, Last annotation update)
DR Complement component C5-1.
GN Name=C5-1;
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Hepatopancreas;
RC MEDLINE=22505477; PubMed=12618914;
RA Kato Y., Nakao M., Mutsaers J., Zarkadis I.K., Yano T.;
RA "The complement component C5 of the common carp (Cyprinus carpio):
RA cDNA cloning of two distinct isotypes that differ in a functional
RA site."
RT Immunogenetics 54:807-815(2003).
RL EMBL; AB084635; BAC23057.1; -;
DR HSSP; P01031; 1KJS.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0004866; F:endorpeptidase inhibitor activity; IEA.
DR InterPro; IPR002890; AZM_N.

```

DR InterPro; IPR009048; AM_receptor_bind.
DR InterPro; IPR000020; Anaphylatoxin.
DR InterPro; IPR001599; Macroglobulin2.
DR InterPro; IPR001134; Netrin C.
DR InterPro; IPR008930; Terp_cyc_toroid.
DR Pfam; PF00207; A2M; 1.
DR Pfam; PF01835; A2M_N; 1.
DR Pfam; PF01821; ANATO; 1.
DR Pfam; PF01759; NTR; 1.
DR SMART; SM00643; C345C; 1.
DR PROSITE; PS01178; ANAPHYLATOXIN_2; 1.
DR PROSITE; PS01189; NTR; 1.
SQ SEQUENCE 1691 AA; 199778 MW; 488ED2566CC5C8A0 CRC64;

Query Match 82.5%; Score 33; DB 2; Length 1691;
Best Local Similarity 85.7%; Pred. No. 8.4e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 253 YVHGAPV 259

RESULT 46
Q9ANY4 PRELIMINARY; PRT; 127 AA.
AC Q9ANY4
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Capsule export protein KpsB (Fragment).
GN Name=kpsB;
OS Escherichia coli.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=562;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K92;
RX MEDLINE=22590429; PubMed=12578835; DOI=10.1074/jbc.M208837200;
RA Steenbergen S.M., Vimr E.R.;
RT "Functional relationships of the sialyltransferases involved in
RT expression of the polysialic acid capsules of Escherichia coli K1 and
RT K92 and Neisseria meningitidis groups B or C.";
RL J. Biol. Chem. 278:15349-15359(2003).
DR EMBL; AF318310; AAK12093.1; -.
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule_synth.
DR Pfam; PF05159; Capsule_synth; 1.
FT NON_TER 1
SQ SEQUENCE 127 AA; 14793 MW; 6BF512F87A64AAD3 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 127;
Best Local Similarity 71.4%; Pred. No. 89;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
Db 29 YVHDLPM 35

RESULT 47
Q43544 PRELIMINARY; PRT; 203 AA.
AC Q43544;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Small heat shock protein (Fragment).
GN Name=LtH11;
OS Lilium longiflorum (Trumpet lily).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;

```

```

OC OC
OX NCBI_TaxID=4690;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Floral bud;
RX MEDLINE=96051386; PubMed=7584025;
RA Kobayashi T., Kobayashi E., Sato S., Hotta Y., Miyazima N., Tanaka A.,
RA Tabata S.;
RT "Characterization of cDNAs induced in meiotic prophase in lily
RT microsporocytes.";
RL DNA Res. 1:15-26(1994).
CC -1- SIMILARITY: Belongs to the small heat shock protein (HSP20)
CC family.
DR EMBL; D21817; BAA04841.1; -.
DR PIR; JC2207; JC2207.
DR HSP; Q41560; IGME.
DR GO; GO:0006457; P:protein folding; IEA.
DR GO; GO:0006986; P:response to unfolded protein; IEA.
DR InterPro; IPR002068; Hsp20.
DR InterPro; IPR008978; HSP20_chap.
DR Pfam; PF00011; HSP20; 1.
DR PROSITE; PS01031; HSP20; 1.
KW Heat shock.
FT NON_TER 1
SQ SEQUENCE 203 AA; 21607 MW; A4AFFE5173CB2663 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 203;
Best Local Similarity 83.3%; Pred. No. 1.5e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
Db 69 YAHADAP 74

RESULT 48
O94475 PRELIMINARY; PRT; 206 AA.
AC O94475;
DT 01-MAY-1999 (TrEMBLrel. 10, Created)
DT 01-MAY-1999 (TrEMBLrel. 10, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE SPCC1919.07 protein.
GN Name=SPCC1919.07;
OS Schizosaccharomyces pombe (Fission Yeast).
OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
OC Schizosaccharomycetales; Schizosaccharomycetaceae;
OC Schizosaccharomycetes.
OX NCBI_TaxID=4896;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=972h-;
RX MEDLINE=21848401; PubMed=11859360; DOI=10.1038/nature724;
RA Wood V., Gwilliam R., Rajandream M.A., Lyne M., Lyne R., Stewart A.,
RA Sgouras J., Peat N., Hayles J., Baker S., Basham D., Bowman S.,
RA Brooks K., Brown D., Brown S., Chillingworth T., Churcher C.,
RA Collins M., Connor R., Cronin A., Davis P., Feltwell T., Fraser A.,
RA Gentles S., Goble A., Hamlin N., Harris D., Hidalgo J., Hodgson G.,
RA Holroyd S., Hornsby T., Howarth S., Huckle E.J., Hunt S., Jagels K.,
RA James K., Jones L., Jones M., Leather S., McDonald S., McLean J.,
RA Mooney P., Moule S., Mungall K., Murphy L., Niblett D., Odell C.,
RA Oliver K., O'Neill S., Pearson D., Quail M.A., Rabinowitsch E.,
RA Rutherford K., Rutter S., Saunders D., Seeger K., Sharp S.,
RA Skelton J., Simmonds M., Squares R., Squares S., Stevens K.,
RA Taylor K., Taylor R.G., Tivey A., Walsh S., Warren T., Whitehead S.,
RA Woodward J., Volckaert G., Aert R., Robben J., Grymonprez B.,
RA Weetjens I., Vanstreels E., Rieger M., Schafer M., Muller-Auer S.,
RA Gabel C., Fuchs M., Dusterhoft A., Fritz C., Holzer E., Moestl D.,
RA Hilbert H., Borzym K., Langer I., Beck A., Iehrach H., Reinhardt R.,
RA Fohl T.M., Eger P., Zimmermann W., Wedler H., Wambutt R., Purnelle B.,
RA Goffeau A., Cadieu E., Dreano S., Gloux S., Lelaure V., Mottier S.,
RA Galibert F., Aves S.J., Xiang Z., Hunt C., Moore K., Hurst S.M.,
RA Lucas M., Rochet M., Gaillardin C., Tallada V.A., Garzon A., Thode G.,

```

```
RA Daga R.R., Cruzado L., Jimenez J., Sanchez M., del Rey F., Benito J.,
RA Dominguez A., Revuelta J.L., Moreno S., Armetrong J., Foreburg S.L.,
RA Cerutti L., Lowe T., McCombie W.R., Paulsen I., Potashkin J.,
RA Shpakovski G.V., Ussery D., Barrell B.G., Nurse P.;
RT "The genome sequence of Schizosaccharomyces pombe.";
RL Nature 415:871-880(2002).
DR EMBL; AL035075; CAA22638.1; -.
DR PIR; T41232; T41232.
DR GenedB_Spombe; SPC1919.07; -.
SQ SEQUENCE 206 AA; 24048 MW; 7A34C9CF2DFCEB60 CRC64;
Query Match 80.0%; Score 32; DB 2; Length 206;
Best Local Similarity 83.3%; Pred. No. 1.5e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 2 VHDAPV 7
DB 21 IHDAPV 26
RESULT 49
THIS STAEP STANDARD; PRT; 212 AA.
AC Q6CNK2;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 25-OCT-2004 (Rel. 45, Last annotation update)
DE Thiamine-phosphate pyrophosphorylase (EC 2.5.1.3) (TMP
DE pyrophosphorylase) (TMP-Ppase) (Thiamine-phosphate synthase).
DE NamethiP; OrderedLocNames=SE1690;
GN Staphylococcus epidermidis.
OS Bacteria; Firmicutes; Bacillales; Staphylococcus.
OC NCBI_TaxID=1282;
RN NCBI_TaxID=1282;
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 12228;
RX PubMed=12950922;
RA Zhang Y.-Q., Ren S.-X., Li H.-L., Wang Y.-X., Fu G., Yang J.,
RA Qin Z.-Q., Miao Y.-G., Wang W.-Y., Chen R.-S., Shen Y., Chen Z.,
RA Yuan Z.-H., Zhao G.-P., Qu D., Danchin A., Wen Y.-M.;
RT "Genome-based analysis of virulence genes in a non-biofilm-forming
RT Staphylococcus epidermidis strain (ATCC 12228).";
RL Mol. Microbiol. 49:1577-1593(2003).
CC -1- FUNCTION: Condenses 4-methyl-5-(beta-hydroxyethyl)-thiazole
CC monophosphate (THZ-P) and 4-amino-5-hydroxymethyl pyrimidine
CC pyrophosphate (HMP-PP) to form thiamine monophosphate (TMP) (By
CC similarity).
CC -1- CATALYTIC ACTIVITY: 2-methyl-4-amino-5-hydroxymethylpyrimidine
CC diphosphate + 4-methyl-5-(2-phosphono-oxyethyl)-thiazole =
CC diphosphate + thiamine monophosphate.
CC -1- COFACTOR: Binds 1 magnesium ion per subunit (By similarity).
CC -1- PATHWAY: Thiamine biosynthesis.
CC -1- SIMILARITY: Belongs to the TMP-Ppase family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; AE016749; AAC05289.1; -.
CC HSPSP; P39594; 1GAE.
CC DR HAMAP; MF 00097; -.
CC DR InterPro; IPR003733; TMP synthase.
CC DR Pfam; PF02581; TMP-PEN1; 1.
CC DR ProDom; PD149806; TMP synthase; 1.
CC DR TIGRFAMs; TIGR00693; thiE; 1.
CC Complete proteome; Magnesium; Metal-binding; Thiamine biosynthesis;
CC METAL 76 76 Magnesium (By similarity).
CC METAL 95 95 Magnesium (By similarity).
CC FT
```

```
SQ SEQUENCE 212 AA; 23621 MW; 76A5ECC4F52118E9 CRC64;
Query Match 80.0%; Score 32; DB 1; Length 212;
Best Local Similarity 57.1%; Pred. No. 1.5e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAPV 7
DB 160 YIHDFFPI 166
RESULT 50
Q72IC3 PRELIMINARY; PRT; 220 AA.
AC Q72IC3;
DT 05-JUL-2004 (TReMBLrel. 27, Created)
DT 05-JUL-2004 (TReMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TReMBLrel. 27, Last annotation update)
DE Putative dehydrogenase (EC 1.1.1.95).
DE OrderedLocNames=JTC1209;
GN Thermus thermophilus (strain HB27 / ATCC BAA-163 / DSM 7039).
OS Bacteria; Deinococcus-Thermus; Deinococci; Thermaceae;
OC Thermus.
OX NCBI_TaxID=262724;
RN NCBI_TaxID=262724;
RP SEQUENCE FROM N.A.
RX PubMed=15064768;
RA Henne A., Brueggemann H., Raasch C., Wierzer A., Hartsch T.,
RA Liesegang H., Johann A., Lienard T., Gohl O., Martinez-Arias R.,
RA Jacobi C., Starkuviene V., Schlenceck S., Dencker S., Huber R.,
RA Klenk H.-P., Kramer W., Merkl R., Gottschalk G., Fritz H.-J.;
RT "The genome sequence of the extreme thermophile Thermus
RT thermophilus.";
RN Nat. Biotechnol. 22:547-553(2004).
DR EMBL; AE017305; AAS81551.1; -.
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR GO; GO:0004617; F:phosphoglycerate dehydrogenase activity; IEA.
DR GO; GO:0006564; P:L-serine biosynthesis; IEA.
DR InterPro; IPR006140; 2-Hacid_dh_C1_-.
DR Pfam; PF02826; 2-Hacid_dh_C1_-.
DR PROSITE; PS00671; D_2_HYDROXYACID_DH_3; 1.
DR Complete proteome; Oxidoreductase.
KW SEQUENCE 220 AA; 24125 MW; 1F67BACA170A6732 CRC64;
Query Match 80.0%; Score 32; DB 2; Length 220;
Best Local Similarity 83.3%; Pred. No. 1.6e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 2 VHDAPV 7
DB 8 IHDAPV 13
RESULT 51
D7AL RAT STANDARD; PRT; 228 AA.
ID D7AL RAT
AC Q64057;
DT 28-FEB-2003 (Rel. 41, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Aldehyde dehydrogenase family 7 member A1 (EC 1.2.1.3) (Antiquitin 1)
DE (Fragment).
GN Name=Aldh7a1; Synonyms=Ald7a1;
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN NCBI_TaxID=10116;
RP SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC TISSUE=Intestinal mucosa;
RX MEDLINE=94375061; PubMed=8088832;
RA Lee P., Kuhl W., Gelbart T., Kamimura T., West C., Beutler E.;
RT "Homology between a human protein and a protein of the green garden
```

```

RT  pea.";
RL  Genomics 21:371-378 (1994).
RN  [2]
RP  TISSUE SPECIFICITY.
RX  MEDLINE=98086476; PubMed=9417906; DOI=10.1006/geno.1997.5026;
RA  Skvorak A.B., Robertson N.G., Yin Y., Weremowicz S., Her H.,
RA  Bieber F.R., Beiser K.W., Lynch E.D., Beier D.R., Morton C.C.;
RT  "An ancient conserved gene expressed in the human inner ear:
RT  identification, expression analysis, and chromosomal mapping of human
RT  and mouse antequitin (ATQ1).";
RL  Genomics 46:191-199 (1997).
CC  -1- CATALYTIC ACTIVITY: An aldehyde + NAD(+) + H(2)O = an acid + NADH.
CC  -1- SUBUNIT: Homotrimer (By similarity).
CC  -1- TISSUE SPECIFICITY: Abundant in kidney, liver, cochlea and outer
CC  hair cells but not inner hair cells or vestibular type I hair
CC  cells. Very low levels in lung, brain, intestine and pancreas.
CC  -1- SIMILARITY: Belongs to the aldehyde dehydrogenase family.
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
DR  EMBL; S75019; AAB31967.2; -.
DR  PIR; B54676; B54676.
DR  HSP; P51977; 1BXS.
DR  InterPro; IPR02086; Aldehyde_dehydr.
DR  Pfam; PF00171; Aldehd; 1.
DR  PROSITE; PS00070; ALDEHYDE_DEHYDR_CYS; PARTIAL.
DR  PROSITE; PS00687; ALDEHYDE_DEHYDR_GLU; PARTIAL.
KW  NAD; Oxidoreductase.
FT  NON_TER 1 19
FT ACT_SITE 19 19 By similarity.
FT SEQUENCE 228 AA; 25157 MW; FSDA69254AF35C16 CRC64;
SQ
Query Match 80.0%; Score 32; DB 1; Length 228;
Best Local Similarity 83.3%; Pred. No. 1.7e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 2 VHDAPV 7
DB 107 VHDAP1 112
-----
RESULT 52
Q6FX28 PRELIMINARY; PRT; 260 AA.
ID Q6FX28
AC Q6FX28;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE Similarity.
GN ORFNames=CAGLOC007819;
OS Candida glabrata CBS138.
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; mitosporic Saccharomycetales; Candida.
OC NCBI_TaxID=284593;
RN [1]
RP SEQUENCE FROM N.A.
RG Genolevures;
RA Lafontaine I., de Montigny J., Marck C., Neveglise C., Talia E.,
RA Goffard N., Frangeul L., Aigle M., Anthouard V., Babour A., Barbe V.,
RA Barnay S., Blanchin S., Beckerich J.M., Beyne E., Bleykasten C.,
RA Boissame L., Boyer J., Cattolico L., Confanioleri F., de Daruvar A.,
RA Despons L., Fabre E., Fairhead C., Ferry-Dumazet H., Groppi A.,
RA Hantraye F., Hennequin C., Jaumaux N., Joyet P., Kachouri R.,
RA Kerrest A., Koszul R., Lemaire M., Lesur I., Ma L., Muller H.,
RA Nicaud J.M., Nikolski M., Oztas S., Ozier-Kalogeropoulos O.,

```

```

RA Pellenz S., Potier S., Richard G.F., Straub M.L., Sureau A.,
RA Swennene D., Tekala F., Wesolowski-Louvel M., Westhof E., Wirth B.,
RA Zeniou-Meyer M., Zivanovic I., Bolotin-Fukuhara M., Thierry A.,
RA Bouchier C., Caudron B., Scarpelli C., Gaillardin C., Weissenbach J.,
RA Wincker P., Souciet J.L.;
RT "Genome evolution in yeasts.";
RL Nature 430:35-44 (2004).
DR EMBL; CR380949; CAG58120.1; -.
SQ SEQUENCE 260 AA; 28711 MW; B6D00502602EBF93 CRC64;
Query Match 80.0%; Score 32; DB 2; Length 260;
Best Local Similarity 83.3%; Pred. No. 1.9e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAP 6
DB 109 YVHDAP 114
-----
RESULT 53
AMPM PYRAB STANDARD; PRT; 295 AA.
ID AMPM PYRAB
AC Q5UYT4;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 25-OCT-2004 (Rel. 45, Last annotation update)
DE Methionine aminopeptidase (EC 3.4.11.18) (MAP) (Peptidase M).
GN Name=map; OrderedLocusNames=PYRAB14230; ORFNames=PAB1434;
OS Pyrococcus abyssi.
OC Archaea; Euryarchaeota; Thermococci; Thermococcales; Thermococcaceae;
OC Pyrococcus.
OC NCBI_TaxID=29292;
RN [1]
RP SEQUENCE FROM N.A.
RG STRAIN=GES / Orsay;
RX MEDLINE=22511545; PubMed=12622808;
RA Cohen G.N., Barbe V., Flament D., Galperin M., Heilig R., Lecompte O.,
RA Poch O., Prieur D., Querellou J., Ripp R., Thierry J.-C.,
RA Van der Coost J., Weissenbach J., Zivanovic Y., Forterre P.;
RT "An integrated analysis of the genome of the hyperthermophilic
RT archaeon Pyrococcus abyssi.";
RL Mol. Microbiol. 47:1495-1512 (2003).
CC -1- FUNCTION: Removes the amino-terminal methionine from nascent
CC proteins (By similarity).
CC -1- CATALYTIC ACTIVITY: Release of N-terminal amino acids,
CC preferentially methionine, from peptides and arylamides.
CC -1- COFACTOR: Cobalt; binds 2 ions per subunit (By similarity).
CC -1- SUBUNIT: Monomer (By similarity).
CC -1- SIMILARITY: Belongs to the peptidase M24C family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AJ248287; CAB50328.1; -.
DR PIR; C75054; C75054.
DR HSP; P56218; 1XGS.
DR MEROPS; M24.002; -.
DR InterPro; IPR001714; Pept M24_MAP.
DR InterPro; IPR002468; Pept M24A_MAP2.
DR InterPro; IPR000994; Peptidase_M24.
DR InterPro; IPR009038; Wing_hlx_DNA_bnd.
DR Pfam; PF00557; Peptidase M24; 1.
DR PRINTS; PR00599; MAPPTIDASE.
DR TIGRFAMs; TIGR00501; met_pdae_II; 1.
DR PROSITE; PS01202; MAP_2; 1.
KW Aminopeptidase; Cobalt; Complete proteome; Hydrolase.
FT METAL 82 82 Cobalt 2 (By similarity).
FT METAL 93 93 Cobalt 1 and 2 (By similarity).

```

```
FT METAL 153 153 Cobalt 1 (By similarity).
FT METAL 187 187 Cobalt 1 (By similarity).
FT METAL 281 281 Cobalt 1 and 2 (By similarity).
SQ SEQUENCE 295 AA; 33027 MW; 2670D3E7DB6BF7B3 CRC64;

Query Match 80.0%; Score 32; DB 1; Length 295;
Best Local Similarity 85.7%; Pred. No. 2.2e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAFV 7
|||
Db 208 YVRDAFV 214

RESULT 54
AMPM PYRHO STANDARD; PRT; 295 AA.
AC O58362;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 25-OCT-2004 (Rel. 45, Last annotation update)
DE Methionine aminopeptidase (EC 3.4.11.18) (MAP) (Peptidase M).
GN Name-map: OrderedLocusNames=PH0628;
OS Pyrococcus horikoshii.
OC Archaea; Euryarchaeota; Thermococci; Thermococcales; Thermococcaceae;
OC Pyrococcus.
OX NCBI_TaxID=53953;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=OT3;
RX MEDLINE=98344137; PubMed=9679194;
RA Kawanabayashi Y., Sawada M., Horikawa H., Haikawa Y., Hino Y.,
RA Yamamoto S., Sekine M., Baba S.-I., Kosugi H., Hosoyama A., Nagai Y.,
RA Sakai M., Ogura K., Otsuka R., Nakazawa H., Takamiya M., Ohfuku Y.,
RA Funabashi T., Tanaka T., Kudo H., Yamazaki J., Kushida N., Oguchi A.,
RA Aoki K.-I., Yoshizawa T., Nakamura Y., Robb F.T., Horikoshi K.,
RA Masuchi Y., Shizuwa H., Kikuchi H.;
RT "Complete sequence and gene organization of the genome of a hyper-
thermophilic archaeobacterium, Pyrococcus horikoshii OT3.";
RL DNA Res. 5:55-76(1998).
CC -I- FUNCTION: Removes the amino-terminal methionine from nascent
CC proteins (By similarity).
CC -I- CATALYTIC ACTIVITY: Release of N-terminal amino acids,
CC preferentially methionine, from peptides and arylamides.
CC -I- COFACTOR: Cobalt; binds 2 ions per subunit (By similarity).
CC -I- SUBUNIT: Monomer (By similarity).
CC -I- SIMILARITY: Belongs to the peptidase M24C family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC ENBL; AP000003; BAA29717.1; -.
CC PIR; C71107; C71107.
CC HSPP; P56218; IXGS.
CC -----
CC MEROPS: M24.002; -.
CC InterPro; IPR001714; Pept_M24_MAP.
CC InterPro; IPR002468; Pept_M24A_MAP2.
CC InterPro; IPR000994; Peptidase_M24.
CC InterPro; IPR009058; Wing_hlx_DNA_bnd.
CC Pfam; PF00557; Peptidase_M24; 1.
CC PRINTS; PR00599; MAPEPTIDASE.
CC TIGRfams; TIGR00501; met_pdae_II; 1.
CC PROSITE; PS01202; MAP_2; 1.
CC AMINOPEPTIDASE; Cobalt; Complete proteome; Hydrolase.
KW AminoPeptidase; Cobalt; Cobalt 2 (By similarity).
FT METAL 82 82 Cobalt 1 and 2 (By similarity).
FT METAL 93 93 Cobalt 1 (By similarity).
FT METAL 153 153 Cobalt 1 (By similarity).
FT METAL 187 187 Cobalt 1 (By similarity).
```

```
FT METAL 280 280 Cobalt 1 and 2 (By similarity).
SQ SEQUENCE 295 AA; 32795 MW; D228F4377CEB2AAC CRC64;

Query Match 80.0%; Score 32; DB 1; Length 295;
Best Local Similarity 85.7%; Pred. No. 2.2e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAFV 7
|||
Db 208 YVRDAFV 214

RESULT 55
Q47402 PRELIMINARY; PRT; 296 AA.
ID Q47402;
AC Q47402;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Kps protein (Fragment).
DE Name-Kps;
GN Escherichia coli.
OS Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=562;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=K-12/K-1;
RX MEDLINE=92138601; PubMed=1735705;
RA Steenbergen S.M., Wrona T.J., Vimr E.R.;
RT "Functional analysis of the sialyltransferase complexes in Escherichia
RT coli K1 and K92.";
RL J. Bacteriol. 174:1099-1108(1992).
DR EMBL; M76370; AAA24214.1; -.
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule_synth.
DR Pfam; PF05159; Capsule_synth; 1.
DR NON_TER 1 296 Potential.
FT CHAIN <1 296
SQ SEQUENCE 296 AA; 35733 MW; ABEBA3DA46AC308B CRC64;

Query Match 80.0%; Score 32; DB 2; Length 296;
Best Local Similarity 71.4%; Pred. No. 2.2e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAFV 7
|||
Db 198 YVHDLPM 204

RESULT 56
Q8GR83 PRELIMINARY; PRT; 296 AA.
ID Q8GR83;
AC Q8GR83;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Hypothetical dehydrogenase protein.
OS Thermus thermophilus.
OC Bacteria; Deinococcus-Thermus; Deinococci; Thermales; Thermaceae;
OC Thermus.
OX NCBI_TaxID=274;
RN [1]
RP SEQUENCE FROM N.A.
RA Miyazaki T., Miyazaki J., Nishiyama M., Yamane H.;
RL Submitted (JUN-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AB086412; BAC21188.1; -.
DR GO; GO:0016616; F:oxidoreductase activity, acting on the CH-O...; IEA.
DR GO; GO:0008564; P:ribo-lysine biosynthesis; IEA.
DR InterPro; IPR006140; 2-Hacid_DH_C.
DR Pfam; PF02826; 2-Hacid_dh_C; 1.
DR PROSITE; PS00671; D_2_HYDROXYACID_DH_3; 1.
```

```

KW Hypothetical protein.
SQ SEQUENCE 296 AA; 32754 MW; EF48FF1B278E260 CRC64;

Query Match
Best Local Similarity 83.3%; Score 32; DB 2; Length 296;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
DB 84 IHDAPV 89

RESULT 57
Q81917 QY917 PRELIMINARY; PRT; 306 AA.
AC QY917;
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Lmo0541 protein.
GN OrderedLocusNames=lmo0541;
OS Listeria monocytogenes.
OC Bacteria; Firmicutes; Bacillales; Listeriaceae; Listeria.
OX NCBI_TaxID=1639;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=EGD-e / Serovar 1/2a;
RX MEDLINE=21537279; PubMed=11679669; DOI=10.1126/science.1063447;
RA Glaser P., Frangeul L., Buchrieser C., Rusniok C., Amend A.,
RA Baquero F., Berche P., Bloeker H., Brandt P., Chakraborty T.,
RA Charbit A., Chetouani F., Couve E., de Daruvar A., Dehoux P.,
RA Domann E., Dominguez-Bernal G., Duchaud E., Durant L., Dussauget O.,
RA Entian K.-D., Fsihi H., Garcia-del Portillo F., Garrido P.,
RA Gautier L., Goebel W., Gomez-Lopez N., Hain T., Hauf J., Jackson D.,
RA Jones L.-M., Kaerst U., Kretz J., Kuhn M., Kunst F., Kurapkat G.,
RA Madueno E., Maitournam A., Mata Vicente J., Ng E., Nedjari H.,
RA Nordisiek G., Novella S., de Pablos B., Perez-Diaz J.-C., Purcell R.,
RA Rammel B., Rose M., Schluetter T., Simoes N., Tietz A.,
RA Vazquez-Boland J.-A., Voss H., Wehland J., Cossart P.;
RT "Comparative genomics of Listeria species.";
RL Science 294:849-852(2001).
DR EMBL; AL596165; CAC95777.1; -.
DR PIR; A11500; A11500.
DR ListLib; L1N0545; -.
DR GO; GO:0005381; F:iron ion transporter activity; IEA.
DR GO; GO:0006827; P:high affinity iron ion transport; IEA.
DR InterPro; IPR002491; Peripla_BP.
DR Pfam; PF01497; Peripla_BP_2; 1.
DR Complete proteome.
KW NCBI_TaxID=1639;
SQ SEQUENCE 306 AA; 33746 MW; E51F59633CE58733 CRC64;

Query Match
Best Local Similarity 80.0%; Score 32; DB 2; Length 306;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 198 YVHDAPV 204

RESULT 59
Q723A9 Q723A9 PRELIMINARY; PRT; 306 AA.
AC Q723A9;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE ABC transporter, substrate-binding protein.
GN OrderedLocusNames=lmo0541;
OS Listeria monocytogenes (serotype 4b / strain F2365).
OC Bacteria; Firmicutes; Bacillales; Listeriaceae; Listeria.
OX NCBI_TaxID=265669;
RN [1]
RP SEQUENCE FROM N.A.
RC PubMed=15115801; DOI=10.1093/nar/gkh562;
RX Nelson K.E., Fouts D.E., Mongodin E.F., Ravel J., DeBoy R.T.,
RA Kolonay J.F., Rasko D.A., Angiuoli S.V., Gill S.R., Paulsen I.T.,
RA Peterson J.D., White O., Nelson W.C., Nierman W.C., Bean M.J.,
RA Brinkac L.M., Daugherty S.C., Dodson R.J., Durkin A.S., Madupu R.,
RA Haft D.H., Selengut J., Van Aken S.E., Khouri H.M., Fedorova N.,
RA Forberger H.A., Tran B., Kathariou S., Wonderling L.D., Unlich G.A.,
RA Bayles D.O., Luchansky J.B., Fraser C.M.;
RT "Whole genome comparisons of serotype 4b and 1/2a strains of the food-
borne pathogen Listeria monocytogenes reveal new insights into the
core genome components of this species.";
RL Nucleic Acids Res. 32:2386-2395(2004).
DR EMBL; AE017324; AA03352.1; -.
DR GO; GO:0005381; F:iron ion transporter activity; IEA.
DR GO; GO:0006827; P:high affinity iron ion transport; IEA.
DR InterPro; IPR002491; Peripla_BP.
DR Pfam; PF01497; Peripla_BP_2; 1.
DR Complete proteome.
KW NCBI_TaxID=1639;
SQ SEQUENCE 306 AA; 33622 MW; AF082ACC8D3997C6 CRC64;

Query Match
Best Local Similarity 85.7%; Score 32; DB 2; Length 306;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
DB 198 YVHDAPV 204

RESULT 58
Q92EB5 Q92EB5 PRELIMINARY; PRT; 306 AA.
AC Q92EB5;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Lmo0545 protein.
GN OrderedLocusNames=lin0545;
OS Listeria innocua.
OC Bacteria; Firmicutes; Bacillales; Listeriaceae; Listeria.
OX NCBI_TaxID=1642;
RN [1]
RP SEQUENCE FROM N.A.

```



```
Db      198 YVHDAKV 204
|||||
RESULT 60.
Q84CW0 PRELIMINARY; PRT; 320 AA.
ID Q84CW0
AC Q84CW0;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Putative small subunit ATP sulfurylase.
GN Name=cydG;
OS uncultured bacterium.
OG Plasmid pAK209.
OC Bacteria; environmental samples.
OX NCBI_TaxID=77133;
RN [1]
SEQUENCE FROM N.A.
RP MEDLINE=22560762; PubMed=12673061; DOI=10.1159/000068724;
RX Knietzsch A., Waschkowitz T., Bowien S., Henne A., Daniel R.;
RT "Metagenomes of complex microbial consortia derived from different
RT soils as sources for novel genes conferring formation of carbonyls
RT from short-chain polyols on Escherichia coli.";
RL J. Mol. Microbiol. Biotechnol. 5:46-56(2003).
DR EMBL; AF548448; AA091894.1; -.
DR GO; GO:0016740; F:transferase activity; IEA.
DR GO; GO:0008152; P:metabolism; IEA.
DR InterPro; IPR002500; PAPS reduct.
DR Pfam; PF01507; PAPS_reduct; 1.
KW Plasmid.
SQ SEQUENCE 320 AA; 36581 MW; FF48A90F94747869 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 320;
Best Local Similarity 57.1%; Pred. No. 2.4e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAKV 7
Db 217 YLHDVPI 223
|||||

RESULT 61
Q9HLG5 PRELIMINARY; PRT; 343 AA.
ID Q9HLG5
AC Q9HLG5;
DT 01-MAR-2001 (TrEMBLrel. 16, Created)
DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE Dipeptide transport system permease protein (DPPB) related protein
DE (Putative ABC transporter AbcA1).
DE Name=abcA1; OrderedLocusNames=Ta0263;
GN Thermoplasma acidophilum.
OS Archaea; Euryarchaeota; Thermoplasmata; Thermoplasmatales;
OC Thermoplasmataceae; Thermoplasma.
OX NCBI_TaxID=2303;
RN [1]
SEQUENCE FROM N.A.
RP STRAIN=DSM 1728;
RX MEDLINE=20479972; PubMed=11029001; DOI=10.1038/35035069;
RA Ruepp A., Graml W., Santos-Martinez M.-L., Koretke K.K., Volker C.,
RA Mewes H.-W., Frishman D., Stocker S., Lupas A.N., Baumeister W.;
RT "The genome sequence of the thermoacidophilic scavenger Thermoplasma
RT acidophilum.";
RL Nature 407:508-513(2000).
DR [2]
SEQUENCE FROM N.A.
RP STRAIN=DSM 1728;
RX Murgunsu O., Engelhardt H.;
RA Submitted (OCT-1997) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: Part of a binding-protein-dependent transport system.
CC Probably responsible for the translocation of the substrate across
CC the membrane (By similarity).
CC
```

```
CC -1- SUBCELLULAR LOCATION: Integral membrane protein (By similarity).
CC -1- SIMILARITY: Belongs to the binding-protein-dependent transport
CC system permease family.
CC EMBL; AL445063; CAC11408.1; -.
CC GO; GO:0016021; C:integral to membrane; IEA.
CC GO; GO:0005215; P:transporter activity; IEA.
CC GO; GO:0006810; P:transport; IEA.
CC InterPro; IPR000515; BPD_transp.
CC Pfam; PF00528; BPD_transp_1; 1.
CC PROSITE; PS09288; ABC_TM1; 1.
KW Complete proteome; Transmembrane; Transport.
SQ SEQUENCE 343 AA; 38131 MW; 4C95790C981F1E87 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 343;
Best Local Similarity 71.4%; Pred. No. 2.6e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAKV 7
Db 89 YLHDQPV 95
|||||

RESULT 62
Q83VR4 PRELIMINARY; PRT; 350 AA.
ID Q83VR4
AC Q83VR4;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE EpsE.
GN Name=epsE;
OS Methylobacillus sp. 12S.
OC Bacteria; Proteobacteria; Betaproteobacteria; Methylophilales;
OC Methylophilaceae; Methylobacillus.
OX NCBI_TaxID=94001;
RN [1]
SEQUENCE FROM N.A.
RP STRAIN=12S;
RX MEDLINE=22511518; PubMed=12624205; DOI=10.1099/mic.0.25913-0;
RA Yoshida T., Ayabe Y., Yasunaga M., Usami Y., Habe H., Nojiri H.,
RA Omori T.;
RT "Genes involved in the synthesis of the exopolysaccharide methanolan
RT by the obligate methylotroph Methylobacillus sp. strain 12S.";
RL Microbiology 149:431-444(2003).
DR EMBL; AB062506; BAC55135.1; -.
DR GO; GO:0016020; C:membrane; IEA.
DR GO; GO:0015159; F:polysaccharide transporter activity; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR003715; Poly_export.
DR Pfam; PF02563; Poly_export; 1.
SQ SEQUENCE 350 AA; 37397 MW; AAE297733886441C CRC64;

Query Match 80.0%; Score 32; DB 2; Length 350;
Best Local Similarity 85.7%; Pred. No. 2.6e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAKV 7
Db 269 YVHRAPV 275
|||||

RESULT 63
Q9RP68 PRELIMINARY; PRT; 353 AA.
ID Q9RP68
AC Q9RP68;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE PhxB (Fragment).
GN Name=phxB;
OS Pasteurella haemolytica.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
CC
```



```
OC Pasteurellaceae; Mannheimia.
OX NCBI_TaxID=75985;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=21295097; PubMed=11401986;
RX DOI=10.1128/IAI.69.7.4458-4464.2001;
RA Lo R.Y.C., McKerral L.J., Hills T.L., Kostrzynska M.;
RA "Analysis of the capsule biosynthetic locus of Mannheimia
RT (Pasteurella) haemolytica A1 and proposal of a nomenclature system.";
RL Infect. Immun. 69:4458-4464 (2001).
DR EMBL; AF170495; AAF08251.1; -
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule synth.
DR Pfam; PF05159; Capsule_synth; 1.
FT NON TER 353 353
SQ SEQUENCE 353 AA; 41854 MW; CBFC2PCCL17F24149 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 353;
Best Local Similarity 57.1%; Pred. No. 2.6e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
|:|:|:
Db 306 YIHDVPL 312

RESULT 64
CARA METKA
ID _CARA_METKA STANDARD; PRT; 361 AA.
AC Q8YI5;
DT 28-FEB-2003 (Rel. 41, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Carbamoyl-phosphate synthase small chain (EC 6.3.5.5) (Carbamoyl-
DE phosphate synthetase glutamine chain).
DN Name=car; OrderedLocNames=MK0491;
OS Methanopyrus kandleri.
OS Archaea; Euryarchaeota; Methanopyri; Methanopyrales; Methanopyraceae;
OC Methanopyrus.
OX NCBI_TaxID=2320;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=AV19 / DSM 6324 / JCM 9639;
RX MEDLINE=21927647; PubMed=11930014; DOI=10.1073/pnas.032671499;
RA Slesarev A.I., Mezhevaya K.V., Makarova K.S., Polushin N.N.,
RA Shcherbinina O.V., Shakhova V.V., Belova G.I., Aravind L.,
RA Nalekh D.A., Koonin E.B., Tatusov R.L., Wolf Y.I., Stetter K.O.,
RA Mal'kh A.G., Koonin E.B., Koz'yavkin S.A.;
RT "The complete genome of hyperthermophile Methanopyrus kandleri AV19
RT and monophyly of archaeal methanogens.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:4644-4649 (2002).
CC -1- CATALYTIC ACTIVITY: 2 ATP + L-glutamine + CO(2) + H(2)O = 2 ADP +
CC phosphate + L-glutamate + carbamoyl phosphate.
CC -1- PATHWAY: Arginine biosynthesis.
CC -1- SUBUNIT: Pyrimidine biosynthesis; first step.
CC promotes the hydrolysis of glutamine to ammonia, which is used by
CC the large (or ammonia) chain to synthesize carbamoyl phosphate (By
CC similarity).
CC -1- SIMILARITY: Belongs to the carA family.
CC -1- SIMILARITY: Contains 1 type-1 glutamine amidotransferase domain.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL; AB010343; AA001706.1; -
DR HSSP; P00907; 1CE8.
```

```
DR HAMAP; MF_01209; -, 1.
DR InterPro; IPR006274; CarA_synth_small.
DR InterPro; IPR001317; CP_synthGATase.
DR InterPro; IPR002474; CP_synthemall.
DR InterPro; IPR000991; GATase 1.
DR Pfam; PF00988; CPase_sm_chain; 1.
DR Pfam; PF00117; GATase_1_chain; 1.
DR PRINTS; PR00099; CFSGATASE.
DR PRINTS; PR00096; GATASE.
DR TIGRFAMs; TIGR01368; CFSaseIIsmall; 1.
DR PROSITE; PS00442; GATASE TYPE I; 1.
KW Arginine biosynthesis; Complete proteome; Glutamine amidotransferase;
KW Ligase; Pyrimidine biosynthesis.
FT DOMAIN 1 177
FT DOMAIN 178 252
FT ACT SITE 252 252
SQ SEQUENCE 361 AA; 39998 MW; ACC6F27ADCC6D6D CRC64;

Query Match 80.0%; Score 32; DB 1; Length 361;
Best Local Similarity 57.1%; Pred. No. 2.7e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
|:|:|:
Db 82 YLHDGPI 88
```

```
RESULT 65
Q830M4
ID Q830M4 PRELIMINARY; PRT; 372 AA.
AC Q830M4;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE DNA-damage-inducible protein P.
DN Name=dinp; OrderedLocNames=EP2756;
OS Enterococcus faecalis (Streptococcus faecalis).
OC Bacteria; Firmicutes; Lactobacillales; Enterococcaceae; Enterococcus.
OX NCBI_TaxID=1351;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=V583 / ATCC 700802;
RX MEDLINE=22550857; PubMed=12663927; DOI=10.1126/science.1080613;
RA Paulsen I.T., Banerjee L., Myers G.S.A., Nelson K.E., Seshadri R.,
RA Read T.D., Fouts D.E., Eisen J.A., Gill S.R., Heidelberg J.F.,
RA Tettelin H., Dodson R.J., Umayam L.A., Brinkac L.M., Beanan M.J.,
RA Daugherty S.C., DeBoy R.T., Durkin S.A., Kolonay J.F., Madupu R.,
RA Nelson W.C., Vamathevan J.J., Tran B., Upton J., Hansen T., Shetty J.,
RA Khouri H.M., Utterback T.R., Radune D., Ketchum K.A., Dougherty B.A.,
RA Fraser C.M.;
RT "Role of mobile DNA in the evolution of vancomycin-resistant
RT Enterococcus faecalis.";
RL Science 299:2071-2074 (2003).
DR EMBL; AB016955; AA082454.1; -.
DR HSSP; P96022; IIM4.
DR TIGR; EF2756; -.
DR GO; GO:0006281; P:DNA repair; IEA.
DR InterPro; IPR001126; UMUC_like.
DR Pfam; PF00817; IMS; 1.
DR PROSITE; PS50173; UMUC; 1.
KW Complete proteome.
SQ SEQUENCE 372 AA; 42368 MW; 9A87041ACCD45869 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 372;
Best Local Similarity 83.3%; Pred. No. 2.8e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 YVHDAPV 7
|:|:|:
Db 245 IHDAPV 250
```

RESULT 66

```

Q65MQ5          PRELIMINARY;          PRT; 382 AA.
ID Q65MQ5
AC Q65MQ5;
DT 25-OCT-2004 (TrEMBLrel. 28, Created)
DT 25-OCT-2004 (TrEMBLrel. 28, Last sequence update)
DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
DE Hypothetical protein (Cysteine desulfurase).
GN ORFNames=BL00596, BL00723;
OS Bacillus licheniformis DSM 13.
OC Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
OX NCBI_TaxID=279010;
[1]
RN STRAIN=DSM 13;
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 14580;
RA Rey M.W., Ramaiya P., Nelson B.A., Brody-Karpin S.D., Zaretsky E.J.,
Tang M., de Leon A.L., Xiang H., Gusti V., Clausen I.G., Olsen P.B.,
Rasmussen M.D., Andersen J.T., Jorgensen P.L., Larsen T.S.,
RA Sorokin A., Bolotin A., Lapidus A., Galleron N., Ehrlich S.D.,
Berka R.M.;
RT "Complete genome sequence of the industrial bacterium Bacillus
licheniformis and comparisons with closely related Bacillus species.";
RL Genome Biol. 5:R77-R77(2004).
DR EMBL; AE017333; AAU39659.1; -
DR EMBL; CP000002; AAU22309.1; -
KW Hypothetical protein.
SQ SEQUENCE 382 AA; 42232 MW; 40F73F0DF4B5496F CRC64;

Query Match 80.0%; Score 32; DB 2; Length 382;
Best Local Similarity 83.3%; Pred. No. 2.9e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
Db 97 VHDAPV 102

RESULT 67
Q9LLZ0          PRELIMINARY;          PRT; 387 AA.
ID Q9LLZ0
AC Q9LLZ0;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2002 (TrEMBLrel. 22, Last annotation update)
DE NymodLFY protein.
GN Name=NymodLFY;
OS Nymphaea odorata (White water lily).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; stem Magnoliophyta; Nymphaeales;
OC Nymphaeaceae; Nymphaea.
OX NCBI_TaxID=4419;
[1]
RN SEQUENCE FROM N.A.
RP Frohlich M.W., Parker D.S.;
RT "The mostly male theory of flower evolutionary origins: from genes to
fossils.";
EL Syst. Bot. 25:158-171(2000).
DR EMBL; AF105110; AAF77609.1; -
DR InterPro; IPR002910; FLO_LFY.
DR Pfam; PF01698; FLO_LFY; 1.
SQ SEQUENCE 387 AA; 42904 MW; 2BA48640DE9E3209 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 387;
Best Local Similarity 83.3%; Pred. No. 2.9e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
Db 97 VHDAPV 102

Query Match 80.0%; Score 32; DB 1; Length 389;
Best Local Similarity 71.4%; Pred. No. 2.9e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 303 YVHDAPV 309

RESULT 69
Q758W7          PRELIMINARY;          PRT; 389 AA.
ID Q758W7
AC Q758W7;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE ADR411Wp.
GN ORFNames=ADR411W;
OS Ashbya gossypii (Yeast) (Bremothecium gossypii).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Eremothecium.
OX NCBI_TaxID=33169;
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=ATCC 10895;
RA Voegel S.E., Brachat S., Dietrich F.S., Lerch A., Gaffney T.,

```

RA Philippsen P.;
 RL Submitted (SEP-2004) to the EMBL/GenBank/DBJ databases.
 RL EMBL; AB016817; AAS52330.1; -
 DR AGD; ADR411W; -
 DR GO; GO:0005634; C:nucleus; IEA.
 DR GO; GO:0003684; F:damaged DNA binding; IEA.
 DR GO; GO:0004527; F:exonuclease activity; IEA.
 DR GO; GO:0006281; P:DNA repair; IEA.
 DR InterPro; IPR003021; Rad1 Rec1.
 DR PRINTS; PR01245; RAD1REC1.
 DR SEQUENCE 389 AA; 43153 MW; 2FFFC0AA27E7F7CC CRC64;

Query Match 80.0%; Score 32; DB 2; Length 389;
 Best Local Similarity 83.3%; Pred. No. 2.9e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 YVHDAPV 7
 Db 225 IHDAPV 230

RESULT 70

Q6KCZ9 O6KCZ9 PRELIMINARY; PRT; 389 AA.
 AC O6KCZ9;
 DT 05-JUL-2004 (TrEMBLrel. 27, Created)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
 DE Capsule polysaccharide export protein kps.
 GN Name=kps;
 GN Escherichia coli.
 OS Escherichia coli.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
 OC Enterobacteriaceae; Escherichia.
 OX NCBI_TaxID=562;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Nissle 1917;
 RA Grozdanov L., Raasch C., Schulze J., Sonnenborn U., Gottschalk G.,
 RA Hacker J., Dobrindt U.;
 RT "Analysis of the genome structure of probiotic Escherichia coli strain
 RT Nissle 1917";
 RL J. Bacteriol. 186:5432-5441 (2004).
 DR EMBL; AJ586888; CA55819.1; -
 DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
 DR GO; GO:0015774; P:polysaccharide transport; IEA.
 DR InterPro; IPR007833; Capsule synth.
 DR Pfam; PF05159; Capsule synth; 1.
 DR SEQUENCE 389 AA; 46397 MW; FD7AGF73879A2349 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 389;
 Best Local Similarity 71.4%; Pred. No. 2.9e+02;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
 Db 303 YVHDLPM 309

RESULT 71

Q9NE98 Q9NE98 PRELIMINARY; PRT; 399 AA.
 AC Q9NE98;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Hypothetical protein L4803.06.
 GN Name=L4803.06;
 GN Leishmania major.
 OC Eukaryota; Euklenozoa; Kinetoplastida; Trypanosomatidae; Leishmania.
 OX NCBI_TaxID=5664;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Friedlin;

RX MEDLINE=98146435; PubMed=9477341;
 RA Ivens A.C., Lewis S.M., Bagherzadeh A., Zhang L., Chan H.M.,
 RA Smith D.F.;
 RT "A physical map of the Leishmania major Friedlin genome.";
 RL Genome Res. 8:135-145 (1998).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Friedlin;
 RA Masuy D., Purnelle B., Goffeau A., Ivens A.C., Quail M.,
 RA Rajandream M.A., Barrell B.G.;
 RL Submitted (APR-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL161416; CA877684.1; -
 KW Hypothetical protein.

SQ SEQUENCE 399 AA; 43458 MW; BB86021C2BBB3E18 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 399;
 Best Local Similarity 66.7%; Pred. No. 3e+02;
 Matches 4; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
 Db 162 YIHDSP 167

RESULT 72

Q9L9K5 Q9L9K5 PRELIMINARY; PRT; 405 AA.
 AC Q9L9K5;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE LipB.
 GN Name=LipB;
 OS Pasteurella multocida.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
 OC Pasteurellaceae; Pasteurella.
 OX NCBI_TaxID=747;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=M1404;
 RX MEDLINE=20165152; PubMed=10699509; DOI=10.1016/S0378-1135(99)00193-5;
 RA Boyce J.D., Chung J.Y., Adler B.;
 RT "Genetic organisation of the capsule biosynthetic locus of pasteurella
 RT multocida M1404";
 RL Vet. Microbiol. 72:121-134 (2000).
 DR EMBL; AF169324; AAF67277.1; -
 DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
 DR GO; GO:0015774; P:polysaccharide transport; IEA.
 DR InterPro; IPR007833; Capsule synth.
 DR Pfam; PF05159; Capsule synth; 1.
 DR SEQUENCE 405 AA; 47636 MW; 1F371B7AA42E7530 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 405;
 Best Local Similarity 83.3%; Pred. No. 3e+02;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
 Db 308 YVHDVP 313

RESULT 73

Q9X5N8 Q9X5N8 PRELIMINARY; PRT; 406 AA.
 AC Q9X5N8;
 DT 01-NOV-1999 (TrEMBLrel. 12, Created)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE Capsule export protein KpsS.
 GN Name=kpsS;
 GN Escherichia coli.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
 OC Enterobacteriaceae; Escherichia.

OX NCBI_TaxID=562;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=D1114;
RA MEDLINE=99194741; PubMed=10094710;
RX Clarke B.R., Pearce R., Roberts I.S.;
RT "Genetic organization of the Escherichia coli K10 capsule gene
cluster: identification and characterization of two conserved regions
in group III capsule gene clusters encoding polysaccharide transport
functions";
RL J. Bacteriol. 181:2278-2285(1999).
DR EMBL; AF127177; AAD32184.1; -;
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule synth.
DR Pfam; PF05159; Capsule synth; 1.
SQ SEQUENCE 406 AA; 48449 MW; 99C851E798C3DC0B CRC64;

Query Match 80.0%; Score 32; DB 2; Length 406;
Best Local Similarity 71.4%; Pred. No. 3.1e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 303 YVHDLPM 309
|||||
- - - - -

RESULT 74
O85454 O85454 PRELIMINARY; PRT; 408 AA.
AC O85454;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE PhyB.
GN Names=PhyB;
OS Pasteurella multocida.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
OC Pasteurellaceae; Pasteurella.
OX NCBI_TaxID=747;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=98442423; PubMed=9770287;
RX Chung J.Y., Zhang Y., Adler B.;
RT "The capsule biosynthetic locus of Pasteurella multocida A.1.";
RL FEMS Microbiol. Lett. 166:289-296(1998).
RN [2]
RP SEQUENCE FROM N.A.
RA Chung J.Y., Zhang Y., Adler B.;
RL Submitted (MAY-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF067175; AAC67247.1; -;
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule synth.
DR Pfam; PF05159; Capsule synth; 1.
SQ SEQUENCE 408 AA; 47589 MW; FE521AF35E4AA9FB CRC64;

Query Match 80.0%; Score 32; DB 2; Length 408;
Best Local Similarity 83.3%; Pred. No. 3.1e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 6
Db 311 YVHDVP 316
|||||
- - - - -

RESULT 75
O9CMP3 O9CMP3 PRELIMINARY; PRT; 408 AA.
AC O9CMP3;
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)

DE PhyB.
GN Name=phyB; OrderedLocusNames=PM0772;
OS Pasteurella multocida.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Pasteurellales;
OC Pasteurellaceae; Pasteurella.
OX NCBI_TaxID=747;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Pm70;
RX MEDLINE=21145866; PubMed=11248100; DOI=10.1073/pnas.051634598;
RA May B.J., Zhang Q., Li L.L., Paustian M.L., Whitam T.S., Kapur V.;
RT "Complete genomic sequence of Pasteurella multocida Pm70.";
RL Proc. Natl. Acad. Sci. U.S.A. 98:3460-3465(2001).
DR EMBL; A8006115; AAK02856.1; -;
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule synth.
DR Pfam; PF05159; Capsule synth; 1.
KW Complete proteome.
SQ SEQUENCE 408 AA; 47575 MW; FE521AF35F5AB8FB CRC64;

Query Match 80.0%; Score 32; DB 2; Length 408;
Best Local Similarity 83.3%; Pred. No. 3.1e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 6
Db 311 YVHDVP 316
|||||
- - - - -

RESULT 76
O8FDP8 O8FDP8 PRELIMINARY; PRT; 412 AA.
AC O8FDP8;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE KpsS protein.
GN Name=kpsS; OrderedLocusNames=c3691;
OS Escherichia coli O6.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=217992;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=06:HI / CFT073 / ATCC 700928;
RX MEDLINE=22388234; PubMed=12471157; DOI=10.1073/pnas.252529799;
RA Welch R.A., Burland V., Plunkett G. III, Redford P., Roesch P.,
RA Rasko D., Buckles E.L., Liou S.-R., Boutin A., Hackett J., Stroud D.,
RA Mayhew G.F., Rose D.J., Zhou S., Schwartz D.C., Perna N.T.,
RA Mobley H.L.T., Donnenberg M.S., Blattner F.R.;
RT "Extensive mosaic structure revealed by the complete genome sequence
of uropathogenic Escherichia coli.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:17020-17024(2002).
DR EMBL; AE016766; AAN82139.1; -;
DR GO; GO:0000271; P:polysaccharide biosynthesis; IEA.
DR GO; GO:0015774; P:polysaccharide transport; IEA.
DR InterPro; IPR007833; Capsule synth.
DR Pfam; PF05159; Capsule synth; 1.
KW Complete proteome.
SQ SEQUENCE 412 AA; 48808 MW; A9DE2A6F3E144C94 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 412;
Best Local Similarity 71.4%; Pred. No. 3.1e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 303 YVHDLPM 309
|||||
- - - - -

RESULT 77
O6LZW1

ID Q6LZM1 PRELIMINARY; PRT; 445 AA.
AC Q6LZM1;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE Molybdenum containing formylmethanofuran dehydrogenase, subunit B (EC 1.2.99.5).
GN Name=fmdB; OrderedLocusNames=MMP0512;
OS Methanococcus maripaludis.
OC Archaea; Euryarchaeota; Methanococci; Methanococcales;
OC Methanococcaceae; Methanococcus.
OX NCBI_TaxID=39152;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S2 / LL;
RA Hendrickson E.L., Kaul R., Zhou Y., Bovee D., Chapman P., Chung J., Conway de Macario E., Dodsworth J., Gillett W., Graham D.E., Haydock A.K., Kang A., Land M.L., Levy R., Lie T.J., Major T., Moore B., Porat I., Overbeek R., Palmeiri A., Rouse G., Saenphimmachak C., Soll D., Whitman W.B., Larimer F.W., Olson M.V., Leigh J.A.;
RA "Complete genome sequence of the mesophilic hydrogenotrophic methanogen Methanococcus maripaludis."
RL Submitted (FEB-2004) to the EMBL/GenBank/DBJ databases.
DR EMBL; BX957220; CAF30088.1; -;
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR InterPro; IPR006656; Molybdopterin.
DR Pfam; PF00384; Molybdopterin; 1.
KW Complete proteome.
SQ SEQUENCE 445 AA; 49502 MW; B65B6E6CBEE61B69 CRC64;
Query Match 80.0%; Score 32; DB 2; Length 445;
Best Local Similarity 71.4%; Pred. No. 3.4e+02;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
Qy 1 YVHDAPV 7
|:|:|:|
Db 362 YMHDPV 368
RESULT 78
Q8YX3 PRELIMINARY; PRT; 454 AA.
ID Q8YX3
AC Q8YX3;
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Airl312 protein.
GN OrderedLocusNames=airl312;
OS Anabaena sp. (strain PCC 7120).
OC Bacteria; Cyanobacteria; Nostocales; Nostocaceae; Nostoc.
OX NCBI_TaxID=103690;
RN [1]
RP SEQUENCE FROM N.A.
RC MEDLINE=21595285; PubMed=11759840;
RA Kaneko T., Nakamura Y., Wolk C.P., Kuritz T., Sasamoto S., Watanabe A., Iriiguchi M., Ishikawa A., Kawashima K., Kimura T., Kishida Y., Kohara M., Matsumoto M., Matsuno A., Muraki A., Nakazaki N., Shimpo S., Sugimoto M., Takazawa M., Yamada M., Yasuda M., Tabata S.;
RA "Complete genomic sequence of the filamentous nitrogen-fixing cyanobacterium Anabaena sp. strain PCC 7120."
RL DNA Res. 8:205-213(2001).
DR EMBL; AP003585; BAB73269.1; -;
DR PIR; AE1970; AE1970.
DR GO; GO:0003824; F:catalytic activity; IEA.
DR GO; GO:0005506; F:iron ion binding; IEA.
DR Pfam; PF04055; Radical SAM; 1.
DR Pfam; PF01938; TRAM; 1.
DR Pfam; PF00919; UPF0004; 1.
DR SMART; SM00729; Elp3; 1.
DR TIGRFAMs; TIGR01574; miaB-methiolase; 1.
DR TIGRFAMs; TIGR00089; UPF0004; 1.

DR PROSITE; PS50926; TRAM; 1.
DR PROSITE; PS01278; UPF0004; 1.
KW Complete proteome.
SQ SEQUENCE 454 AA; 51509 MW; 8606FD00B3D7BDBC CRC64;
Query Match 80.0%; Score 32; DB 2; Length 454;
Best Local Similarity 83.3%; Pred. No. 3.4e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 YVHDAPV 6
|:|:|:|
Db 229 YVHDVP 234
RESULT 79
Q85DA3 PRELIMINARY; PRT; 459 AA.
ID Q85DA3
AC Q85DA3;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE NADH dehydrogenase subunit 4.
GN Name=ND4;
OS Galago crassicaudatus (Thick-tailed galago) (Otolemur crassicaudatus).
OC Mitochondrion.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Strepsirhini; Galagonidae; Otolemur.
OX NCBI_TaxID=9463;
RN [1]
RP SEQUENCE FROM N.A.
RC MEDLINE=22631663; PubMed=12719521; DOI=10.1073/pnas.1031673100;
RA Pastorini J., Thalmann U., Martin R.D.;
RT "A molecular approach to comparative phylogeography of extant Malagasy lemurs."
RL Proc. Natl. Acad. Sci. U.S.A. 100:5879-5884(2003).
CC -1- CATALYTIC ACTIVITY: NADH + ubiquinone = NAD(+) + ubiquinol.
DR EMBL; AF224643; AAP33659.1; -;
DR GO; GO:0005739; C:mitochondrion; IEA.
DR GO; GO:0008137; F:NADH dehydrogenase (ubiquinone) activity; IEA.
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR GO; GO:0042773; P:ATP synthesis coupled electron transport; IEA.
DR GO; GO:0006120; P:mitochondrial electron transport, NADH to u. . .; IEA.
DR InterPro; IPR008948; L-Aspartase-like.
DR InterPro; IPR003918; NADH oxidase.
DR InterPro; IPR010227; NDH I M.
DR InterPro; IPR001750; Oxidored_g1.
DR InterPro; IPR000260; Oxidored_g5_N.
DR Pfam; PF00361; Oxidored_g1; 1.
DR Pfam; PF01059; Oxidored_g5_N; 1.
DR PRINTS; PR01437; NUOXDRDTASE4.
DR TIGRFAMs; TIGR01972; NDH I M; 1.
KW Mitochondrion; NAD; Oxidoreductase; Ubiquinone.
SQ SEQUENCE 459 AA; 51525 MW; 9160E2A9E83E187B CRC64;
Query Match 80.0%; Score 32; DB 2; Length 459;
Best Local Similarity 57.1%; Pred. No. 3.5e+02;
Matches 4; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
Qy 1 YVHDAPV 7
|:|:|:|
Db 181 YLHDTPI 187
RESULT 80
Q8T2Z0 PRELIMINARY; PRT; 661 AA.
ID Q8T2Z0
AC Q8T2Z0;
DT 01-JUN-2002 (TrEMBLrel. 21, Created)
DT 01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Tcc118.1.
GN Name=Tcc118.1;
OS Trypanosoma cruzi.

OC Eukaryota; Euglenozoa; Kinetoplastida; Trypanosomatidae; Trypanosoma.
OX NCBI_TaxID=5693;
RN [1]
RP SEQUENCE FROM N.A.
RA STRAIN=CL Brenner;
RA Andersson B., Bontempi E.J.;
RL Submitted (MAR-2002) to the EMBL/GenBank/DBJ databases.
DR ENBL; AC104496; AAL96755.1; -;
DR HSP; Q93009; INBF.
DR GO; GO:0004197; F:cysteine-type endopeptidase activity; IEA.
DR GO; GO:0004221; F:ubiquitin thiolesterase activity; IEA.
DR GO; GO:0006511; P:ubiquitin-dependent protein catabolism; IEA.
DR InterPro; IPR000345; CytC heme BS.
DR InterPro; IPR001394; Peptidase_C19.
DR Pfam; PF00443; UCH; 1.
DR PROSITE; PS00190; CYTOCHROME_C; UNKNOWN_1.
DR PROSITE; PS00973; UCH_2_2; 1.
DR PROSITE; PS0235; UCH_2_3; 1.
SQ SEQUENCE 661 AA; 73507 MW; FE8CF92C8762E4A6 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 661;
Best Local Similarity 85.7%; Pred. No. 5.1e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
DB 339 YVHDADV 345

RESULT 81

Q82TW6 Q82TW6 PRELIMINARY; PRT; 681 AA.
ID Q82TW6
AC Q82TW6
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE NAD-dependent DNA ligase (EC 6.5.1.2).
GN Nameslig; OrderedLocusNames=NE1753;
OS Nitrosomonas europaea.
OC Bacteria; Proteobacteria; Betaproteobacteria; Nitrosomonadales;
OC Nitrosomonadaceae; Nitrosomonas.
OX NCBI_TaxID=915;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 19718 / IFO 14298;
RX MEDLINE=22586410; PubMed=12700255;
RX DOI=10.1128/JB.185.9.2759-2773.2003;
RA Chain P., Lamerdin J.E., Larimer F.W., Regala W., Lao V., Land M.L.,
RA Hauser L., Hooper A.B., Klotz M.G., Norton J., Savavedra-Soto L.A.,
RA Arciero D.M., Hommes N.G., Whittaker M.M., Arp D.J.;
RT "Complete genome sequence of the ammonia-oxidizing bacterium and
obligate chemolithoautotroph Nitrosomonas europaea.";
RL J. Bacteriol. 185:2759-2773(2003).
CC -I- FUNCTION: This protein catalyzes the formation of phosphodiester
linkages between 5'-phosphoryl and 3'-hydroxyl groups in double-
stranded DNA using NAD as a coenzyme and as the energy source for
the reaction. It is essential for DNA replication and repair of
damaged DNA (By similarity).
CC -I- CATALYTIC ACTIVITY: NAD(+) + {deoxyribonucleotide} (N) +
{deoxyribonucleotide} (M) = AMP + nicotinamide nucleotide +
{deoxyribonucleotide} (N+M).
CC -I- SIMILARITY: Belongs to the NAD-dependent DNA ligase family.
DR ENBL; BX321862; CAD85664.1; -;
DR HSP; O87703; I804.
DR GO; GO:0005622; C:intracellular; IEA.
DR GO; GO:0003677; F:DNA binding; IEA.
DR GO; GO:0003911; F:DNA ligase (NAD+) activity; IEA.
DR GO; GO:0016874; F:ligase activity; IEA.
DR GO; GO:0006281; P:DNA repair; IEA.
DR GO; GO:0006260; P:DNA replication; IEA.
DR InterPro; IPR001357; BRCT.
DR InterPro; IPR001679; DNALigase.
DR InterPro; IPR004150; DNA_ligase_OB.

DR InterPro; IPR000445; Hhh.
DR InterPro; IPR003583; HHH_1.
DR InterPro; IPR008994; Nucleic acid_OB.
DR InterPro; IPR010994; Ruva_2_like.
DR InterPro; IPR004149; Znf_DNALigase_C4.
DR Pfam; PF00533; BRCT; 1.
DR Pfam; PF01653; DNA ligase aden; 1.
DR Pfam; PF03120; DNA_ligase_OB; 1.
DR Pfam; PF03119; DNA_ligase_ZBD; 1.
DR Pfam; PF00633; HHH; 2.
DR ProDom; PD003944; DNALigase; 1.
DR SMART; SM00292; BRCT; 1.
DR SMART; SM00278; Hhh1; 4.
DR SMART; SM00532; LIGANC; 1.
DR TIGRFAMs; TIGR00575; dnlj; 1.
DR PROSITE; PS0172; BRCT; 1.
DR PROSITE; PS01056; DNA_LIGASE_N2; 1.
KW Complete proteome; DNA damage; DNA repair; DNA replication; Ligase;
KW NAD.
SQ SEQUENCE 681 AA; 75128 MW; 8A25E774E7F34812 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 681;
Best Local Similarity 85.7%; Pred. No. 5.3e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
|||
DB 26 YVQDAPV 32

RESULT 82

Q908M8 Q908M8 PRELIMINARY; PRT; 796 AA.
ID Q908M8
AC Q908M8
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE M72L.
GN Name=m072L;
OS Myxoma virus.
OC Viruses; dsDNA viruses, no RNA stage; Poxviridae; Chordopoxvirinae;
OC Leporipoxvirus.
OX NCBI_TaxID=10273;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Lausanne;
RX MEDLINE=20032073; PubMed=10562494; DOI=10.1006/viro.1999.0001;
RA Cameron C., Hota-Mitchell S., Chen L., Barrett J., Cao J.X.,
RA Macaulay C., Willer D., Evans D., McFadden G.;
RT "The complete DNA sequence of myxoma virus.";
RL Virology 264:298-318(1999).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=Lausanne;
RA Cameron C., Hota-Mitchell S., Chen L., Barrett J., Cao J.X.,
RA Macaulay C., Willer D., Evans D., McFadden G.;
RL Submitted (JAN-2002) to the EMBL/GenBank/DBJ databases.
DR ENBL; AF170726; AAF14960.1; -;
DR GO; GO:0003700; F:transcription factor activity; IEA.
DR InterPro; IPR004974; Pox_Rap94.
DR Pfam; PF03294; Pox_Rap94; 1.
SQ SEQUENCE 796 AA; 93689 MW; 3854D27C10DAD47F CRC64;

Query Match 80.0%; Score 32; DB 2; Length 796;
Best Local Similarity 83.3%; Pred. No. 6.2e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
|||
DB 771 YVHDVP 776

RESULT 83

Q90900 PRELIMINARY; PRT; 798 AA.
 AC Q90900;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DE 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 GN G072L
 GN Name=s072L;
 OS Rabbit fibroma virus.
 OS Viruses; dsDNA viruses, no RNA stage; Poxviridae; Chordopoxvirinae;
 OC Leporipoxvirus.
 OC NCBI_TaxID=10271;
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=Kasza;
 RC MEDLINE=84165064; PubMed=6323741;
 RA Delange A.M., Macaulay C., Block W., Mueller T., McFadden G.;
 RA "Tumorigenic poxviruses: construction of the composite physical map of
 RT the Shope fibroma virus genome.";
 RL J. Virol. 50:408-416(1984).
 [2]
 RN SEQUENCE FROM N.A.
 RP STRAIN=Kasza;
 RC MEDLINE=90266459; PubMed=2161144;
 RA Upton C., Ogenorth A., Trakman P., McFadden G.;
 RA "Identification and DNA sequence of the Shope fibroma virus DNA
 RT topoisomerase gene.";
 RL Virology 176:439-447(1990).
 [3]
 RN SEQUENCE FROM N.A.
 RP STRAIN=Kasza;
 RC MEDLINE=92074222; PubMed=1660196;
 RA Strayer D.S., Jering H.H., O'Connor K.;
 RA "Sequence and analysis of a portion of the genomes of Shope fibroma
 RT virus and malignant rabbit fibroma virus that is important for viral
 RT replication in lymphocytes.";
 RL Virology 185:585-595(1991).
 [4]
 RN SEQUENCE FROM N.A.
 RP STRAIN=Kasza;
 RC MEDLINE=20032074; PubMed=10562495; DOI=10.1006/viro.1999.0002;
 RA Willer D.O., McFadden G., Evans D.H.;
 RA "The complete genome sequence of shope (rabbit) fibroma virus.";
 RL Virology 264:319-343(1999).
 DR EMBL; AF107222; AAF17954.1; ..
 DR GO; GO:0003700; F:transcription factor activity; IEA.
 DR InterPro; IPR004974; Pox_Rap94.
 DR Pfam; PF03294; Pox_Rap94; 1.
 SQ SEQUENCE 798 AA; 94394 MW; 788646E84CF20B50 CRC64;
 Query Match 80.0%; Score 32; DB 2; Length 798;
 Best Local Similarity 83.3%; Pred. No. 6.2e+02;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 YHDP 6
 DB 773 YHDP 778
 RESULT 84
 Q9P797 PRELIMINARY; PRT; 1142 AA.
 AC Q9P797;
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE SPBP35G2.06c protein.
 GN Name=SPBP35G2.06c;
 GN Schizosaccharomyces pombe (Fission yeast).
 OS Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
 OC Schizosaccharomycetales; Schizosaccharomycetaceae;
 OC Schizosaccharomycetes.
 OC NCBI_TaxID=4896;

[1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=972h-;
 RC MEDLINE=21848401; PubMed=11859360; DOI=10.1038/nature724;
 RA Wood V., Gwilliam R., Rajandream M.A., Lyne M., Lyne R., Stewart A.,
 RA Sources J., Peat N., Hayles J., Baker S., Basham D., Bowman S.,
 RA Brooks K., Brown D., Brown S., Chillingworth T., Church C.,
 RA Collins M., Connor R., Cronin A., Davis P., Feltwell T., Fraser A.,
 RA Ganties S., Goble A., Hamlin N., Harris D., Hidalgo J., Hodgson G.,
 RA Holroyd S., Hornsby T., Howarth S., Huckle E.J., Hunt S., Jagels K.,
 RA James K., Jones L., Jones M., Leather S., McDonald S., McLean J.,
 RA Mooney P., Moule S., Mungall K., Murphy L., Niblett D., Odell C.,
 RA Oliver K., O'Neill S., Pearson D., Quail M.A., Rabinowitsch E.,
 RA Rutherford K., Rutter S., Saunders D., Seeger K., Sharp S.,
 RA Skelton J., Simmonds M., Squares R., Walsh S., Warren T., Whitehead S.,
 RA Taylor K., Taylor R.G., Tivey A., Walsh S., Warren T., Whitehead S.,
 RA Woodward J., Volkart G., Aert R., Robben J., Grymonprez B.,
 RA Welter J., Vansireels E., Rieger M., Schafer M., Muller-Auer S.,
 RA Gabel C., Fuchs M., Dusterhoft A., Fritz C., Holzer E., Moestl D.,
 RA Hilbert H., Borzym K., Langer I., Beck A., Lehrach H., Reinhardt R.,
 RA Pohl T.M., Eger P., Zimmermann W., Wedler H., Wambutt R., Purnelle B.,
 RA Goffeau A., Cadieu E., Dreano S., Gloux S., Lelaure V., Mottier S.,
 RA Galibert F., Aves S.J., Xiang Z., Hunt C., Moore K., Hurst S.M.,
 RA Lucas M., Rochet M., Gaillardin C., Tallada V.A., Garzon A., Thode G.,
 RA Daga R.R., Cruzado L., Jimenez J., Sanchez M., del Rey F., Benito J.,
 RA Dominguez A., Revuelta J.L., Moreno S., Armstrong J., Foreburg S.L.,
 RA Cerutti L., Lowe T., McCombie W.R., Paulsen I., Potashkin J.,
 RA Shpakovski G.V., Ussery D., Barrell B.G., Nurse P.;
 RT "The genome sequence of Schizosaccharomyces pombe.";
 RL Nature 415:871-880(2002).
 [2]
 RN SEQUENCE FROM N.A.
 RP STRAIN=972h-;
 RC STRAIN=972h-;
 RA Seeger K., Harris D., Wood V., Rajandream M.A., Barrell B.G.;
 RL Submitted (APR-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AL163702; CAB87368.1; ..
 DR GeneDB; Spombe; SPBP35G2.06c; ..
 DR GO; GO:0005643; C:nuclear pore; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0050658; P:RNA transport; IEA.
 DR InterPro; IPR007187; Nup133.
 DR Pfam; PF04044; Nup133; 1.
 SQ SEQUENCE 1142 AA; 131438 MW; 4A53F86FE19CA82B CRC64;
 Query Match 80.0%; Score 32; DB 2; Length 1142;
 Best Local Similarity 83.3%; Pred. No. 9.1e+02;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 2 YHDP 7
 DB 63 YHDP 68
 RESULT 85
 Q8Y282 PRELIMINARY; PRT; 1345 AA.
 ID Q8Y282;
 AC Q8Y282;
 DT 01-MAR-2002 (TrEMBLrel. 20, Created)
 DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE PUTATIVE OXIDOREDUCTASE PROTEIN (EC 1.-.-.-).
 GN Name=RS04446; OrderedLocustNames=RSC0454;
 OS Ralstonia solanacearum (Pseudomonas solanacearum).
 OC Bacteria; Proteobacteria; Betaproteobacteria; Burkholderiales;
 OC Burkholderiaceae; Ralstonia.
 OC NCBI_TaxID=305;
 [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN=GM11000;
 RC MEDLINE=21681879; PubMed=11823852; DOI=10.1038/415497a;
 RA Salanoubat M., Genin S., Artiguenave F., Gouzy J., Mangenot S.,
 RA Alier M., Billault A., Brottier P., Camus J.C., Catolico L.,
 RA Chandler M., Choiane N., Claudel-Renard C., Cunac S., Demange N.,

RA Gaspin C., Lavie M., Moisan A., Robert C., Saurin W., Schlex T.,
 RA Signier P., Thebault P., Whalen M., Wincker P., Levy M.,
 RA Weissenbach J., Boucher C.A.;
 RT "Genome sequence of the plant pathogen *Ralstonia solanacearum*.";
 RL Nature 415:497-502(2002).
 DR EMBL; AL646059; CAD13982.1; -;
 DR GO; GO:0006118; P:electron transport; IEA.
 DR Pfam; PF02754; CCG; 2.
 DR Pfam; PF02913; FAD-oxidase C; 1.
 DR Pfam; PF01565; FAD binding_4; 1.
 DR PROSITE; PS00198; 4FEAS FERREDOXIN; UNKNOWN_1.
 DR PROSITE; PS00190; CYTOCHROME C; UNKNOWN_1.
 DR PROSITE; PS00551; MOLYBDOTERIN_PROK_1; UNKNOWN_1.
 KW Complete proteome.
 SQ SEQUENCE 1345 AA; 149536 MW; 0DE06A6B917409E CRC64;

Query Match 80.0%; Score 32; DB 2; Length 1345;
 Best Local Similarity 83.3%; Pred. No. 1.1e+03;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 :|||||
 Db 348 IHDAPV 353

RESULT 86
 Q9CAG6 PRELIMINARY; PRT; 1871 AA.
 ID Q9CAG6
 AC Q9CAG6;
 DT 01-JUN-2001 (TrEMBLrel. 17, Created)
 DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE Putative DNA polymerase zeta catalytic subunit.
 GN NamesF12B7.5;
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; rosids;
 OC eurosid II; Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Lin X., Kaul S., Town C.D., Benito M., Creasy T.H., Haas B.J., Wu D.,
 RA Maiti R., Ronning C.M., Koo H., Fujii C.Y., Utterback T.R.,
 RA Barnstead M.E., Bowman C.L., White O., Nierman W.C., Fraser C.M.;
 RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
 [2]
 RP SEQUENCE FROM N.A.
 RA Town C.D., Kaul S.;
 RL Submitted (JAN-2001) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AC011020; AGS52299.1; -;
 DR PIR; D96698; D96698.
 DR GO; GO:0008408; F:3'-5' exonuclease activity; IEA.
 DR GO; GO:0003677; F:DNA binding; IEA.
 DR GO; GO:0003887; F:DNA-directed DNA polymerase activity; IEA.
 DR GO; GO:0000166; F:nucleotide binding; IEA.
 DR GO; GO:0006260; P:DNA replication; IEA.
 DR InterPro; IPR006172; DNA_pol_B.
 DR InterPro; IPR006134; DNA_pol_B_region.
 DR Pfam; PF00136; DNA_pol_B; 1.
 DR PRINTS; PR00106; DNAPOLB.
 DR SMART; SM00486; POLBC; 1.
 DR PROSITE; PS00116; DNA_POLYMERASE_B; 1.
 DR SEQUENCE 1871 AA; 208639 MW; D3727866B5585EF CRC64;

Query Match 80.0%; Score 32; DB 2; Length 1871;
 Best Local Similarity 83.3%; Pred. No. 1.5e+03;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 :|||||
 Db 329 VHDAPV 334

RESULT 87
 Q766Z3 PRELIMINARY; PRT; 1890 AA.
 ID Q766Z3
 AC Q766Z3;
 DT 05-JUL-2004 (TrEMBLrel. 27, Created)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
 DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
 DE Catalytic subunit of polymerase zeta.
 GN Name=AREV3;
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; rosids;
 OC eurosid II; Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=22833953; PubMed=12953110;
 RA Sakamoto A., Vo L.T., Hase Y., Shikazono N., Matsunaga T., Tanaka A.;
 RT "Disruption of the AREV3 gene causes hypersensitivity to ultraviolet
 B light and gamma-rays in Arabidopsis: implication of the presence of
 a translesion synthesis mechanism in plants.";
 RL Plant Cell 15:2042-2057(2003).
 DR EMBL; AB114052; BAC82450.1; -;
 DR GO; GO:0008408; F:3'-5' exonuclease activity; IEA.
 DR GO; GO:0003677; F:DNA binding; IEA.
 DR GO; GO:0003887; F:DNA-directed DNA polymerase activity; IEA.
 DR GO; GO:0000166; F:nucleotide binding; IEA.
 DR GO; GO:0006260; P:DNA replication; IEA.
 DR InterPro; IPR006172; DNA_pol_B.
 DR InterPro; IPR006134; DNA_pol_B_region.
 DR Pfam; PF00136; DNA_pol_B; 1.
 DR PRINTS; PR00106; DNAPOLB.
 DR SMART; SM00486; POLBC; 1.
 DR PROSITE; PS00116; DNA_POLYMERASE_B; 1.
 DR SEQUENCE 1890 AA; 210846 MW; 7E3E5BF3C140C105 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 1890;
 Best Local Similarity 83.3%; Pred. No. 1.5e+03;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 VHDAPV 7
 :|||||
 Db 325 VHDAPV 330

RESULT 88
 O64795 PRELIMINARY; PRT; 1894 AA.
 ID O64795
 AC O64795;
 DT 01-AUG-1998 (TrEMBLrel. 07, Created)
 DT 01-AUG-1998 (TrEMBLrel. 07, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE Tf15.3 protein.
 GN Name=Tf15.3;
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; rosids;
 OC eurosid II; Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Vysotskaia V.S., Schwartz J.R., Toriumi M., Yu G., Oji, O., Kwan A.,
 RA Liu S., Li J., Araujo R., Au M., Brendel V., Buehler E., Conway A.B.,
 RA Conway A.R., Dewar K., Feng J., Kim C., Kurtz D., Li Y., Palm C.J.,
 RA Shinn P., Sun H., Davis R.W., Ecker J.R., Federspiel N.A.,
 RA Theologis A.;
 RL Submitted (JAN-2001) to the EMBL/GenBank/DBJ databases.
 [2]
 RP SEQUENCE FROM N.A.
 RA Theologis A.;
 RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AC004393; AAC18785.1; -;
 DR PIR; T02155; T02155.

DR GO: GO:0008408; P:3'-5' exonuclease activity; IEA.
 DR GO: GO:0003677; F:DNA binding; IEA.
 DR GO: GO:0003887; F:DNA-directed DNA polymerase activity; IEA.
 DR GO: GO:0000166; P:nucleotide binding; IEA.
 DR GO: GO:0006260; P:DNA replication; IEA.
 DR InterPro: IPR006172; DNA_pol_B.
 DR InterPro: IPR006134; DNA_pol_B_region.
 DR Pfam: PF001136; DNA_pol_B; 1.
 DR PRINTS: PR00106; DNAPOB.
 DR SMART: SMO0486; POLBC; 1.
 DR PROSITE: PS00116; DNA_POLYMERASE_B; 1.
 DR PROSITE: PS00116; DNA_POLYMERASE_B; 1.
 SQ SEQUENCE 1894 AA; 211356 MW; AE36498D70EFCBF8 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 1894;
 Best Local Similarity 83.3%; Pred. No. 1.6e+03;
 Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VHDAPV 7
 |||||
 329 VHDAPV 334

RESULT 89

Q8X1E9 PRELIMINARY; PRT; 2110 AA.
 AC Q8X1E9
 DT 01-MAR-2002 (TrEMBLrel. 20, Created)
 DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Calcium channel.
 GN Namescch;
 OS Emericella nidulans (Aspergillus nidulans).
 OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
 OC Eukaryotes; Trichocomaceae; Emericella.
 OX NCBI_TaxID=162425;
 [1]
 RP SEQUENCE FROM N.A.
 RA Fischer M., Jackson C., Sanders D.;
 RL Submitted (JUN-2001) to the EMBL/GenBank/DBJ databases.
 CC -1- SUBCELLULAR LOCATION: Integral membrane protein (By similarity).
 CC -1- SIMILARITY: Belongs to the calcium channel alpha-1 subunits family.

DR EMBL: AF393474; AAL37946.1; -.
 DR GO: GO:001021; C:integral to membrane; IEA.
 DR GO: GO:0005991; C:voltage-gated calcium channel complex; IEA.
 DR GO: GO:0005509; F:calcium ion binding; IEA.
 DR GO: GO:0005245; F:voltage-gated calcium channel activity; IEA.
 DR GO: GO:0006816; P:calcium ion transport; IEA.
 DR GO: GO:0006812; P:cation transport; IEA.
 DR Pfam: PF00520; Ion_trans; 4.
 DR PRINTS: PR00167; CCHANNEL.
 KW Calcium; Calcium channel; Calcium transport; Calcium-binding;
 KW Ion transport; Ionic channel; Transmembrane; Transport;
 KW Voltage-gated channel
 SQ SEQUENCE 2110 AA; 237722 MW; B67C66BEA81BF2A4 CRC64;

Query Match 80.0%; Score 32; DB 2; Length 2110;
 Best Local Similarity 83.3%; Pred. No. 1.7e+03;
 Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
 |||||
 284 YVHDAP 289

RESULT 90

Q7QYR7 PRELIMINARY; PRT; 3044 AA.
 AC Q7QYR7
 DT 01-MAR-2004 (TrEMBLrel. 26, Created)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
 DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
 DE GLP_70_49040_39906.

OS Giardia lamblia ATCC 50803.
 OC Eukaryota; Diplomonadida; Hexamitidae; Giardinae; Giardia.
 OX NCBI_TaxID=184922;
 [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=WB C6;
 RA Morrison H.G., McArthur A.G., Adam R.D., Aley S.B., Gillin F.D.,
 RA Olsen G.J., Sogin M.L.;
 RT "Draft sequence of the Giardia lamblia genome."
 RL Submitted (MAR-2003) to the EMBL/GenBank/DBJ databases.
 CC -1- CAUTION: The sequence shown here is derived from an
 CC EMBL/GenBank/DBJ whole genome shotgun (WGS) entry which is
 CC preliminary data.
 DR EMBL: AACB01000048; EAA40229.1; -.
 SQ SEQUENCE 3044 AA; 347081 MW; 24F737600F128C6D CRC64;

Query Match 80.0%; Score 32; DB 2; Length 3044;
 Best Local Similarity 57.1%; Pred. No. 2.6e+03;
 Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAPV 7
 |||||
 944 YVHDAPV 950

RESULT 91

VPD2 SCHPO STANDARD; PRT; 3131 AA.
 AC Q42976; P78943;
 DT 29-MAR-2004 (Rel. 43, Created)
 DT 29-MAR-2004 (Rel. 43, Last sequence update)
 DT 05-JUL-2004 (Rel. 44, Last annotation update)
 DE Putative vacuolar protein sorting-associated protein vps1302.
 GN Names-vps1302; Synonyms=vps13b; ORFNames=SPBC16C6.02c;
 OS Schizosaccharomyces pombe (Fission Yeast).
 OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
 OC Schizosaccharomycetales; Schizosaccharomycetaceae;
 OX NCBI_TaxID=4896;
 [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=972;
 RX MEDLINE=21848401; PubMed=11859360; DOI=10.1038/nature724;
 RA Wood V., Gwilliam R., Rajandream M.A., Lyne M., Lyne R., Stewart A.,
 RA Sgouras J., Peat N., Hayles J., Baker S., Basham D., Bowman S.,
 RA Brooks K., Brown D., Brown S., Chillingworth T., Churcher C.M.,
 RA Collins M., Connor R., Cronin A., Davis P., Feltwell T., Fraser A.,
 RA Gentles S., Goble A., Hamlin N., Harris D., Hidalgo J., Hodgson G.,
 RA Holroyd S., Hornsby T., Howarth S., Ruckle E.J., Hunt S., Jagels K.,
 RA James K., Jones L., Jones M., Leather S., McDonald S., McLean J.,
 RA Mooney P., Moule S., Mungall K., Murphy L., Niblett D., Odell C.,
 RA Oliver K., O'Neill S., Pearson D., Quail M.A., Rabinowitsch E.,
 RA Rutherford K., Rutter S., Saunders D., Seeger K., Sharp S.,
 RA Skelton J., Simmonds M., Squares R., Squares S., Stevens K.,
 RA Taylor K., Taylor R.G., Tivey A., Walsh S.V., Warren T., Whitehead S.,
 RA Woodward J., Volckaert G., Aert R., Robben J., Grymonprez B.,
 RA Weltjens I., Vanstreels E., Rieger M., Schaefer M., Mueller-Auer S.,
 RA Gabel C., Fuchs M., Fritz C., Holzer E., Moestl D., Hilbert H.,
 RA Borzym K., Langer I., Beck A., Lebrach H., Reinhardt R., Pohl T.M.,
 RA Eger P., Zimmermann W., Wedler H., Wambutt R., Furnelle B.,
 RA Goffeau A., Cadieu E., Dreano S., Gloux S., Lelaure V., Mottier S.,
 RA Galibert F., Aves S.J., Xiang Z., Hunt C., Moore K., Hurst S.M.,
 RA Lucas M., Rochet M., Gaillardin C., Tallada V.A., Garzon A., Thode G.,
 RA Daga R.R., Cruzado L., Jimenez J., Sanchez M., del Rey P., Benito J.,
 RA Dominguez A., Revuelta J.L., Moreno S., Armstrong J., Foraburg S.L.,
 RA Cerutti L., Lowe T., McCombie W.R., Paulsen I., Potashkin J.,
 RA Shpakovski G.V., Ussery D., Barrell B.G., Nurse P.;
 RT "The genome sequence of Schizosaccharomyces pombe."
 RL Nature 415:871-880(2002).
 [2]

RP SEQUENCE OF 2999-3131 FROM N.A.
 RC STRAIN=PR745;
 RX MEDLINE=98162722; PubMed=9501991;

```
RA Yoshioka S., Kato K., Nakai K., Okayama H., Nojima H.;
RT "Identification of open reading frames in Schizosaccharomyces pombe
RL CDNAS."; 4:363-369(1997).
CC -|- SIMILARITY: Belongs to the VPS13 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@sib-sib.ch).
CC -----
CC EMBL; AL021767; CAA16910.1; -.
DR EMBL; D89192; BAA13854.1; -.
DR FIR; T39553; T39553.
DR GeneDB SPombe; SPBC16C6.02C; -.
DR InterPro; IPR009543; DUF1162.
DR Pfam; PF06650; DUF1162; 1.
KW Hypothetical protein.
FT CONFLICT 3002 3002 T -> P (in Ref. 2).
FT CONFLICT 3076 3076 H -> T (in Ref. 2).
FT CONFLICT 3115 3115 K -> E (in Ref. 2).
SQ SEQUENCE 3131 AA; 354020 MW; BBD22BE7F668EEF4 CRC64;
Query Match 80.0%; Score 32; DB 1; Length 3131;
Best Local Similarity 83.3%; Pred. No. 2.6e+03;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
QY 2 VHDAPV 7
DB 2650 IHDAPV 2655

RESULT 92
Q7RIH7 PRELIMINARY; PRT; 5577 AA.
ID Q7RIH7
AC Q7RIH7
DT 01-MAR-2004 (TrEMBLrel. 26, Created)
DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE GLP 38 45618 28885.
OS Giardia lamblia ATCC 50803.
OC Eukaryota; Diplomonadida; Hexamitidae; Giardiinae; Giardia.
OX NCBI_TaxID=184922;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=WB C6;
RA Morrison H.G., McArthur A.G., Adam R.D., Aley S.B., Gillin F.D.,
RA Olsen G.J., Sogin M.L.;
RA "Draft sequence of the Giardia lamblia genome."
RL Submitted (MAR-2003) to the EMBL/GenBank/DBJ databases.
CC -|- CAUTION: The sequence shown here is derived from an
CC EMBL/GenBank/DBJ whole genome shotgun (WGS) entry which is
CC preliminary data.
DR EMBL; AACB01000027; EAA41168.1; -.
DR GO; GO:0030286; C:dynain complex; IEA.
DR GO; GO:0003777; F:microtubule motor activity; IEA.
DR GO; GO:0007018; P:microtubule-based movement; IEA.
DR InterPro; IPR004273; Dynein_heavy.
DR InterPro; IPR000169; Pept_cys_acsite.
DR Pfam; PF03028; Dynein_heavy; 1.
DR PROSITE; PS00639; TH10L_PROTEASE_HIS; UNKNOWN 1.
SQ SEQUENCE 5577 AA; 629976 MW; 7DD20BF55E301809 CRC64;
Query Match 80.0%; Score 32; DB 2; Length 5577;
Best Local Similarity 83.3%; Pred. No. 4.9e+03;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAP 6
DB 4848 YVHDP 4853
```

```
RESULT 93
Q7N099 PRELIMINARY; PRT; 101 AA.
ID Q7N099
AC Q7N099
DT 01-MAR-2004 (TrEMBLrel. 26, Created)
DT 01-MAR-2004 (TrEMBLrel. 26, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Similar to putative membrane protein YqJD of Escherichia coli.
GN OrderedLocusNames=plu3994;
OS Photorhabdus luminescens (subsp. laumondii).
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Photorhabdus.
OX NCBI_TaxID=141679;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=TT01;
RX MEDLINE=22957627; PubMed=14528314;
RA Duchaud E., Rusniok C., Frangeul L., Buchrieser C., Givaudan A.,
RA Taurit S., Bocs S., Boursaux-Eude C., Chandler M., Charles J.-F.,
RA Dasse E., Derose R., Derzelle S., Freyssinet G., Gaudriault S.,
RA Medigue C., Lanois A., Powell K., Siguer P., Vincent R., Wingate V.,
RA Zouline M., Glaser P., Boemare N., Danchin A., Kunst F.;
RT "The genome sequence of the entomopathogenic bacterium Photorhabdus
RT luminescens."
RL Nat. Biotechnol. 21:1307-1313(2003).
DR EMBL; BX571872; CAE16366.1; -.
DR PhotoList; plu3994; -.
DR InterPro; IPR010279; DUF883.
DR Pfam; PF05957; DUF883; 1.
KW Complete proteome.
SQ SEQUENCE 101 AA; 11049 MW; 9728F9B9F3279F5A CRC64;
Query Match 77.5%; Score 31; DB 2; Length 101;
Best Local Similarity 83.3%; Pred. No. 1.1e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 YVHDAP 6
DB 75 YVHDP 80

RESULT 94
Q6D2T0 PRELIMINARY; PRT; 103 AA.
ID Q6D2T0
AC Q6D2T0
DT 25-OCT-2004 (TrEMBLrel. 28, Created)
DT 25-OCT-2004 (TrEMBLrel. 28, Last sequence update)
DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
DE Hypothetical protein.
GN OrderedLocusNames=ECA3015;
OS Erwinia carotovora (subsp. atroseptica) (Pectobacterium atrosepticum).
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Pectobacterium.
OX NCBI_TaxID=29471;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SCRI 1043 / ATCC BAA-672;
RX PubMed=15263089; DOI=10.1073/pnas.0402424101;
RA Bell K.S., Sebaihia M., Pritchard L., Holden M.T.G., Hyman L.J.,
RA Holeva M.C., Thomson N.R., Bentley S.D., Churcher L.J.C., Mungall K.,
RA Atkin R., Bason N., Brooks K., Chillingworth T., Clark K., Doggett J.,
RA Fraser A., Hance Z., Hauser H., Jagels K., Moule S., Norbertzak H.,
RA Ormond D., Price C., Quail M.A., Sanders M., Walker D., Whitehead S.,
RA Salmond G.P.C., Birch P.R.J., Parkhill J., Toth I.K.;
RT "Genome sequence of the enterobacterial phytopathogen Erwinia
RT carotovora subsp. atroseptica and characterization of virulence
RT factors."
RL Proc. Natl. Acad. Sci. U.S.A. 101:11105-11110(2004).
DR EMBL; BX950851; CAG75914.1; -.
DR InterPro; IPR010279; DUF883.
DR Pfam; PF05957; DUF883; 1.
```

KW Complete proteome; Hypothetical protein.
SQ SEQUENCE 103 AA; 11353 MW; E1P8030774C72407 CRC64;

Query Match 77.5%; Score 31; DB 2; Length 103;
Best Local Similarity 83.3%; Pred. No. 1.2e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
Db 77 YVHDAP 82

RESULT 95
ID Q87AH6 PRELIMINARY; PRT; 169 AA.
AC Q87AH6;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Transcriptional regulator Fur family.
GN Name=zur; OrderedLocNames=PD1849;
OS Xylella fastidiosa (strain Temecual / ATCC 700964).
OC Bacteria; Proteobacteria; Gammaproteobacteria; Xanthomonadales;
OC Xanthomonadaceae; Xylella.
OX NCBI_TaxID=183190;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=22421331; PubMed=12533478;
RX DOI=10.1128/JB.185.3.1018-1026.2003;
RA Van Sluys M.A., de Oliveira M.C., Monteiro-Vitorello C.B., Moon D.H.,
RA Miyaki C.Y., Furlan L.R., Camargo L.E.A., Ferro M.I.T., da Silva F.R.,
RA Takita M.A., Lemos E.G.M., Machado M.A., Ferro M.I.T., da Silva F.R.,
RA Goldman M.H.S., Goldman G.H., Lemos M.V.F., El-Dorri H., Teai S.M.,
RA Carrier H., Carraro D.M., de Oliveira R.C., Nunes L.R., Siqueira W.J.,
RA Coutinho L.L., Kimura E.T., Ferro E.S., Harakava R., Kuramae E.E.,
RA Marino C.L., Gigliotti E., Abreu I.L., Alves L.M.C., do Amaral A.M.,
RA Baia G.S., Blanco S.R., Brito M.S., Cannavan F.S., Celestino A.V.,
RA da Cunha A.F., Fenille R.C., Ferro J.A., Formighieri E.F., Kishi L.T.,
RA Leoni S.G., Oliveira A.R., Rosa V.E. Jr., Sasaki F.T., Sena J.A.D.,
RA de Souza A.A., Truffi D., Tsukumo F., Yanai G.M., Zaros L.G.,
RA Civerolo E.L., Simpson A.J.G., Almeida N.F. Jr., Setubal J.C.,
RA Kitajima J.P.;
RA "Comparative analyses of the complete genome sequences of Pierce's
RT disease and citrus variegated chlorosis strains of Xylella
RT fastidiosa";
RL J. Bacteriol. 185:1018-1026(2003).
DR ENBL: AE012560; AA029681.1; -;
DR GO: GO:0003700; P:transcription factor activity; IEA.
DR GO: GO:006355; P:regulation of transcription, DNA-dependent; IEA.
DR InterPro: IPR000345; CytC_heme_BS.
DR InterPro: IPR002481; FUR.
DR InterPro: IPR009058; Wing_hlx_DNA_bnd.
DR Pfam: PF01475; FUR; 1.
DR ProDom: PD002003; FUR; 1.
DR PROSITE: PS00190; CYTOCHROME_C; UNKNOWN_1.
KW Complete proteome.
SQ SEQUENCE 169 AA; 18596 MW; 327704FF9B043007 CRC64;

Query Match 77.5%; Score 31; DB 2; Length 169;
Best Local Similarity 83.3%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
Db 13 HVHDAP 18

RESULT 96
ID Q9PF57 PRELIMINARY; PRT; 169 AA.
AC Q9PF57;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)

DT 01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DE Transcriptional regulator (Fur family).
GN OrderedLocNames=Xf0821;
OS Xylella fastidiosa.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Xanthomonadales;
OC Xanthomonadaceae; Xylella.
OX NCBI_TaxID=2371;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=9a5C;
RX MEDLINE=10910347; PubMed=101038/35018003;
RA Simpson A.J.G., Reinach F.C., Arruda P., Abreu F.A., Apascio M.,
RA Alvaranga R., Alves L.M.C., Araya J.E., Baia G.S., Baptista C.S.,
RA Barros M.H., Bonaccorsi E.D., Bordin S., Bove J.M., Briones M.R.S.,
RA Bueno M.R.P., Camargo A.A., Camargo L.E.A., Carraro D.M., Carter H.,
RA Colauto N.B., Colombo C., Costa F.F., Costa M.C.R., Costa-Neto C.M.,
RA Coutinho L.L., Cristofani M., Dias-Neto E., Docena C., El-Dorri H.,
RA Facincani A.P., Ferreira A.J.S., Ferreira V.C.A., Ferro J.A.,
RA Fraga J.S., Franca S.C., Franco M.C., Frohne M., Furlan L.R.,
RA Garner M., Goldman G.H., Goldman M.H.S., Gomes S.L., Gruber A.,
RA Ho P.L., Hoheisel J.D., Junqueira M.L., Kemper E.L., Kitajima J.P.,
RA Krieger J.E., Kuramae E.E., Laigret F., Lambais M.R., Leite L.C.C.,
RA Lemos E.G.M., Lemos M.V.F., Lopes S.A., Lopes C.R., Machado J.A.,
RA Machado M.A., Madeira A.M.B.N., Madeira H.M.F., Marino C.L.,
RA Marques M.V., Martins E.A.L., Martins E.M.F., Matsukuma A.Y.,
RA Menck C.F.M., Miracca E.C., Miyaki C.Y., Monteiro-Vitorello C.B.,
RA Moon D.H., Nagai M.A., Nascimento A.L.T.O., Netto L.E.S.,
RA Nhani A. Jr., Nobrega F.G., Nunes L.R., Oliveira M.A.,
RA de Oliveira M.C., de Oliveira R.C., Palmieri D.A., Paris A.,
RA Peixoto B.R., Pereira G.A.G., Pereira H.A. Jr., Pesquero J.B.,
RA Quaggio R.B., Roberto P.G., Rodrigues V., de Rosa A.J.M.,
RA de Rosa V.E. Jr., de Sa R.G., Santelli R.V., Sawasaki H.E.,
RA da Silva A.C.R., da Silva A.M., da Silva F.R., Silva W.A. Jr.,
RA da Silveira J.F., Silvestri M.L.Z., Siqueira W.J., de Souza A.A.,
RA de Souza A.P., Terenzi M.F., Truffi D., Teai S.M., Teshako M.H.,
RA Vallada H., Van Sluys M.A., Verjovski-Almeida S., Vettore A.L.,
RA Zago M.A., Zatz M., Meidanis J., Setubal J.C.;
RL "The genome sequence of the plant pathogen Xylella fastidiosa";
RT Nature 406:151-159(2000).
DR ENBL: AE003922; AAP83631.1; -;
DR PIR: B82757; B82757.
DR GO: GO:0003700; P:transcription factor activity; IEA.
DR GO: GO:006355; P:regulation of transcription, DNA-dependent; IEA.
DR InterPro: IPR000345; CytC_heme_BS.
DR InterPro: IPR002481; FUR.
DR InterPro: IPR009058; Wing_hlx_DNA_bnd.
DR Pfam: PF01475; FUR; 1.
DR ProDom: PD002003; FUR; 1.
DR PROSITE: PS00190; CYTOCHROME_C; UNKNOWN_1.
KW Complete proteome.
SQ SEQUENCE 169 AA; 18615 MW; 1E19513695B5CF34 CRC64;

Query Match 77.5%; Score 31; DB 2; Length 169;
Best Local Similarity 83.3%; Pred. No. 2e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 YVHDAP 6
Db 13 HVHDAP 18

RESULT 97
ID Q6BPB3 PRELIMINARY; PRT; 205 AA.
AC Q6BPB3;
DT 25-OCT-2004 (TrEMBLrel. 28, Created)
DT 25-OCT-2004 (TrEMBLrel. 28, Last sequence update)
DT 25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
DE Similar to CA4835|IPF1218 Candida albicans IPF1218 Similar to
DE superoxide dismutase.
GN ORFNames=DEHA0E15565g;
OS Debaryomyces Hansenii CBS767.
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;

```

OC Saccharomycetales; Saccharomycetaceae; Debaryomyces.
OX NCBI_TaxID=284592;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CBS767;
RG Genolevures;
RA Dujon B., Sherman D., Fischer G., Durrens P., Casaregola S.,
RA Lafontaine I., de Montigny J., Marck C., Neuveglise C., Talla E., V.,
RA Goffard N., Frangeul L., Aigle M., Anthouard V., Babour A., Barbe V.,
RA Barnay S., Blanchin S., Beckerich J.M., Beyne E., Bleykasten C.,
RA Boisrame A., Boyer J., Cattolico L., Confaniolieri F., de Daruvar A.,
RA Despons L., Fabre E., Fairhead C., Ferry-Dumazet H., Groppi A.,
RA Hantraye F., Hennequin C., Jauniaux N., Joyet P., Kachouri R.,
RA Kerrest A., Koszul R., Lemaire M., Lesur I., Ma L., Muller H.,
RA Nicaud J.M., Nikolaki M., Oztas S., Ozier-Kalogeropoulos O.,
RA Pellenz S., Potier S., Richard G.F., Straub M.L., Suleau A.,
RA Swennene D., Tekala F., Wesolowski-Louvel M., Westhof E., Wirth B.,
RA Zeniou-Meyer M., Zivanovic I., Bolotin-Fukuhara M., Thierry A.,
RA Bouchier C., Caudron B., Scarpelli C., Gallardin C., Weissenbach J.,
RA Wincker P., Souciet J.L.;
RA "Genome evolution in yeasts.";
RL Nature 430:35-44 (2004).
[2]
RN SEQUENCE FROM N.A.
RP STRAIN=CBS767;
RC Genoscope;
RA Submitted (JUL-2004) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: Destroys radicals which are normally produced within the
CC cells and which are toxic to biological systems (By similarity).
CC -1- CATALYTIC ACTIVITY: 2 superoxide + 2 H(+) = O(2) + H(2)O(2).
CC -1- COFACTOR: Binds 1 copper ion and 1 zinc ion per subunit (By
CC similarity).
CC -1- SIMILARITY: Belongs to the Cu-Zn superoxide dismutase family.
DR EMBL; C382137; CAG88203.1; -.
DR GO; GO:0004785; F:copper, zinc superoxide dismutase activity; IEA.
DR GO; GO:0046872; F:metal ion binding; IEA.
DR GO; GO:0006801; P:superoxide metabolism; IEA.
DR InterPro; IPR001424; SOD_CU_ZN.
DR Pfam; PF00080; SOD_Cu; 1.
DR Copper; Metal-binding; Oxidoreductase; Zinc.
SQ SEQUENCE 205 AA; 21058 MW; 54EAE38D165B3D20 CRC64;

Query Match 77.5%; Score 31; DB 2; Length 205;
Best Local Similarity 71.4%; Pred. No. 2.4e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 1 YVHDAPV 7
Db 75 HVHEAPV 81

RESULT 98
Q6IK52 PRELIMINARY; PRT; 214 AA.
AC Q6IK52;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)
DE HDC13360.
GN ORFNames=HDC13360;
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
OC Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RX PubMed-14709175; DOI=10.1186/gb-2003-5-1-r3;
RA Hild M., Beckmann B., Haas S., Koch B., Solovyev V., Busold C.,
RA Fellenberg K., Boutsos M., Vingron M., Sauer F., Hohnselt J., Paro R.;
RA "An integrated gene annotation and transcriptional profiling approach
RA towards the full gene content of the Drosophila genome.";
RL Genome Biol. 5:R3-R3(2003).

CC -1- MISCELLANEOUS: The sequence shown here is derived from an
CC EMBL/GenBank/DBJ third party annotation (TPA) entry.
DR EMBL; BK02514; DAA04020.1; -. 273FC26975CDD1C1 CRC64;
SQ SEQUENCE 214 AA; 23883 MW; 273FC26975CDD1C1 CRC64;

Query Match 77.5%; Score 31; DB 2; Length 214;
Best Local Similarity 66.7%; Pred. No. 2.5e+02;
Matches 4; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
Db 132 YIHDGP 137

RESULT 99
CAPB_STA0U STANDARD; PRT; 228 AA.
ID CAPB_STA0U STANDARD; PRT; 228 AA.
AC P39851;
DT 01-PEB-1995 (Rel. 31, Created)
DT 01-PEB-1995 (Rel. 31, Last sequence update)
DT 05-JUL-2004 (Rel. 44, Last annotation update)
DE Putative tyrosine-protein kinase capB (EC 2.7.1.112).
GN Name=capB;
OS Staphylococcus aureus.
OC Bacteria; Firmicutes; Bacillales; Staphylococcus.
OX NCBI_TaxID=1280;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=N;
RX MEDLINE=95050273; PubMed=7961465;
RA Lin W.S., Gunneen T., Lee C.Y.;
RT "Sequence analysis and molecular characterization of genes required
RT for the biosynthesis of type 1 capsular polysaccharide in
RT Staphylococcus aureus.";
RL J. Bacteriol. 176:7005-7016(1994).
CC -1- FUNCTION: Required for the biosynthesis of type 1 capsular
CC polysaccharide.
CC -1- CATALYTIC ACTIVITY: ATP + a protein tyrosine = ADP + protein
CC tyrosine phosphate.
CC -1- PATHWAY: Capsular polysaccharide (CPS) biosynthesis.
CC -1- SIMILARITY: Belongs to the cpsD/capB family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U10927; AAA64641.1; -.
DR InterPro; IPR005702; EPS_synthesis.
DR TIGRFAMs; TIGR01007; eps_fam; 1.
KW Bacterial capsule; Exopolysaccharide synthesis; Transferase;
KW Tyrosine-protein kinase.
SQ SEQUENCE 228 AA; 25176 MW; 777A4395AA8D7F67 CRC64;

Query Match 77.5%; Score 31; DB 1; Length 228;
Best Local Similarity 83.3%; Pred. No. 2.7e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
Db 12 YVHDGP 17

RESULT 100
Q6U9R8 PRELIMINARY; PRT; 231 AA.
ID Q6U9R8
AC Q6U9R8;
DT 05-JUL-2004 (TrEMBLrel. 27, Created)
DT 05-JUL-2004 (TrEMBLrel. 27, Last sequence update)
DT 05-JUL-2004 (TrEMBLrel. 27, Last annotation update)

```

DE DCMP hydroxymethylase.
OS Bacteriophage 4RR2.8c.
OC Viruses; dsDNA viruses, no RNA stage; Caudovirales; Myoviridae;
OC T4-like viruses.
OX NCBI_TaxID=115987;
RN [1]
RP SEQUENCE FROM N.A.
RA Nolan J.M., Petrov V., Bertrand C., Krusch H.M., Karam J.D.;
RL Submitted (Aug-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY375531; AA081353.1; -
DR HSP; P08773; IBSE.
DR GO: 0008168; F:methyltransferase activity; IEA.
DR GO: 0004799; F:thymidylate synthase activity; IEA.
DR GO: 0006231; P:dTMP biosynthesis; IEA.
DR InterPro; IPR000398; Thymidylat synth.
DR ProDom; PD001180; Thymidylat synth; 2.
KW Methyltransferase.
SQ SEQUENCE 231 AA; 26856 MW; B6EB63F272CCE43E CRC64;

Query Match 77.5%; Score 31; DB 2; Length 231;
Best Local Similarity 83.3%; Pred. No. 2.7e+02;
Matches 5; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 YVHDAP 6
| | | | |
Db 68 YVHDIP 73

Search completed: June 30, 2005, 22:22:47
Job time : 185 secs

This Page Blank (uspto)